

2018
COLLECTION





DISCOVER **BLOMBERG**


Established in 1883 in Germany, Blomberg has more than 130 years of delivering quality and innovation.

With a focus on intelligent solutions, energy efficiency, and materials of the highest quality, our goal is to blend contemporary European design with cutting-edge performance and create home appliances that function beautifully in living spaces of all sizes.



IN HARMONY WITH NATURE, YOUR LIFE, AND YOU.





IN HARMONY WITH NATURE

Blomberg understands living well also means living intelligently and responsibly. It's a distinction that earned us the **ENERGY STAR® 2018 Partner of the Year** award. Additionally, select ENERGY STAR products meet specifications set by the **Consortium for Energy Efficiency (CEE)** as listed by the **Super Efficient Home Appliances Initiative (SEHA)**.

Meets CEE Specifications



A background image showing a person's hands holding a glass of water over a wooden cutting board with sliced vegetables. The image is split into a dark grey left half and a light grey right half, with the text overlaid on the dark grey section.

IN HARMONY **WITH YOUR LIFE**

Inside your home, Blomberg appliances do more than exude sophistication, thoughtfulness, and cutting-edge technology. From the kitchen to the laundry room, our intelligent solutions harmonize with your life and create the balance between beautiful form and the functional excellence your active lifestyle demands.







IN HARMONY WITH YOU

Blomberg products are designed with a refined European sensibility that aesthetically blends with whatever high-end style inspires you. The distinction is in the details, the unwavering emphasis on quality, and a level of ease and execution that reflects what really matters to you.

CONTENTS

13 | Cooking

35 | Refrigerators

55 | Dishwashers

69 | Compact Laundry

83 | Technical Details

98 | Parts & Accessories







COOKING

Whether electric, gas, dual fuel, or induction, Blomberg ranges not only elevate functionality to new levels, they also enable every cook to create like a chef. The difference is in the details that transform an appliance into a harmonious part of your home.





CONTEMPORARY EUROPEAN DESIGN

Blomberg ranges bring sophistication, thoughtfulness, and cutting-edge technology to the kitchen, harmonizing elegance with chef-worthy functionality and the effortless style your upscale home deserves. This balance is evident in every feature, from the sleek oven handle and sculpted ergonomic knobs, to the beautiful LED lights under the bullnose that illuminate the controls and the programmable electronic timer. These innovative features have made Blomberg the winner of the prestigious iF Design award, which has been globally recognized as a symbol of design excellence for over 65 years.





TRUE EUROPEAN CONVECTION

Blomberg's advanced convection system features an additional dedicated heating element around the cooking fan to circulate warm air evenly, creating a three-dimensional cooking effect that works consistently on every rack. Roasts and casseroles cook faster and more uniformly. Baked goods are evenly browned and beautiful. Multiple dishes cook to perfection at the same time with no mixing of flavors or aromas.



SPECIAL
PROGRAMS

Blomberg caters to the executive chef inside every home cook by offering professional-level assistance in the kitchen. Simply select one of the special preset options from the display menu for proofing bread, baking amazing pizza, or roasting the prime turkey, and the oven determines the correct cooking mode, temperature, and timing for you.





MEAT PROBE

This is the secret to perfect roasts every time. The programmable meat probe accurately measures the interior temperature when the oven is in use. You know exactly when it's done just the way you like it—rare, medium, or well done—without constantly checking or opening the oven door.

INTERIOR LIGHTING

For full visibility while baking, braising, and roasting, Blomberg ovens feature superb interior lighting, including bright Halogen lamps and a non-reflective enamel surface that reduces glare on the glass oven door.

INDUSTRY-LEADING OVEN CAPACITY

Blomberg knows you can never have too much room in your oven, especially when you're entertaining. That's why we feature the largest oven capacity available in a 30-inch range, with 5.7 cu. ft. of cooking space to accommodate everything from holiday roasts to full-size commercial baking sheets. Dual interior lights and a large viewing window make it easy to monitor what's cooking.

3 HEAVY-DUTY WIRE RACKS

For easy combo cooking or baking more than one tray of homemade cookies at a time, our oven features three heavy-duty wire racks. Each one is built to handle everything from feather-light pastries to hearty hams and scrumptious sides that feed a crowd.

COOL-TOUCH OVEN DOOR

Blomberg ranges feature cool-touch glass on the oven door to prevent accidental burns and safely protect those small, curious fingers tempted to point out the cookie they want first!



XL COOKING ZONE

Blomberg electric ranges with sleek, solid-surface cooktops offer more than a beautiful appearance and the benefit of effortless cleanup. They feature the versatile advantage of allowing you to create an extra-large, 12-inch cooking zone for fast, efficient cooking in oversize pots and pans of any shape, as well as with stovetop griddles.

THE INNOVATION OF INDUCTION

Cook with precision. Innovative induction technology uses an electromagnetic field below a sleek, easy-clean glass cooktop surface to generate heat directly within the cookware (it requires induction-capable steel pots and pans to activate). Faster than radiant heat, induction cooks foods quickly and evenly and offers a wide range of temperatures for greater control. Once the pan is removed, the cooking zone cools down rapidly, using less energy. Additional safety features prevent children from turning on the cooktop surface.



AUTO REIGNITION

Blomberg ranges are designed to be intelligent as well as stylish and efficient. Should a gust of wind, a spill, or a boil-over extinguish the burner flame at any time during cooking, safety is built in with automatic reignition.



INTEGRATED ELECTRONIC IGNITION

Igniting a Blomberg gas burner is much quicker and easier because the starter is integrated into the knob. Simply press and turn a burner knob for instant auto ignition and you are ready to cook.



POWER BURNERS

Cooking at just the right temperature is a skill often acquired over years of practice, but Blomberg makes it automatic for anyone. Our ranges feature double simmering burners that can be set to cook at precise temperatures. A power burner (front right) delivers 20,000 BTU for rapid boiling and browning. A simmering burner (rear left) provides gentle, low heat for sauces, rice, or melting chocolate like a pro.



CAST IRON GRATES & PAN SUPPORTS

For top performance, Blomberg uses high quality cast iron grates atop its sealed burners. Durable and practically indestructible, the supports promote even heating and cooking and can withstand high temperatures.



GAS SAFETY VALVE

All Blomberg gas ranges feature oven broilers equipped with a gas safety device that automatically cuts off the gas supply if it senses the broiler flame has been accidentally extinguished while you're cooking.



PROGRAMMABLE SELF-CLEAN OVEN

Time is the ultimate luxury, and Blomberg ranges protect yours with high-tech, programmable self-cleaning oven technology that lets you set the right cycle. Set it for three hours, four hours, or five hours depending on the level of cleaning required. There's no need to scrub hard-to-reach surfaces, scrape stubborn spills, or use harsh chemicals. At the end of the cycle, simply wipe away ash with a cloth.



FULL EXTENSION TELESCOPIC BOTTOM RACK

Blomberg has designed its oven rack system to provide ergonomic, easy, and accident-proof access to whatever you're cooking. The telescopic shelf system with extending arms allows full bottom rack extension, so even heavy casseroles or roasting pans glide out without effort, while an integrated stop mechanism guarantees your safety.



30" PRO-STYLE INDUCTION RANGE

BIRP34450SS

COOKTOP FEATURES

- 4 Induction Cooking Zones
- XL Cooktop Surface
- Residual Heat Indicator

RANGE FEATURES

- Contemporary European Design
- True European Convection
- Industry-leading Oven Capacity (5.7 cu. ft.)
- Programmable Self-clean Oven
- Cool-touch Door, 4-pane Glass
- Bullnose Lighting
- Interior Halogen Lighting
- Full Extension Telescopic Rack
- Sabbath Mode
- 3 Heavy-duty Wire Racks
- Adjustable Feet
- Easy-to-clean Enamel Oven Interior

ACCESSORIES

- Included: Island Trim
- Optional: Side Trim Kit

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

37 ¹/₂ x 29 ¹³/₁₆ x 29 ⁵/₁₆ in.

Height includes 1 ¹/₂ inches for back guard.

Depth includes knobs and handle.



30" PRO-STYLE DUAL FUEL RANGE

BDFP34550SS

COOKTOP FEATURES

- 5 Gas Burners: Dual Simmering Burners; Two 20,000 BTU Power Burners with Simmering; 10,000 BTU Central Oval Burner
- Auto Reignition
- Cast Iron Continuous Pan Supports
- Bullnose Lighting
- Integrated Electronic Ignition Knob
- Easy-to-clean Enamel Burner Plate

RANGE FEATURES

- Contemporary European Design
- Convection Cooking
- Industry-leading Oven Capacity (5.7 cu. ft.)
- Programmable Self-clean Oven
- Cool-touch Door, 4-pane Glass
- Interior Halogen Lighting
- Full Extension Telescopic Rack

- Sabbath Mode
- 3 Heavy-duty Wire Racks
- Adjustable Feet
- Easy-to-clean Enamel Oven Interior
- LPG Conversion Kit

ACCESSORIES

- Included: Island Trim
- Optional: Griddle and Side Trim Kit

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

37 ¹/₂ x 29 ¹³/₁₆ x 29 ⁵/₁₆ in.

Height includes 1 ¹/₂ inches for back guard.

Depth includes knobs and handle.





30" PRO-STYLE GAS RANGE

BGRP34520SS

COOKTOP FEATURES

- 5 Gas Burners: Dual Simmering Burners; One 20,000 BTU Power Burner with Simmering; 10,000 BTU Central Oval Burner
- Auto Reignition
- Cast Iron Continuous Pan Supports
- Integrated Electronic Ignition Knob
- Easy-to-clean Enamel Burner Plate

RANGE FEATURES

- Contemporary European Design
- Convection Cooking
- Industry-leading Oven Capacity (5.7 cu. ft.)
- Bullnose Lighting
- Programmable Self-clean Oven
- Cool-touch Door, 4-pane Glass
- Interior Halogen Lighting
- Gas Safety Valve
- Full Extension Telescopic Rack

- Sabbath Mode
- 3 Heavy-duty Wire Racks
- Adjustable Feet
- Easy-to-clean Enamel Oven Interior
- LPG Conversion Kit

ACCESSORIES

- Included: Island Trim
- Optional: Griddle and Side Trim Kit

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

37 1/2 x 29 13/16 x 29 5/16 in.

Height includes 1 1/2 inches for back guard.

Depth includes knobs and handle.



30" SLIDE-IN ELECTRIC RANGE

BERU30420SS

COOKTOP FEATURES

- 4 Vitroceramic Cooking Zones
- XL Cooking Zone
- Residual Heat Indicator

RANGE FEATURES

- Contemporary European Design
- Convection Cooking
- Industry-leading Oven Capacity (5.7 cu. ft.)
- Programmable Self-clean Oven
- Cool-touch Door, 4-pane Glass
- Interior Halogen Lighting
- Full Extension XL Storage Drawer
- Sabbath Mode
- Special Programs: Bread Proofing, Pizza, Prime Turkey

- Programmable Electric Timer
- 3 Heavy-duty Wire Racks
- Easy-to-clean Enamel Oven Interior
- Adjustable Feet

ACCESSORIES

- Included: Island Trim
- Optional: Side Trim Kit

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

37 1/2 x 29 13/16 x 28 5/8 in.

Height includes 1 1/2 inches for back guard.

Depth includes knobs and handle.

30" SLIDE-IN GAS RANGE

BGR30420SS

COOKTOP FEATURES

- 4 Gas Burners: 18,000 BTU Power Burner with Simmering
- Auto Reignition
- Cast Iron Continuous Pan Supports
- Integrated Electronic Ignition Knob
- Easy-to-clean Enamel Burner Plate

RANGE FEATURES

- Contemporary European Design
- Convection Cooking
- Industry-leading Oven Capacity (5.7 cu. ft.)
- Programmable Self-clean Oven
- Cool-touch Door, 4-pane Glass
- Interior Halogen Lighting
- Full Extension XL Storage Drawer
- Sabbath Mode
- Special Programs: Bread Proofing, Pizza, Prime Turkey

- Programmable Electric Timer
- 3 Heavy-duty Wire Racks
- Easy-to-clean Enamel Oven Interior
- Adjustable Feet
- LPG Conversion Kit

ACCESSORIES

- Included: Island Trim
- Optional: Side Trim Kit

FINISH

Stainless Steel

DIMENSIONS (H x W x D)37 ¹/₂ x 29 ¹³/₁₆ x 28 ⁵/₈ in.*Height includes 1 1/2 inches for back guard.**Depth includes knobs and handle.*



24" FREESTANDING ELECTRIC RANGE

BERU24202SS

COOKTOP FEATURES

- 4 Vitroceramic Cooking Zones
- Residual Heat Indicator

RANGE FEATURES

- Large Oven Capacity (2.51 cu. ft.)
- Interior Lighting
- Flip-down Storage Cover
- 2 Wire Racks
- Easy-to-remove Side Racks
- Easy-to-clean Gray Enamel
- Adjustable Feet

ACCESSORIES

- Included: Island Trim
- Optional: Side Trim Kit and Splashback (9" high)

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

36 x 23⁹/₁₆ x 25³/₄ in.

Height without island trim.

Depth includes knobs and handle.



24" FREESTANDING ELECTRIC RANGE

BERU24102SS

COOKTOP FEATURES

- 4 Vitroceramic Cooking Zones
- Residual Heat Indicator

RANGE FEATURES

- True European Convection
- Large Oven Capacity (2.51 cu. ft.)
- Programmable Electric Timer
- Pullout Storage Drawer
- 2 Wire Racks
- Easy-to-remove Side Racks
- Easy-to-clean Gray Enamel
- Interior Lighting
- Adjustable Feet

ACCESSORIES

- Included: Island Trim
- Optional: Side Trim Kit and Splashback (9" high)

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

36 x 23⁹/₁₆ x 25³/₄ in.

Height without island trim.

Depth includes knobs and handle.

24" FREESTANDING GAS RANGE

BGR24102SS

COOKTOP FEATURES

- 4 Gas Burners
- Flame Failure Safety Device
- Integrated Electronic Ignition Knob
- Easy-to-clean Enamel Burner Plate
- Cast Iron Pan Supports

RANGE FEATURES

- Large Oven Capacity (2.51 cu. ft.)
- 2 Wire Racks
- Easy-to-remove Side Racks
- Easy-to-clean Gray Enamel
- Interior Lighting
- Adjustable Feet
- LPG Conversion Kit
- Gas Safety Valve

ACCESSORIES

- Included: Island Trim
- Optional: Side Trim Kit

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

36 x 23⁹/₁₆ x 25³/₄ in.

Height without island trim.

Depth includes knobs and handle.



RANGE ACCESSORIES



TRIM KIT

CW3001 (Stainless Steel)

CW3002 (Black)

Give your kitchen a perfectly finished look by seamlessly integrating your Blomberg range and creating a no-crumb zone between your range and countertop.

GRIDDLE

G3001

Fits across burners on 30-inch gas ranges and turns your kitchen into a restaurant in short order! Make eggs, sausage, and pancakes for breakfast, then enjoy perfectly grilled steaks for dinner.

WOK RING

119240080

This is an adapter that can be added to your range to assist when using a wok pan. The Wok Ring holds the pan in place for easy use.



30" SINGLE ELECTRIC WALL OVEN

BWOS30200SS

FEATURES

- High-quality Stainless Steel Product
- User-friendly, Smart LED Display
- Sensitive Touch Button Control
- Easy Grip Stainless Steel Handle
- Pyro Proof Black Enamel Cavity
- Full Extension Telescopic Rack
- 2 Halogen Lamp Illuminations
- Industry-leading Oven Capacity (5.7 cu. ft.)
- Self-clean Oven
- Convection Cooking
- Cool-touch Door, 4-pane Glass

DIMENSIONS (H x W x D)

28⁷/₈ x 29³/₄ x 24⁷/₁₆ in.

COOKING MODES

- Bake
- Roast
- Broil
- Convection Bake
- Convection Roast
- Convection Broil
- Warm Keeping
- Slow Cook
- Pizza Cooking
- Bread Proof
- Defrost
- Pyrolitic Self-clean
- Sabbath Mode

FINISH

Stainless Steel



24" SINGLE ELECTRIC WALL OVEN

BWOS24110SS

FEATURES

- 2.5 cu. ft. Oven Capacity
- Multifunctional Oven with Convection Fan
- Timer with Touch Button Control
- 5 Level Side Racks
- 2 Standard Wire Racks
- Multi-cooking Function with True European Convection Fan
- Electronic Touch Control Timer with Digital Display

Additional style option

BWOS24110B
Black Finish



COOKING MODES


- Static
- Bottom Heat
- Top & Bottom Heat with Convection Air
- Operating with Fan
- Hot Air
- 3-D Function, Broil
- Broil with Convection Fan

DIMENSIONS (H x W x D)

23⁵/₈ x 22³/₆₄ x 21²¹/₃₂ in.

FINISH

- Knobs: Black Plastic
- Door: Full Glass





36" GAS COOKTOP

CTG36500SS

FEATURES

- 5 Burners
- Front Knob Control with LED Illumination
- Integrated Ignition & Auto Reignition
- Cast Iron Pan Supports
- Power Burner with Simmering
- Griddle Accessory

DIMENSIONS (H x W x D)

3⁷/₈ x 36 x 21¹/₄ in.

FINISH

Stainless Steel



30" GAS COOKTOP

CTG30500SS

FEATURES

- 4 Gas Burners + 1 Wok Burner
- Sealed Burner
- Reignition Controlled Burners
- 19,000 BTU Power Burner with Simmering
- Gas Safety Device
- Cast Iron Pan Supports
- Integrated Ignition
- Front Knob Control with LED Illumination
- Griddle Accessory

DIMENSIONS (H x W x D)

1¹³/₁₆ x 29¹/₂ x 20¹/₁₆ in.

FINISH

Stainless Steel



30" GAS COOKTOP

CTG30400SS

FEATURES

- 4 Gas Burners
- Sealed Burner
- Reignition Controlled Burners
- Gas Safety Device
- Cast Iron Pan Supports
- Integrated Ignition
- Front Knob Control without Illumination
- Griddle Accessory (Optional)

DIMENSIONS (H x W x D)

1¹³/₁₆ x 29¹/₂ x 20¹/₁₆ in.

FINISH

Stainless Steel



24" GAS COOKTOP

CTG24400SS

FEATURES

- 4 Gas Burners
- Sealed Burner
- Gas Safety Device
- 15,000 BTU Power Burner with Simmering
- Cast Iron Pan Supports
- Integrated Ignition
- Front Knob Control without Illumination
- Griddle Accessory (Optional)


DIMENSIONS (H x W x D)

1¹³/₁₆ x 22⁷/₈ x 20¹/₁₆ in.

FINISH

Stainless Steel





36" TOUCH CONTROL INDUCTION COOKTOP

CTI36510

FEATURES


- Power Shared Electronic Slide Touch
- 5 Induction Zones
- Programmable Timer
- Automatic Pan Recognition

DIMENSIONS (H x W x D)

4²³/₃₂ x 37¹³/₃₂ x 23⁵/₈ in.

FINISH

Frameless Black Glass



30" TOUCH CONTROL INDUCTION COOKTOP

CTI30410

FEATURES

- Power Shared Electronic Slide Touch
- 4 Induction Zones
- Programmable Timer
- Automatic Pan Recognition

DIMENSIONS (H x W x D)

4²³/₃₂ x 31¹/₂ x 23⁵/₈ in.

FINISH

Frameless Black Glass



30" TOUCH CONTROL ELECTRIC COOKTOP

CTE30410

FEATURES

- Electric with Front Touch Control
- 4 Vitroceramic Elements
- Double Duo Zones
- Smooth Top for Easy Cleaning
- Programmable Touch Control System
- Slide Touch Control with Timer
- Residual Heat Indicator

DIMENSIONS (H x W x D)

2⁵/₈ x 23¹⁵/₁₆ x 20¹¹/₁₆ in.

FINISH

Frameless Black Glass



24" TOUCH CONTROL ELECTRIC COOKTOP

CTE24410

FEATURES

- Slide Touch Control with Timer
- Programmable Touch Control System
- Smooth Top for Easy Cleaning
- 4 Vitroceramic Cooking Zones
- Individual Heat Indicator

DIMENSIONS (H x W x D)

2¹/₄ x 22³/₄ x 20 in.

FINISH

Stainless Steel Frame



24" KNOB CONTROL ELECTRIC COOKTOP

CTE24402

FEATURES


- 6 Cooking Levels per Zone
- 4 Vitroceramic Cooking Zones
- On/Off Indicator
- Easy Cleaning
- Residual Heat Indicator
- Digital Timer

DIMENSIONS (H x W x D)

2¹/₈ x 22⁷/₈ x 20¹/₈ in.

FINISH

Stainless Steel Frame





30" OVER THE RANGE CONVECTION MICROWAVE

BOTR30200CSS

KEY FEATURES

- Convection Oven
- 1.5 cu. ft. Interior Capacity
- Two-speed 300 CFM Ventilation
- Cooktop Surface Lighting
- Defrost by Time or Weight
- Preset Cooking Options
- Control Panel Lock
- Add 30 Seconds During Cooking
- Stainless Steel Interior
- Multi-touch Control
- Glass Turntable
- Pull-handle Door

TECHNICAL FEATURES

Voltage/Frequency: 120 V / 60 Hz

Output Power: 1,450 W

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

16¹/₂ x 30 x 15²/₅ in.



30" OVER THE RANGE MICROWAVE OVEN

BOTR30100SS

KEY FEATURES

- 1.5 cu. ft. Interior Capacity
- Two-speed 300 CFM Ventilation
- Defrost by Time or Weight
- Preset Cooking Options
- Clock Display
- Glass Turntable
- Cooktop Surface lighting
- Pull-handle Door
- Multi-touch Control

TECHNICAL FEATURES

Voltage/Frequency: 120 V / 60 Hz

Output Power: 1,000 W

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

16¹/₂ x 30 x 15 in.



30" UNDER CABINET PROFESSIONAL RANGE HOOD

BCHP30100SS

KEY FEATURES

- Knob Control
- 600 CFM Suction Power with Four Different Fan Speed Levels
- Direct Ducting with Charcoal Filter for Ductless Use Availability
- Stainless Baffle Grease Filters (Dishwasher-safe)
- 2 Halogen Lights (50 W Each) with Surface Light Adjustable Illumination

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

18³/₈ x 30 x 23 in.

Max Height Range for Installation:

30" Electric, 36" Gas.

30" UNDER CABINET RANGE HOOD

BCHS30100SS

KEY FEATURES

- Tag Switches with LED Controls
- 250 CFM Suction Power with Three Fan Speed Levels
- Direct Ducting with Charcoal Filter for Ductless Use Availability
- Washable Grease Filters
- 2 Halogen Lights (50 W Each) with Surface Light On/Off Control

FINISH

Stainless Steel

DIMENSIONS (H x W x D)

4³/₄ x 30 x 20 in.

Max Height Range for Installation:
24" Electric, 30" Gas.





REFRIGERATORS

Blomberg's sleek refrigerators harmonize contemporary design sensibilities with the highest performance and efficiency standards. Whichever style you choose, the counter-depth design provides a seamless space in which to let your culinary imagination soar while your ingredients are kept easily in reach and at their peak.





CONTEMPORARY EUROPEAN DESIGN

Blomberg refrigerators harmonize refined design sensibilities with the demand for functional excellence. Thoughtful decisions may include a streamlined counter-depth design for the clean sight lines you covet, reversible doors for ultimate flexibility, plus a luxurious stainless steel finish that resists fingerprints and makes cleaning effortless.



Boldly beautiful European-style handles combine sophistication and strength to complement both your aesthetics and your active life. Inside, a prominent digital display puts complete control within easy reach and theatrical LED lighting brilliantly illuminates every corner while conserving energy.



IN HARMONY WITH NATURE

Blomberg understands living well also means living responsibly. It's a distinction that earned us the ENERGY STAR® 2018 Partner of the Year award. Featuring innovative technology that safeguards your food and ensures maximum freshness, our ENERGY STAR-certified refrigerators also conserve energy, save money, and help protect the planet. Our refrigerators are built with 99.9% lead-free materials, 100% free from ozone-depleting greenhouse gases, and manufactured with 85% recyclable components.





DUO CYCLE COOLING

Ingenious Blomberg refrigerators are equipped with advanced multi-cycle, no-frost, silent cooling technology. Independently zoned and controlled cooling systems maintain even air temperature and humidity in separate freezer and fresh-food compartments, delivering enhanced food preservation and maximum energy efficiency. No air transfer between compartments means food in the freezer section freezes faster, items in the refrigerator stay fresher longer, and odors don't circulate.





BLUE LIGHT TECHNOLOGY

Exclusive Blomberg Blue Light Technology represents a breakthrough in keeping fruits and vegetables fresh and juicy long after they're picked. Continuous blue light rays illuminate the crisper and allow the natural process of photosynthesis to continue, prolonging storage life and preserving natural flavors, colors, textures, and nutrients.



IONFRESH

This exceptional Blomberg technology simulates a natural process to bring pure freshness to your kitchen. By producing negative ions inside the refrigerator, IonFresh captures and neutralizes airborne bacteria, odor-causing microbes, and ethylene gas, while extending the life of fresh fruits and vegetables and keeping circulated air clean and smelling fresh.



HEIGHT-ADJUSTABLE SHELVES

Blomberg believes refrigerators should be adaptable as well as beautiful. Our expansive glass shelves are cantilevered at the back so you can use every inch of space for storage. Plus, with a simple motion they can be manually adjusted up or down three inches to accommodate anything from the holiday turkey to a towering layer cake.



INTERIOR THEATRE LIGHTING

Blomberg ventures beyond the conventional with theatrical LED lighting on the top and side walls that perfectly illuminates the interior and contents of your refrigerator, yet conserves energy.



PANTRY DRAWER

An ingenious addition to the modern refrigerator, this full-width shallow drawer is ideal for storing cold cuts, cheeses, and small packages that can easily get pushed to the back of the shelves and out of sight. It is also a handy solution for storing drink boxes and snacks where the kids can help themselves.



AUTOMATIC ICE MAKER

Whether you are getting ready for a big party or just keeping up with your busy family life, there is never a need to rush out and buy ice. The turbo charged automatic ice maker can produce up to 11 pounds of crystal-clear ice per day.

LARGE FREEZER DRAWER

Generously sized freezer storage drawers fit the Blomberg lifestyle perfectly. The main compartment has a large capacity that offers plenty of accessible room, while the sliding bin gives you the flexibility to store smaller items within easy reach.



METAL FREEZER DRAWER

Quality details such as a spacious, durable, all-metal freezer drawer set Blomberg appliances apart.





SOFT-CLOSE CRISPER

All your fresh fruits and vegetables are not only safely stored but also easy to see and reach in this specially designed crisper drawer. Drawer rails feature built-in wheels for smooth opening and quiet closing.



90° FLUSH HINGE

For a truly custom look, Blomberg's specially engineered hinge allows the refrigerator door to open a full 90 degrees and stay flush with the opening.




WINE RACK

Featured in certain Blomberg refrigerators, this versatile chrome bottle holder suspends from a shelf to provide convenient extra storage. Ideal for chilling wine or keeping tall bottles of cold water on hand, this practical accessory makes the most of every inch of space.



INTERIOR FILTERED WATER DISPENSER

To preserve the integrity of Blomberg's contemporary European design, the water dispenser is on the inside of the refrigerator, instead of the outside. Enjoy all the convenience and great taste of chilled, filtered water at the touch of a button, plus the elegance and clean, sleek lines that blend so beautifully with your kitchen décor.



30" BUILT-IN, EASY-TO-READ, LARGE DISPLAY

Blomberg refrigerators feature bright, accessible digital displays that simplify programming and put you in control of performance.



SABBATH MODE

This convenient feature makes it simple to observe the rules of the Jewish Sabbath. Just set the special mode in advance, and the lights inside the refrigerator and freezer compartments will not turn on when the door is opened.



30" FULLY INTEGRATED BUILT-IN BOTTOM FREEZER REFRIGERATOR

BRFB1920SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Blue Light Technology Crisper
- IonFresh
- 90-degree Opening Flush Hinge
- Large, Easy-to-read Digital Display
- Soft-close Crisper
- Sabbath Mode
- Large Pantry Drawer
- Height-adjustable Cantilever Shelves
- Interior Filtered Water Dispenser
- Interior Theater Lighting with LED Lights
- Field Reversibility of Door
- 3-D Door Adjustment
- 3 Shelves
- 3 Door Racks
- 11.6 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker (11 lbs. per day)
- Large, Metal Freezer Drawer
- Auto Defrost
- 4.8 cu. ft. Capacity

FINISH

Stainless Steel

TOTAL CAPACITY

16.4 cu. ft.

DIMENSIONS (H x W x D)

83 1/2 x 29 3/4 x 24 5/16 in.

Depth is with door, without handles.

Panel Ready style fits 30"-wide cabinet; no exposed vent grill.



Additional style option

BRFB1920FBI
Panel Ready



Meets CEE Specifications

REFRIGERATORS



Meets CEE Specifications

30" FULLY INTEGRATED BUILT-IN BOTTOM FREEZER REFRIGERATOR

BRFB1900FBI

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Blue Light Technology Crisper
- IonFresh
- 90-degree Opening Flush Hinge
- Large, Easy-to-read Digital Display
- Soft-close Crisper
- Sabbath Mode
- Large Pantry Drawer
- Height-adjustable Cantilever Shelves
- Interior Theater Lighting with LED Lights
- Field Reversibility of Door
- 3-D Door Adjustment
- 3 Shelves
- 3 Door Racks
- 11.6 cu. ft. Capacity

FREEZER FEATURES

- Large, Metal Freezer Drawer
- Auto Defrost
- 4.8 cu. ft. Capacity

FINISH

Panel Ready

TOTAL CAPACITY

16.4 cu. ft.

DIMENSIONS (H x W x D)

83 ¹/₂ x 29 ³/₄ x 23 ⁹/₁₆ in.

Depth is with door, without handles.

Fits 30"-wide cabinet; no exposed vent grill.



36" COUNTER DEPTH FRENCH DOOR REFRIGERATOR

BRFD2230SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Blue Light Technology Crispers
- IonFresh
- Large, Easy-to-read Digital Display
- Sabbath Mode
- Large Pantry Drawer
- Height-adjustable Cantilever Shelves
- Interior Filtered Water Dispenser
- Interior Theater Lighting with LED Lights
- 4 Safety Glass Shelves
- 6 Door Racks
- 13.3 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker (11 lbs. per day)
- Large Freezer Drawer
- Auto Defrost
- 6.56 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

19.86 cu. ft.

DIMENSIONS (H x W x D)

69 ³/₄ x 35 ³/₄ x 26 ¹³/₁₆ in.

Depth is with door, without handles.



Meets CEE Specifications

36" COUNTER DEPTH SIDE-BY-SIDE REFRIGERATOR

BSBS2230SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Blue Light Technology Crispers
- IonFresh
- Digital Display (on the door)
- FlexiRack
- Filtered Water and Ice Dispenser (through the door)
- Interior Theater Lighting with LED Lights
- Wine Rack
- 4 Safety Glass Shelves
- 5 Door Racks
- 13 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker
- Auto Defrost
- 2 Drawers
- 6.32 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

19.32 cu. ft.

DIMENSIONS (H x W x D)

71 ¹¹/₁₆ x 35 ¹³/₁₆ x 26 ¹³/₁₆ in.

Depth is with door, without handles.



Meets CEE Specifications



Meets CEE Specifications

30" BOTTOM FREEZER REFRIGERATOR

BRFB1822SSN

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Blue Light Technology Crisper
- IonFresh
- Inner Digital Display
- FlexiRack
- Interior LED Lighting
- Wine Rack
- 3 Safety Glass Shelves
- 3 Door Racks
- 11.1 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker (6 lbs. per day)
- Auto Defrost
- 3 Drawers
- 5.1 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

16.2 cu. ft.

DIMENSIONS (H x W x D)

67 ³/₄ x 29 ¹/₈ x 28 ⁵/₁₆ in.

Depth is with door, without handles.

Additional style option

BRFB1822SSLN

Left Hinge Door



Meets CEE Specifications

30" BOTTOM FREEZER REFRIGERATOR

BRFB1812SSN

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Blue Light Technology Crisper
- IonFresh
- Inner Digital Display
- FlexiRack
- Interior LED Lighting
- Wine Rack
- 3 Safety Glass Shelves
- 3 Door Racks
- 11.1 cu. ft. Capacity

FREEZER FEATURES

- Auto Defrost
- 2 Drawers
- 5.1 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

16.2 cu. ft.

DIMENSIONS (H x W x D)

67 ³/₄ x 29 ¹/₈ x 28 ⁵/₁₆ in.

Depth is with door, without handles.

Additional style option

BRFB1812SSLN

Left Hinge Door



28" COUNTER DEPTH BOTTOM FREEZER REFRIGERATOR

BRFB1522SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- FlexiRack
- Interior LED Lighting
- Field Reversibility of Doors
- Wine Rack
- Crisper Drawer
- 4 Safety Glass Shelves
- 4 Door Racks
- 11.68 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker
(6 lbs. per day)
- Auto Defrost
- 2 Drawers
- 5.11 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

16.79 cu. ft.

DIMENSIONS (H x W x D)

75 ¹/₄ x 27 ⁹/₁₆ x 26 ⁵/₈ in.

Depth is with door, without handles.



Meets CEE Specifications

28" COUNTER DEPTH TOP FREEZER REFRIGERATOR

BRFT1522SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- Interior LED Lighting
- FlexiRack
- Wine Rack
- Field Reversibility of Doors
- Crisper Drawer
- 3 Safety Glass Shelves
- 3 Door Racks
- 9.67 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker
(6 lbs. per day)
- Auto Defrost
- 2.89 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

12.56 cu. ft.

DIMENSIONS (H x W x D)

67 ³/₄ x 27 ⁹/₁₆ x 24 ⁵/₈ in.

Depth is with door, without handles.



Meets CEE Specifications



Meets CEE Specifications

28" COUNTER DEPTH BOTTOM FREEZER REFRIGERATOR

BRFB1512SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- FlexiRack
- Interior LED Lighting
- Wine Rack
- Field Reversibility of Doors
- Crisper Drawer
- 4 Safety Glass Shelves
- 4 Door Racks
- 11.68 cu. ft. Capacity

FREEZER FEATURES

- Auto Defrost
- 3 Drawers
- 5.11 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

16.79 cu. ft.

DIMENSIONS (H x W x D)

75 ¹/₄ x 27 ⁹/₁₆ x 26 ⁵/₈ in.

Depth is with door, without handles.



Meets CEE Specifications

28" COUNTER DEPTH BOTTOM FREEZER REFRIGERATOR

BRFB1452SSN

FRIDGE FEATURES

- Contemporary European Design
- Frost Free Cooling
- FlexiRack
- Interior LED Lighting
- Wine Rack
- Bottle Gripper
- Field Reversibility of Doors
- 2 Crisper Drawers
- 3 Safety Glass Shelves
- 4 Door Racks
- 10.8 cu. ft. Capacity

FREEZER FEATURES

- Auto Defrost
- 3 Drawers
- 3 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

13.81 cu. ft.

DIMENSIONS (H x W x D)

75 ³/₁₆ x 27 ⁹/₁₆ x 22 ¹⁵/₁₆ in.

Depth is with door, without handles.

24" COUNTER DEPTH BOTTOM FREEZER REFRIGERATOR

BRFB1322SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- FlexiRack
- Counter Depth Design
- Interior LED Lighting
- Wine Rack
- Bottle Gripper
- Field Reversibility of Doors
- Crisper Drawer
- 3 Safety Glass Shelves
- 3 Door Racks
- 7.93 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker
(6 lbs. per day)
- Auto Defrost
- 2 Drawers
- 3.42 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

11.35 cu. ft.

DIMENSIONS (H x W x D)

72 ⁵/₈ x 23 ⁷/₁₆ x 24 ⁷/₁₆ in.

Depth is with door, without handles.



Meets CEE Specifications

24" COUNTER DEPTH BOTTOM FREEZER REFRIGERATOR

BRFB1312SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- FlexiRack
- Interior LED Lighting
- Wine Rack
- Bottle Gripper
- Field Reversibility of Doors
- Crisper Drawer
- 3 Safety Glass Shelves
- 3 Door Racks
- 7.93 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

11.35 cu. ft.

DIMENSIONS (H x W x D)

72 ⁵/₈ x 23 ⁷/₁₆ x 24 ⁷/₁₆ in.

Depth is with door, without handles.



Meets CEE Specifications

REFRIGERATORS



Meets CEE Specifications

24" COUNTER DEPTH BOTTOM FREEZER REFRIGERATOR

BRFB1044SS

FRIDGE FEATURES

- Contemporary European Design
- Duo Cycle, Frost Free Cooling
- FlexiRack
- Interior LED Lighting
- Wine Rack
- Field Reversibility of Doors
- Crisper Drawer
- 3 Safety Glass Shelves
- 3 Door Racks
- 6.85 cu. ft. Capacity

FREEZER FEATURES

- Auto Defrost
- 3 Drawers
- 3.49 cu. ft. Capacity

FINISH

Fingerprint-free Stainless Steel

TOTAL CAPACITY

10.34 cu. ft.

DIMENSIONS (H x W x D)

68 ⁵/₈ x 23 ⁷/₁₆ x 24 ⁷/₁₆ in.

Depth is with door, without handles.

Additional style option

BRFB1044WH

White Finish



22" BUILT-IN BOTTOM FREEZER REFRIGERATOR

BRFB1052FFBIN

FRIDGE FEATURES

- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- Interior LED Lighting
- Field Reversibility of Doors
- 3-D Door Adjustment
- Crisper Drawer
- 3 Safety Glass Shelves
- 3 Door Racks
- 6.1 cu. ft. Capacity

FREEZER FEATURES

- Automatic Ice Maker
(6 lbs. per day)
- Auto Defrost
- 3 Drawers
- 1.9 cu. ft. Capacity

FINISH

Panel Ready

TOTAL CAPACITY

8 cu. ft.

DIMENSIONS (H x W x D)

71 ⁷/₁₆ x 21 ⁷/₈ x 21 ⁵/₈ in.

Depth is without panel, without handles.

Order separate kitchen cabinet door from your cabinet manufacturer.



Meets CEE Specifications

22" BUILT-IN BOTTOM FREEZER REFRIGERATOR

BRFB1051FFBIN

FRIDGE FEATURES

- Duo Cycle, Frost Free Cooling
- Inner Digital Display
- Interior LED Lighting
- Field Reversibility of Doors
- 3-D Door Adjustment
- Crisper Drawer
- 3 Safety Glass Shelves
- 3 Door Racks
- 6.1 cu. ft. Capacity

FREEZER FEATURES

- Auto Defrost
- 3 Drawers
- 2.3 cu. ft. Capacity

FINISH

Panel Ready

TOTAL CAPACITY

8.4 cu. ft.

DIMENSIONS (H x W x D)

69 ⁷/₈ x 21 ⁷/₈ x 21 ⁵/₈ in.

Depth is without panel, without handles.

Order separate kitchen cabinet door from your cabinet manufacturer.





DISHWASHERS

A Blomberg dishwasher is the perfect complement to your full, fabulous, active life. Generously sized and designed for flexible loading, it offers easy, quiet, efficient cleanup whether on busy weeknights or after a big, bountiful dinner party. Every innovation is designed to save you time and effort and make the good life even better.





IN HARMONY WITH NATURE

Blomberg believes your home should be as smart as you are, in every sense of the word. That includes performing flawlessly while protecting the planet. It's a philosophy that earned us the ENERGY STAR® 2018 Partner of the Year award and elevated our dishwashers to the 2018 ENERGY STAR Most Efficient list, which recognizes products delivering cutting-edge energy conservation with the latest in technological innovation.



SELF-CLEANING FILTER

For this exceptional dishwasher, Blomberg created a self-cleaning filter technology that delivers the ultimate in both convenience and sustainable performance. Pressurized water is pumped through a rotating sprinkler to break down and rinse away any food residue inside the filtration system.

Monthly use not only extends the active life of the filter by up to a year, but also ensures sparkling clean dishes and helps prevent odor buildup.





SILENT OPERATION

When your home is your sanctuary, you don't want to have to leave the room or only run the dishwasher late at night. Quality engineered with three layers of noise-suppressing insulation and advanced Brushless DC™ motor technology that optimizes working speed and lowers wash-cycle noise, Blomberg dishwashers are among the quietest on the market.



POWER WASH

Your full, fabulous, active life can get messy. This Blomberg dishwasher deals with it beautifully by creating a high-pressure power zone in the right-hand side of the lower rack. The specially designed 180-degree rotating arm features a 360-degree rotating head that reaches every single angle with an intense spray perfect for cleaning heavily soiled pots and pans.

TURBO FAN DRYING

Blomberg's turbo fan drying system uses a fan to increase air circulation in the dishwasher. This active ventilation speeds up the drying process, improves drying performance, and leaves dishes cooler to the touch when the program is finished.

STAINLESS STEEL INTERIOR

Manufactured with the best stainless steel materials available, the interior of every Blomberg dishwasher performs as beautifully as it looks. In addition to resisting hard water stains, spots, and corrosion for better durability, it absorbs noise more efficiently than plastic tubs and can be heated to the highest washing temperature on the market — 167°F — to completely sanitize your dishes.

FLOW-THROUGH HEATER & TURBO FAN DRYING

To provide a safer and more convenient alternative to the conventional exposed heater, Blomberg uses a concealed heater that allows plastic dishware to be placed on both top and bottom racks without damage.

3-WAY FILTRATION SYSTEM

A dishwasher is only as good as its filtering system. Blomberg uses a highly effective three-way filtering system developed for high-end European machines that removes even the smallest food particles and ensures circulation of clean water.

DOUBLE MOTION FLOAT SYSTEM

Blomberg's double motion float system provides maximum security against water damage. The enhanced anti-leak system uses two float sensors to intelligently detect excess water collection or operational problems and automatically activate the drain pump and/or shutoff valve. A bottom tray prevents flooding, while a double-walled hose offers an additional layer of protection.

DISHWASHERS

FULL-SIZE THIRD RACK

One of the most popular features among high-end dishwashers, this versatile rack is tailor-made for those occasions when you need to create extra space for cutlery and small items. Its clever vertical adjustment means you can lower the rack to accommodate a taller espresso cup or lower it to make room in the top rack for tall glasses.

INNER ILLUMINATION

To make loading and unloading the dishwasher easier, Blomberg added inner illumination that offers a clear view of every corner.

FLEXIBLE RACK LOADING

Designed for ultimate convenience, Blomberg dishwashers accommodate all types of dishes, cutlery, and cookware comfortably. Flexible racks, shelves, and baskets can be moved, reconfigured, or customized to meet your exact needs for each load.

ADJUSTABLE UPPER RACK

When the need arises, the hardworking upper rack can be raised to make room for pans, platters, and trays in the bottom rack or lowered to accommodate tall glasses up top. The rack allows you to adjust the height in one simple action, even when it's fully loaded.

CUSTOMIZABLE BOTTOM RACK

Load without limits! Create a completely flat lower rack to fit bulky pots and pans or a custom configuration that allows the proper placement of uniquely shaped items for thorough cleaning. Simply fold down the individual tines and load this multipurpose rack with anything from extra-long utensils and roasters to extra glasses and cups that didn't fit on top.



SIZED RIGHT

Blomberg dishwashers are designed for today's lifestyles, including generously proportioned racks that accommodate dinner plates up to 13 inches in diameter, as well as oversized serving dishes, your favorite cooking pots, and lots of glassware.



SPLIT FLIP SHELVES

Maximize space, capacity, and versatility in the upper rack by flipping these smart side shelves up or down. Leave them in the up position to wash tall glasses. Flip them down to wash long utensils and espresso cups at the same time. Or do both! These special shelves are split. Flip one half down to wash two levels of short brandy glasses and leave the other half up to fit champagne flutes.



SLIDING CUTLERY BASKET

Everything fits more easily when you have options. This clever cutlery basket can be placed anywhere in the front row since it slides side to side.



SMARTFOLD PLATE SUPPORTS

Adding even more flexibility, this unique design feature lets you fold down plate supports in the upper rack to maximize and customize space and allow larger items to be easily washed on top.






ALL-IN-1 TABLET FUNCTION

This intelligent function assures our dishwashers deliver optimum performance with improved convenience when using detergent tablets. Simply insert a tablet and slide the cover into place.



MIXWASH+

During the same wash cycle, this brilliant dual water pressure program applies gentle pressure to the upper basket for delicate glass and china, plus 60-percent higher pressure to the low basket to get even heavily soiled pots and pans thoroughly clean.



LED SPOT

Your Blomberg dishwasher may be so quiet you might not know it's on. A red light indicator on the floor at the base of the dishwasher means you can tell with just one quick look whether it's running or not.



WIFI CONNECTIVITY THROUGH HOMEWHIZ

Remotely check the cycle status, monitor dishwasher performance, or order supplies—all from your mobile device.

24" TALL TUB, TOP CONTROL DISHWASHER

DWT81900SS

KEY FEATURES

- Touch Control Direct Access
- 9 Programs
- 5 Functions
- Silent Operation: 39 dBA
- WiFi Connectivity through HomeWhiz
- Full-size 3rd Rack
- Self-cleaning Filter
- Inner Illumination
- Flexible Rack Loading

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.**Additional style option**

DWT81900FBI

Panel Ready

**TECHNICAL FEATURES**

- Capacity: 16 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Closed Fan Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap



Meets CEE Specifications

**24" TALL TUB, TOP CONTROL DISHWASHER**

DWT81800SSIH

KEY FEATURES

- Touch Control Direct Access
- 8 Programs
- 5 Functions
- Silent Operation: 45 dBA
- Full-size 3rd Rack
- LED Spot
- Flexible Rack Loading

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.**Additional style options**

DWT81800FBI

Panel Ready



DWT81800SS

Stainless Steel

**TECHNICAL FEATURES**

- Capacity: 16 Place Settings
- Stainless Steel Interior
- Inner Illumination
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Active Ventilation Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap



Meets CEE Specifications



Meets CEE Specifications

24" TALL TUB, TOP CONTROL DISHWASHER

DWT81800SSWS

KEY FEATURES

- Touch Control Direct Access
- 8 Programs
- 5 Functions
- Silent Operation: 45 dBA
- Full-size 3rd Rack
- LED Spot
- Flexible Rack Loading

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.

TECHNICAL FEATURES

- Capacity: 16 Place Settings
- Stainless Steel Interior
- Inner Illumination
- Built-in Water Softener
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Active Ventilation Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap



Meets CEE Specifications

24" TALL TUB, FRONT CONTROL DISHWASHER

DWT52800SSIH

KEY FEATURES

- Touch Control
- 8 Programs
- Silent Operation: 45 dBA
- Flexible Rack Loading
- Full-size 3rd Rack
- Integrated Handle

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.

TECHNICAL FEATURES

- Capacity: 16 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Active Ventilation Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap

Additional style option

DWT52800WIH
White Finish



24" TALL TUB, FRONT CONTROL DISHWASHER

DWT52600SSIH

KEY FEATURES

- Touch Control
- 6 Programs
- Silent Operation: 48 dBA
- Extra Rinse Function
- Sanitize Function

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.

Additional style options

DWT52600BIH
Black Finish



DWT52600WIH
White Finish



TECHNICAL FEATURES

- Capacity: 14 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap



Meets CEE Specifications





Meets CEE Specifications

24" TALL TUB, TOP CONTROL DISHWASHER

DWT51600SS

KEY FEATURES

- 6 Programs
- Silent Operation: 48 dBA
- LED Spot
- Extra Rinse Function
- RapidClean Function
- Sanitize Function

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.

Additional style options

DWT51600W

White Finish



DWT51600FBI

Panel Ready



TECHNICAL FEATURES

- Capacity: 14 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap



24" TALL TUB, TOP CONTROL DISHWASHER

DWT71600SSIH

KEY FEATURES

- 6 Programs
- 4 Functions
- Silent Operation: 48 dBA
- Adjustable Upper Rack
- LED Spot
- Full-size 3rd Rack

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)

33 ⁷/₈ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.

Additional style option

DWT71600SS

Stainless Steel



TECHNICAL FEATURES

- Capacity: 14 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap

24" FULL-SIZE, TOP CONTROL DISHWASHER

DW51600SS

KEY FEATURES

- 6 Programs
- 4 Functions
- Silent Operation: 48 dBA
- Flexible Rack Loading
- Adjustable Upper Rack
- LED Spot

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)32 ¹³/₆₄ x 23 ⁹/₁₆ x 22 ⁷/₁₆ in.

ADA Compatible.

Additional style optionDW51600FBI
Panel Ready**TECHNICAL FEATURES**

- Capacity: 14 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 2 Level Wash
- Delay Timer from 1/2–24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap

**Most Efficient
2018**

www.energystar.gov

Meets CEE Specifications

18" SLIM TUB, TOP CONTROL DISHWASHER

DWS51500SS

KEY FEATURES

- 5 Programs
- 4 Functions
- Silent Operation: 48 dBA
- Adjustable Upper Rack

FINISH

Fingerprint-free Stainless Steel

DIMENSIONS (H x W x D)32 ¹³/₆₄ x 17 ⁵/₈ x 22 ⁷/₁₆ in.

ADA Compatible.

Additional style optionDWS51500FBI
Panel Ready**TECHNICAL FEATURES**

- Capacity: 8 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2–24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap





COMPACT LAUNDRY

The sensory delights of fresh, clean laundry are provided along with energy efficiency, high functionality, and flexibility in Blomberg's signature compact washers and dryers. Each intelligent solution is based on cutting-edge technology and advanced design techniques that optimize performance for both large and small living spaces.





COMPACT WASHER AND COMPACT DRYER

Blomberg knows an upscale urban lifestyle often puts space at a premium, but that doesn't mean sacrificing style or superior performance. Our 24-inch compact washers and dryers fit in perfectly, offering flexibility and freedom in installation (including an optional stacking kit), plus all the functionality and finesse required for expert clothing care. Despite their compact size, these machines handle large loads—2.5 cu. ft. washer capacity and 4.1 cu. ft. dryer capacity—while offering a variety of cycles for different fabrics.



IN HARMONY WITH NATURE

We believe a commitment to living consciously should extend to clothing care, so Blomberg brings intelligent energy and water conservation to the laundry room.

All of our washers are ENERGY STAR® certified with features such as automatic water adjustment for each load, and our dryers utilize the ENERGY STAR Most Energy Efficient award-winning Ventless Heat Pump Dryer. For the ultimate energy efficiency duo, pair washers and dryers that are recognized as ENERGY STAR Most Efficient in 2018.





SPECIAL WASH CYCLE PROGRAMS

Designed to be in perfect harmony with your life, Blomberg washers offer up to 12 special washing programs that automatically adjust to specific laundry situations or different textiles—from delicate lingerie to heavy-duty work clothes. The result is consistently clean, fresh, well-cared-for clothing and linens with little effort and no guesswork on your part.

SUPER QUICK 20

When time is of the essence, Blomberg offers a super-fast cleaning cycle for small loads of lightly soiled or unstained clothes or items you've only worn once.

PET HAIR

To thoroughly remove pet hair from fabrics and leave them looking fresh, this special auxiliary function augments the normal wash cycle with additional prewash and rinsing steps, plus a longer heating period.

JEANS

Specially designed to gently but thoroughly launder thicker fabrics, this special program automatically adjusts to a higher water level and adds an extra rinse cycle. Garments come out spotless with no remaining traces of detergent.

JOGGING WEAR

Exercise this option when frequently washing and refreshing your daily workout clothes. It's ideal for small loads and works equally well on sportswear made from cotton, synthetics, or blends.

ANTI-CREASE

Add this function when you want your clothes to come out of the wash with fewer wrinkles.

BEDDING

For large families with lots of bed linens to change and towels to wash, Blomberg's 24-pound-capacity washers perform beautifully and efficiently. Just set the special program and wash up to five sets of double sheets or 14 plush towels in a single load.



LIQUID DETERGENT COMPARTMENT

Blomberg's washing machines are state of the art and fully in tune with the way laundry gets done. The easy-to-use liquid detergent compartment is right in step with delivering the best washing conditions for today's different kinds of fabrics.



GENEROUS DRUM CAPACITY

Despite their compact size, Blomberg washers can wash 2.5 cu. ft. of laundry per load thanks to a roomy and deep drum design that easily handles bulky items and heavy loads, including 14 bath towels.



MAXIMUM WATER EFFICIENCY

All Blomberg washers are ENERGY STAR® certified for conserving energy and water. Each machine features an automatic water adjustment system that calculates the volume of laundry, so every load uses only the amount of water required to spotlessly clean and thoroughly rinse—not a drop more—and you can wash a small load as economically as a large one.




OPTISENSE

Blomberg's cutting-edge OptiSense technology provides maximum control over everything from water consumption and energy efficiency to detergent amount and even the time it takes to do the wash. Four smart sensors—Water Temperature, Foam, Wash & Spin, and Power Protection—automatically trigger optimal washing conditions, ensure safe operation (even during power fluctuations), and help avoid flooding.

REVOLUTIONARY HEAT PUMP DRYER TECHNOLOGY



This compact dryer not only takes up less space, but with up to 50% higher energy efficiency, it's small in environmental impact too. Using a closed-loop heat exchange system, this ENERGY STAR® Most Energy Efficient award-winning Ventless Heat Pump Dryer uses lower temperatures to dry the load, so it saves money on energy bills while saving wear and tear on your clothing. Plus, it maintains a completely humidity-free environment.



HOW IT WORKS **A** Blomberg's heat pump technology pumps warm, dry air into the drum to mix with moisture-laden laundry. **B** The moist air leaves the drum. **C** The air passes through the evaporator where air is cooled and humidity is removed. **D** The remaining air is reheated in the condenser (heat pump) through the exchange of compressed coolant and sent back to the drum to continue the drying process.




DIRECT DRAINING

Innovative heat pump dryers from Blomberg are engineered for optimal safety and efficiency, including the condenser system. A calibrated water level sensor identifies any deviation from the correct water level in the tank and automatically starts draining if the level is exceeded.

SPECIAL DRUM PADDLES

The drum paddles in Blomberg's heat pump dryers are uniquely shaped to ensure more uniform drying as well as less creasing. They also prevent twisting and tangling when drying large, bulky items such as bedsheets and duvets.





ELECTRONIC DRYER CONTROLS

Blomberg believes laundry care should be elegantly simple. Our ergonomically positioned, fully electronic LCD digital controls are especially user-friendly. The control panel helps you by suggesting the correct settings for getting the very best results. Then simply press “start” and go.

ANTI-CREASE OPTION

The gentle drum action of a Blomberg dryer separates and smooths out individual garments as they dry, so when the cycle finishes, clothes come out wrinkle-free and ready to wear. But just in case you're not immediately available when the cycle stops, this clever option keeps the drum rotating periodically for up to two hours to keep your clothes from creasing.

QUICK DRY

Blomberg's advanced ventless heat pump dryers offer more than just energy conservation. An 8.45-pound load will dry in less than one hour. They also help your clothes last longer by utilizing faster drying and cooler temperatures to reduce friction and shrinkage.

GENTLE CARE

Blomberg's closed-loop heat exchange system means our heat pump dryers use a 40% lower circulating air temperature than conventional dryers. This gentle care program helps keep all fabrics—even woolens—at their best.

JEANS

Blomberg understands today's many fabric choices place different demands on laundry equipment. Weightier textiles such as denim are difficult to dry using normal drying cycles. Our special jeans program is specially calibrated to dry denim, fleece, and other heavy fabrics with optimal results in a minimum amount of time.



4.1 CU. FT. CAPACITY

Blomberg knows space is often at a premium, but that doesn't mean style or superior performance should be sacrificed. Despite their compact size, our dryers deftly handle 4.1 cu. ft. loads with a variety of cycles for different fabrics—including 14 bath towels.



EASY-ACCESS LINT FILTER

Keeping your dryer's filter free of lint is essential for safety and efficiency. Our dryer filters are easily accessible and easy to clean to improve dryer performance and provide hassle-free upkeep.



INTERIOR LIGHTING

Blomberg believes no detail should be overlooked when designing superior appliances. Our heat pump dryers feature a bright interior LED light to help you spot that last sock and make unloading easier.



STAINLESS STEEL DRUM

Fully resistant to nicks and scratches from metal zippers, buttons, and rivets, our shiny stainless steel drum will keep its stylish good looks for a lifetime.



Meets CEE Specifications

24" FRONT LOAD WASHER

WM98400SX2

KEY FEATURES

- Compact Front Load Washer
- Maximum Water Efficiency
- 1,400 RPM Maximum Spin Speed
- Electronic Controls
- Liquid Detergent Compartment
- 2.5 cu. ft. Capacity
- Woolmark Apparel Care, Certified Wool Cycle
- OptiSense Sensors
- Rinse Sensor
- Internal Water Heater
- Child Lock
- Lifetime Stainless Steel Drum
- Chrome Door Rim

16 WASHING PROGRAMS

- Pet Hair Removal Plus
- Super Quick 20 min.
- Quick Wash 35 min.
- Bedding
- Jogging Wear
- Jeans
- Heavy Soil
- Soak
- Extra Rinse
- Normal/Regular Cotton
- Permanent Press
- Hand Wash
- Woolens
- Drain + Spin
- Tub Sanitize

DIMENSIONS (H x W x D)

33 ¹/₈ x 23 ⁵/₈ x 25 ³/₈ in.

Washer operates on 208-240 V only and is designed to plug directly into a Blomberg companion dryer. (Outlet provided on rear of dryer will not operate on 110 V.)



Meets CEE Specifications

24" FRONT LOAD WASHER

WM77120

KEY FEATURES

- Compact Front Load Washer
- Maximum Water Efficiency
- 1,200 RPM Maximum Spin Speed
- Electronic Controls
- Liquid Detergent Compartment
- 1.95 cu. ft. Capacity
- Rinse Sensor
- Internal Water Heater
- Child Lock
- Lifetime Stainless Steel Drum
- White Door Rim

12 WASHING PROGRAMS

- Quick Wash 35 min.
- Jogging Wear
- Jeans
- Soak
- Extra Rinse
- Super Wash
- Anti-creasing
- Normal/Regular Cotton
- Permanent Press
- Hand Wash
- Delicates
- Woolens
- Drain + Spin
- Baby Sanitize

DIMENSIONS (H x W x D)

33 ¹/₈ x 23 ⁵/₈ x 22 ³/₄ in.

Washer operates on 208-240 V only and is designed to plug directly into a Blomberg companion dryer. (Outlet provided on rear of dryer will not operate on 110 V.)

• Quick Wash 35'
• Super Quick 20'
• Tub Sanitize
• Bulky
• Wool
• Hand Wash
• Delicates
• Rinse



- Normal
- Heavy Duty
- Whites
- Pet Hair Removal Plus
- Perm Press
- Jogging Wear
- Jeans
- Spin & Drain

Extra Hot

Hot

Warm

Cold

Tap Cold

Extra High

High

Medium

Low

No Spin

1:16

Time Delay

Soak 3"

Extra Rinse

Temperature

Spin

Heavy Soil

Soak 3"

Extra Rinse





24" VENTLESS HEAT PUMP DRYER

DHP24412W

KEY FEATURES

- Compact Front Load Dryer
- Ventless Heat Pump Dryer Technology
- 4.1 cu. ft. Capacity
- Electronic Controls
- Inner Illumination
- Child Lock
- Stack Kit Included
- Reversible Door
- Direct Draining
- Special Drum Paddles
- Lifetime Stainless Steel Drum
- Chrome Door Rim
- Easy Access Lint Filter
- Saves 50% More Energy

16 DRYING PROGRAMS

- Anti-creasing
- Quick Dry 30 min.
- Jeans
- Gentle
- Normal/Regular Cotton
- Permanent Press
- Delicates
- Bulky
- Air Fluff/No Heat
- Woolens
- Baby Sanitize
- Silent Program
- Jogging Wear
- Timed Dry: 10-20-30-40-50-60-70-80-100-120-140-160 min.

DIMENSIONS (H x W x D)

33 ⁵/₁₆ x 23 ⁹/₁₆ x 26 ⁹/₁₆ in.

30 Amp circuit breaker required. Blomberg companion washer operates on 208-240 V and plugs directly into outlet on rear of dryer. (Outlet is for Blomberg washers only.) Dryers are only supplied with a four-prong plug from the factory, but can be converted at the time of installation.



24" VENTED ELECTRIC DRYER

DV17542

KEY FEATURES

- Compact Front Load Dryer
- 3.7 cu. ft. Capacity
- Child Lock
- Stack Kit Included
- Lifetime Stainless Steel Drum
- Easy Access Lint Filter
- White Door Rim

15 DRYING PROGRAMS

- Anti-creasing
- Normal/Regular Cotton
- Permanent Press
- Delicates
- Mixed Fabric
- Jeans
- Timed Dry: 15-30-75 min.

DIMENSIONS (H x W x D)

33 ¹/₈ x 23 ¹/₂ x 21 ⁷/₈ in.

30 Amp circuit breaker required. Blomberg companion washer operates on 208-240 V and plugs directly into outlet on rear of dryer. (Outlet is for Blomberg washers only.) Dryers are only supplied with a four-prong from the factory, but can be converted at the time of installation.





TECHNICAL DETAILS

The details that give you the peace of mind
you've been after. The numbers that bring
harmony to your life. These features make
Blomberg products stand the test of time.

Now you can have the confidence to effectively
select the product that's just as good for the
environment as it is for you.



RANGES		30" Pro-style Induction Range BIRP34450SS	30" Pro-style Dual Fuel Range BDFP34550SS	30" Pro-style Gas Range BGRP34520SS	30" Slide-in Electric Range BERU30420SS
General	Type	Freestanding	Freestanding	Freestanding	Freestanding
	Size	30"	30"	30"	30"
	Color	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Side Walls	Black	Black	Black	Black
	Control Type	Knob Control with Multiple Functions	Knob Control with Multiple Functions	Knob Control with Multiple Functions	LED Display
Functions	Multidimensional Cooking	Yes	No	No	No
	Conventional Cooking	Yes	Yes	Yes	Yes
	Bottom Heater	Yes	Yes	Yes	Yes
	Convection	Yes	Yes	Yes	Yes
	Broiler	Yes	Yes	Yes	Yes
	Broil	Electric	Electric	Electric	Electric
	Convection Broiler	Yes	Yes	Yes	Yes
	Convection Roast	Yes	Yes	Yes	Yes
Special Features	True European Convection	Yes	No	No	No
	12/24-Hour Clock Format	—	—	—	Yes
	Splashback	Optional	Optional	Optional	Optional
	Island Trim	Included	Included	Included	Included
	Simmering	Yes	Yes	Yes	No
	Cooling Fan	Yes	Yes	No	Yes
	Cavity Enameling Color	Black	Black	Black	Black
	Oven Lights	2 x Halogen	2 x Halogen	2 x Halogen	2 x Halogen
	Adjustable Feet	Yes	Yes	Yes	Yes
	Anti-tip (Tilting) Bracket	Yes	Yes	Yes	Yes
	Bottom Compartment	No	No	No	Yes
Oven Door(s)	Fuel Type	Electric	Natural Gas + Electric	Natural Gas	Electric
	LPG Conversion Kit	—	Yes	Yes	—
	Oven Glass Window	"O" Shaped Metal + Glass	"O" Shaped Metal + Glass	"O" Shaped Metal + Glass	"O" Shaped Metal + Glass
	Door Cooling System	Cool Door—4-pane Heat-resistant Glass (Fixed)	Cool Door—4-pane Heat-resistant Glass (Fixed)	Cool Door—4-pane Heat-resistant Glass (Fixed)	Cool Door—4-pane Heat-resistant Glass (Fixed)
	Net Capacity	5.7 cu. ft.	5.7 cu. ft.	5.7 cu. ft.	5.7 cu. ft.
	Bottom Heating Element	2,400 W	2,400 W	—	2,400 W
	Upper Heating Element	3,500 W	3,500 W	—	3,500 W
	Convection Element	—	—	—	—
Accessories/ Oven Cavity	Low Grill (Broil)	2,000 W	2,000 W	—	2,000 W
	Grill (Broil)	2,000 W	2,000 W	—	2,000 W
	Rack Positions	Stay in Self-clean—6 Levels	Stay in Self-clean—6 Levels	Stay in Self-clean—6 Levels	Stay in Self-clean—6 Levels
	Telescopic Pullout Shelf System	1 Level (Full Extension)	1 Level (Full Extension)	1 Level (Full Extension)	—
	Pyrolytic Self-cleaning	Yes	Yes	Yes	Yes
	Sabbath Mode	Yes	Yes	Yes	Yes
	Broiler Pan	1	1	1	—
Cooktop	Wok Adapter	—	Yes	Yes	—
	Chromed Racks	3	3	3	3
	Zone Configuration	4 Induction	5 Gas	5 Gas	4 Vitroceramic
	Front Left	9" 2,300 W/3,700 W	20,000 BTU	12,500 BTU	5" 700 W/8" 2,050 W
	Rear Left	6" 1,400 W/2,200 W	4,000 BTU	4,000 BTU	8" 2,030 W
	Front Right	6" 1,400 W/2,200 W	20,000 BTU	20,000 BTU	9" 1,670 W/12" 2,780 W
	Rear Right	11" 2,600 W/3,700 W	8,000 BTU	8,000 BTU	6" 1,135 W
	Central	—	10,000 BTU	10,000 BTU	—
	Pan Support Type	—	Continuous Cast Iron	Continuous Cast Iron	—
	Pan Support Quantity	—	3	3	—
	Gas Safety Device, Hob	—	Reignition	Reignition	—
Dimensions / Weight	Gas Safety Device, Oven	—	—	Hot-wire	—
	Required Cutout Dimension (H x W x D)	36" x 30" x 25 1/2"	36" x 30" x 25 1/2"	36" x 30" x 25 1/2"	36" x 30" x 25 1/2"
	Overall Height	37 1/2"	37 1/2"	37 1/2"	37 1/2"
	Overall Width	29 13/16"	29 13/16"	29 13/16"	29 13/16"
	Overall Depth	29 5/16"	29 5/16"	29 5/16"	29 5/16"
	Overall Height, Packed	45 1/4"	45 1/4"	45 1/4"	45 1/4"
	Overall Width, Packed	32 3/4"	32 3/4"	32 3/4"	32 3/4"
	Overall Depth, Packed	30 9/16"	30 9/16"	30 9/16"	30 9/16"
Power / Ratings	Net Weight	260 lbs./118 kg	268 lbs./121.5 kg	270 lbs./122.5 kg	256 lbs./116 kg
	Brut Shipping Weight	315 lbs./143 kg	324 lbs./147 kg	325 lbs./147.5 kg	311 lbs./141 kg
	kW/Amps Rating at 240 V, 60 Hz	220–240 V, 60 Hz, 40 Amp	220–240 V, 60 Hz, 40 Amp	110–120 V, 60 Hz	220–240 V, 60 Hz, 40 Amp
	Supply Cord and Plug	Canada, USA	Canada, USA	Canada, USA	Canada, USA
	Cable	Yes	Yes	Yes	Yes
	Available Canadian Models	BIRP34450CSS	BDFP34550CSS	BGRP34520CSS	

30" Slide-in Gas Range BGR30420SS	24" Freestanding Electric Range BERU24202SS	24" Freestanding Electric Range BERU24102SS	24" Freestanding Gas Range BGR24102SS
Freestanding	Freestanding	Freestanding	Freestanding
30"	24"	24"	24"
Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Black	Black	Black	Black
LED Display	Knob Control	Electronic Touch Control Timer	Mechanical Control
No	No	Yes	No
Yes	Yes	Yes	No
Yes	Yes	Yes	Yes
Yes	No	Yes	No
Yes	No	No	No
Electric	Electric	Electric	Gas
Yes	No	No	No
Yes	No	Yes	No
No	No	Yes	No
Yes	—	Yes	—
Optional	Optional	Optional	No
Included	Included	Included	Included
Yes	No	No	No
No	Yes	Yes	No
Black	Gray	Gray	Gray
2 x Halogen	1 x Round Light	1 x Round Light	1 x Round Light
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
Yes	Flap	Storage Drawer	No
Natural Gas	Electric	Electric	Natural Gas
Yes	—	—	Yes
"O" Shaped Metal + Glass	Full Glass	Full Glass	Full Glass
Cool Door—4-pane Heat-resistant Glass (Fixed)	3-pane Heat-resistant Glass (Fixed)	3-pane Heat-resistant Glass (Fixed)	2-Pane Heat-resistant Glass (Fixed)
5.7 cu. ft.	2.51 cu. ft.	2.51 cu. ft.	2.51 cu. ft.
—	1,200 W	1,200 W	—
—	2,200 W	2,200 W	—
—	—	1,800 W	—
—	1,100 W	1,100 W	—
—	2,200 W	2,200 W	—
Stay in Self-clean—6 Levels	5 Levels	5 Levels	5 Levels
—	—	—	—
Yes	No	No	No
Yes	No	No	No
—	No	No	No
Yes	—	—	—
3	2	2	2
4 Gas	4 Vitroceramic	4 Vitroceramic	4 Gas
12,500 BTU	7" 1,800 W (H)	4.7" 750 W/8.3" 2,200 W (Duo)	10,900 BTU
4,000 BTU	5.5" 1,200 W (H)	6.3" 1,500 W (H)	7,050 BTU
18,000 BTU	5.5" 1,200 W (H)	5.5" 1,200 W (H)	3,650 BTU
8,000 BTU	7" 1,800 W (H)	7" 1,800 W (H)	7,050 BTU
—	—	—	—
Continuous Cast Iron	—	—	Continuous Cast Iron
3	—	—	2
Reignition	—	—	No
Hot-wire	—	—	Yes
36" x 30" x 25 1/2"	36" x 24" x 24"	36" x 24" x 24"	36" x 24" x 24"
37 1/2"	36"	36"	36"
29 13/16"	23 9/16"	23 9/16"	23 9/16"
29 5/8"	25 3/4"	25 3/4"	25 3/4"
45 1/4"	40 3/8"	40 3/8"	40 3/8"
32 3/4"	26"	26"	26"
30 5/16"	27 9/16"	27 9/16"	27 9/16"
276 lbs./125 kg	153 lbs./69.5 kg	149.5 lbs./68 kg	149.5 lbs./68 kg
331 lbs./150 kg	145 lbs./66 kg	142 lbs./64 kg	142 lbs./64 kg
110–120 V, 60 Hz	220–240 V, 60 Hz, 40 Amp	220–240 V, 60 Hz, 40 Amp	110–120 V, 60 Hz
Canada, USA	Canada, USA	Canada, USA	Canada, USA
Yes	No	No	Yes
BGR30420CSS	BERU30420CSS	BERC24102SS	

WALL OVENS		30" Single Electric Wall Oven BWOS30200SS	24" Single Electric Wall Oven BWOS24110SS	24" Single Electric Wall Oven BWOS24110B
General	Type	Built-in	Built-in	Built-in
	Size	30"	24"	24"
	Color	Stainless Steel	Stainless Steel	Black/Stainless Steel
	Oven Type/ Upper Oven Type	Multifunction— True European Convection	Multifunction— True, Type	Multifunction— True European Convection
	Control Type	LED Display	Electric Oven Functions with Knob Controls	Electric Oven Functions with Knob Controls
Functions	Self-clean with Door Latch	Yes	—	—
	True European Convection	—	Yes	Yes
	Convection Broil	—	Yes	Yes
	Convection Roast	—	—	—
	Bake	Yes	Yes	Yes
	Broil	Yes	Yes	Yes
	Defrost	Yes	Yes	Yes
Special Features	Contemporary European Design	Yes	—	—
	Programmable Electronic Timer	Yes with Full Touch	—	—
	Self-clean (Programmable) with Multilevel Selection	Yes	—	—
	Easy-to-clean Enamel	—	Yes	Yes
	Oven Capacity	5.7 cu. ft.	2.5 cu. ft.	2.5 cu. ft.
	Wire Oven Racks	3 Heavy Duty (with grill pan)	2	2
	Sabbath Mode	Yes	—	—
Oven Door(s)	Oven Glass Window	Yes	Yes	Yes
	Door Cooling System	4-pane Heat-resistant Glass	—	—
Accessories / Oven Cavity	Cavity Enamel Color	Black	Black	Black
	Rack Positions	4 Embossed	5 Embossed	5 Embossed
	Oven Lights	2 x 20 W Halogen	1 x Round Light in Rear	1 x Round Light in Rear
	Broil Upper Heating Element	—	—	—
	Upper Auxiliary Element Wattage	—	—	—
	Concealed Bake Lower Heating Element	—	—	—
	Convection Element Wattage	—	—	—
	Chromed Racks	3	2	2
Dimensions / Weight	Required Cutout Dim. (H x W x D)	28 ⁷ / ₈ " x 29 ³ / ₄ " x 24 ⁷ / ₁₆ "	23 ⁵ / ₈ " x 29 ³ / ₆₄ " x 21 ²¹ / ₃₂ "	23 ⁵ / ₈ " x 29 ³ / ₆₄ " x 21 ²¹ / ₃₂ "
	Overall Height	28 ⁷ / ₈ "	23 ⁵ / ₈ "	23 ⁵ / ₈ "
	Overall Width	29 ³ / ₄ "	22 ³ / ₆₄ "	22 ³ / ₆₄ "
	Overall Depth	24 ⁷ / ₁₆ "	21 ²¹ / ₃₂ "	21 ²¹ / ₃₂ "
	Weight	89.6 lbs.	80.68 lbs.	80.68 lbs.
Power / Ratings	kW/Amps Rating at 240 V, 60 Hz	220–240 V, 60 Hz	220–240 V, 60 Hz	220–240 V, 60 Hz
	Supply Cord	Yes	Yes	Yes

GAS COOKTOPS		36" Gas Cooktop CTG36500SS	30" Gas Cooktop CTG30500SS	30" Gas Cooktop CTG30400SS	24" Gas Cooktop CTG24400SS
General	Glass Type	—	—	—	—
	Size	36"	30"	30"	24"
	Color	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
	Heating Technology	Gas	Gas	Gas	Gas
	Stainless Steel Frame	Yes	Yes	Yes	Yes
	Control Type	Front Knob Control with Knob Illumination	Front Knob Control	Front Knob Control	Front Knob Control
Gas Burner Features	Sealed Burner	—	Yes	Yes	Yes
	Reignition Controlled Burners	Yes	Yes	Yes	—
	Gas Safety Device	—	Yes	Yes	Yes
	19,000 BTU Power Burner with Simmering Feature	—	Yes	—	—
	15,000 BTU Power Burner with Simmering	—	—	—	Yes
	Cast Iron Continuous Grates	Yes	—	Yes	Yes
Accessory	Griddle Pan	Yes	Yes	No	Yes
Size and Power	Front Left	6,000 BTU	5,000 BTU	5,000 BTU	12,000 BTU
	Front Right	12,000 BTU	10,000 BTU	10,000 BTU	10,000 BTU
	Rear Left	12,000 BTU	10,000 BTU	12,000 BTU	6,000 BTU
	Rear Right	6,000 BTU	5,000 BTU	5,000 BTU	6,000 BTU
	Center	20,000 BTU (Not on builder models)	20,000 BTU	—	—
Dimensions / Weight	Required Cutout Dimension (H x W x D)	3 7/8" x 36" x 21 1/4"	1 13/16" x 29 1/2" x 20 1/16"	1 13/16" x 29 1/2" x 20 1/16"	1 13/16" x 22 7/8" x 20 1/16"
	Overall Height	3 7/8"	1 13/16"	1 13/16"	1 13/16"
	Overall Width	36"	29 1/2"	29 1/2"	22 7/8"
	Overall Depth	21 1/4"	20 1/16"	20 1/16"	20 1/16"
	Weight (lb./kg)	52.9 lbs.	31.96 lbs.	31.96 lbs.	25.35 lbs.
Power / Ratings	kW/Amps Rating at 240 V, 60 Hz	110–120 V, 60 Hz	110–120 V, 60 Hz	110–120 V, 60 Hz	110–120 V, 60 Hz
	Supply Cord	Yes	Yes	Yes	Yes

INDUCTION COOKTOPS		36" Touch Control Induction Cooktop CTI36510	30" Touch Control Induction Cooktop CTI30410
General	Glass Type	Glass	Glass
	Size	36"	30"
	Color	Black	Black
	Heating Technology	5 Induction	4 Induction
	Stainless Steel Frame	Yes	Yes
Electric Burner Features	Control Type	Front Touch Control	Front Touch Control
	Smooth Top for Easy Cleaning	Yes	Yes
	Programmable Touch Control System	—	—
	Slide Touch Control with Timer	Yes	Yes
	Cooking Levels	9	9
	Booster	Yes	Yes
	Digital Display	Yes	Yes
	Residual Heat Indicator	Yes	Yes
	Edge to Edge Frameless Design	Yes	Yes
Size and Power	Front Left	7" x 8 1/2" 2,100/3,700 W	7" x 8 1/2" 700/1,700 W
	Front Right	7" x 8 1/2" 2,100/3,700 W	11" 2,600/3,700 W
	Rear Left	7" x 8 1/2" 2,100/3,700 W	7" x 8 1/2" 700/1,700 W
	Rear Right	7" x 8 1/2" 2,100/3,700 W	9" 2,600/3,700 W
	Center	11" 2,600/3,700 W	—
Dimensions / Weight	Required Cutout Dimension (H x W x D)	—	—
	Product Dimensions (H x W x D)	4 23/32" x 37 13/32" x 23 5/8"	4 23/32" x 31 1/2" x 23 5/8"
	Product Weight	28.66 lbs.	22.05 lbs.
	Packed Dimensions (H x W x D)	—	—
	Packed Weight	33.07 lbs.	26.45 lbs.
Power / Ratings	kW/Amps Rating at 240 V, 60 Hz	220–240 V, 50–60 Hz, 40 Amps	220–240 V, 50–60 Hz, 40 Amps
	Supply Cord	Yes	Yes

ELECTRIC COOKTOPS		30" Smooth Top Electric Cooktop CTE30410	24" Smooth Top Electric Cooktop CTE24410	24" Smooth Top Electric Cooktop CTE24402
General	Glass Type	Glass	Glass Ceramic	Glass Ceramic
	Size	30"	24"	24"
	Color	Black	Black	Black
	Heating Technology	Electric (Vitreoceramic)	Electric (Vitreoceramic)	Electric (Vitreoceramic)
	Stainless Steel Frame	Yes	Yes	Yes
Electric Burner Features	Control Type	Front Touch Control	Knob Control	Side Knob Control
	Smooth Top for Easy Cleaning	Yes	Yes	Yes
	Programmable Touch Control System	—	—	—
	Slide Touch Control with Timer	—	—	—
	XL Size Super Burner	—	—	—
	Residual Heat Indicator	Yes	Yes	Yes
Size and Power	Edge to Edge Frameless Design	—	—	—
	Front Left	5 3/4" 1,200 W Hi-Light	3 15/16" 650 W Hi-Light	1,800 W
	Front Right	5 3/4" 1,200 W Hi-Light	3 15/16" 650 W Hi-Light	1,200 W
	Rear Left	4 3/4" 750 W / 8 1/4" 2,200 W Duo	5 3/4" 1,200 W Hi-Light	1,200 W
	Rear Right	4 3/4" 750 W / 8 1/4" 2,200 W Duo	4 3/4" 750 W / 8 1/4" 2,200 W Duo	1,800 W
Dimensions / Weight	Center	—	—	—
	Required Cutout Dimension (H x W x D)	2 5/8" x 23 15/16" x 20 11/16"	2 1/4" x 22 3/4" x 20"	2 1/8" x 22 7/8" x 20 1/8"
	Overall Height	2 5/8"	2 1/4"	2 1/8"
	Overall Width	23 15/16"	22 3/4"	22 7/8"
	Overall Depth	20 11/16"	20"	20 1/8"
Power / Ratings	Weight	25.79 lbs.	25.8 lbs.	26 lbs.
	kW/Amps Rating at 240 V, 60 Hz	220–240 V, 60 Hz, 6 kW, 25 Amps	220–240 V, 60 Hz, 6 kW, 25 Amps	220–230 V, 60 Hz
Power / Ratings	Supply Cord	Yes	Yes	Yes

MICROWAVES		1.5 cu. ft. Over the Range Convection Microwave BOTR30200CSS	1.5 cu. ft. Over the Range Microwave BOTR30100SS
Features	Total Capacity	1.5 cu. ft.	1.5 cu. ft.
	Cooking Watts	1,450	1,000
	Convection	Yes	No
	Timer	Yes, Digital	Yes, Digital
	Turntable	Yes	Yes
	Power Levels	10	10
Appearance	Color	Fingerprint-free Stainless Steel	Fingerprint-free Stainless Steel
	Style	Over the Range	Over the Range
Vent Fan Details	CFM	300	300
	Number of Speeds	2	2
	Light	Yes	No
Compliance	ADA Compliant	No	No
	Approved for Commercial Use	No	No
	Approved for Outdoor Use	No	No
Dimensions	Product (H x W x D)	16 ½" x 30" x 15 ⅝"	16 ½" x 30" x 15"

RANGE HOODS		30" Professional Range Hood BCHP30100SS	30" Range Hood BCHS30100SS
Features	Hood Type	Canopy	Standard
	Control Type	Mechanical Control—Push Button	Mechanical Control—Push Button
	Hood Width	30"	30"
Performance	Intensive Setting (Booster)	Yes	No
	No. of Power Levels	4	3
	Number of Motors	1	2
	Maximum Ventilation Capacity	738 cu. meters / hour	408 cu. meters / hour
	Minimum Ventilation Capacity	303 cu. meters / hour	272 cu. meters / hour
	Ventilation Capacities	303 - 510 - 738 - 876 cu. meters / hour	272 - 340 - 408 cu. meters / hour
	Maximum Noise Level	71 dBA	62 dBA
	Minimum Noise Level	49 dBA	54 dBA
	Noise Level	49 - 63 - 71 - 74 dBA	54 - 59 - 62 dBA
	Total Power Consumption	550 W	360 W
Hood Features	Type of Lighting	Halogen	Halogen
	No. of Lights	2	2
	Power of Lights	50 W	50 W
	Adjustable Illumination	No	No
	No. of Grease Filters	2	2
	Type of Grease Filters	Metal—Baffle Filter	Metal—Casette
	Dishwasher-safe Filters	Yes	Yes
	Charcoal Filter	No	Optional
	No. of Necessary Charcoal Filters	0	2
	Filter Saturation Indicator	No	No
	Air Cleaning Function	No	No
	Auto Shutdown	No	No
	Remote Controller for Hood	No	No
	Silent Kit Compatibility	No	No
	Child Lock	No	No
	Special Functions	No	No
	Locking Washer	No	No
	Air Diverter (Recirculated Operation)	No	Yes
	Flape (Ducted Operation)	Yes	Yes
	Fitting Kit (Screws)	Yes	Yes
	Reducer Flange (Ducting Spigot)	No	No
	Wireless Connectivity (Hood)	No	No
	Coating for Cleaning	No	No
Design	Control Panel Design	Flat Panel	Flat Panel
	Control Panel Type	Metal	Metal
	Hood Display Type	No	No
	Display / LED Color	—	Blue
	Body Color	Stainless Steel	Silver
	Chimney Color	Stainless Steel	—
	Chimney Material	Stainless Steel	—
	Body Material	Stainless Steel	Painted Metal
	Flat / Curved Glass Color	—	—
Technical Information	Glass Visor	No	No
	Voltage	120 V	120 V
	Frequency	60 Hz	60 Hz
Dimensions	Plug Type	None	None
	H x W x D	18 ⅞" x 29 ⅝" x 23"	4 ¾" x 30" x 20"
	Product Weight	62 lbs. (28 kg)	22 lbs. (10 kg)
	Packed H x W x D	24 ⅞" x 35 ⅞" x 30"	9 ⅜" x 34" x 24 ⅝"
Dimensions	Packed Weight	82.5 lbs. (37.4 kg)	29.5 lbs. (13.4 kg)

REFRIGERATORS		30" Fully Integrated Built-in Bottom Freezer Refrigerator BRFB1920 SERIES	30" Fully Integrated Built-in Bottom Freezer Refrigerator BRFB1900FBI	36" Counter Depth French Door Refrigerator BRFD2230SS
Systems	Cooling System	Duo Cycle Dual Compressor Frost Free Cooling	Duo Cycle Dual Compressor Frost Free Cooling	Duo Cycle Frost Free Cooling
	Control System	Electronic Control	Electronic Control	Electronic Control
Capacities	Total Net Volume	16.4 cu. ft.	16.4 cu. ft.	19.86 cu. ft.
	Fresh Food Net Volume	11.6 cu. ft.	11.6 cu. ft.	13.3 cu. ft.
	Freezer Net Volume	4.8 cu. ft.	4.8 cu. ft.	6.56 cu. ft.
Fridge Features	Blue Light Technology	Yes	Yes	Yes
	FlexiZone	No	No	No
	IonFresh	Yes	Yes	Yes
	Carbon Filter	Yes	Yes	Yes
	Interior Filtered Water Dispenser	Yes	No	Yes
	Filtered Ice & Water Dispenser Through Door	No	No	No
	Electronic Control Display Type	LCD Inner Display	LCD Inner Display	Digital Display on Front, Top Trim
	Auto Defrost	Yes	Yes	Yes
	Inner Illumination	LED—Side Walls, Ceiling	LED—Side Walls, Ceiling	LED—Side Walls
	Shelves	3	3	4 Safety Glass
	Crispers	1	1	2
	Door Racks	3	3	6
	Wine Rack	No	No	No
	Bottle Gripper	No	No	No
	Compressor	Variable Speed VCC	Variable Speed VCC	Variable Speed VCC
	Fan Ventilation	Yes	Yes	Yes
Freezer Features	Auto Defrost	Yes	Yes	Yes
	Number of Freezer Drawers	1	1	No
	Automatic Ice Maker	Yes	No	Yes
	Ice Cube Tray	No	No	No
Technical Information	Supply Voltage	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
	Rated Current	2 Amps	2 Amps	2.2 Amps
	Noise Level	44 dBA	44 dBA	44 dBA
Dimensions / Weight	Product Dimensions (H x W x D)	83 1/2" x 29 3/4" x 24 5/16"	83 1/2" x 29 3/4" x 23 3/16"	69 3/4" x 35 3/4" x 26 13/16"
	Product Weight	507 lbs. / 230 kg	450 lbs. / 204 kg	298 lbs. / 135 kg
	Packed Dimensions (H x W x D)	90 1/2" x 33 3/8" x 29 1/2"	90 1/2" x 33 3/8" x 29 1/2"	73 45/64" x 38 1/2" x 30 45/64"
	Packed Weight	520 lbs. / 236 kg	463 lbs. / 210 kg	354 lbs. / 165 kg
Performance	ENERGY STAR® Qualified	Yes	Yes	Yes
	Climatic Class	T	T	T
	Annual Energy Consumption	556 kWh / year	472 kWh / year	566 kWh / year
	Cooling Gas	R600a	R600a	R134a
Color Options	Stainless Steel (SS)	BRFB1920SS	—	—
	Silver (SL)	—	—	—
	White (WH)	—	—	—
	Panel Ready (FBI / FFBI)	BRFB1920FBI	—	—
	Left Door Hinge (LN)	—	—	—

36" Counter Depth Side-by-side Refrigerator BSBS2230SS	30" Bottom Freezer Refrigerator BRFB1822 Series	30" Bottom Freezer Refrigerator BRFB1812 Series	28" Counter Depth Bottom Freezer Refrigerator BRFB1522SS
Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling
Electronic Control	Electronic Control	Electronic Control	Electronic Control
19.32 cu. ft.	16.2 cu. ft.	16.2 cu. ft.	16.79 cu. ft.
13 cu. ft.	11.1 cu. ft.	11.1 cu. ft.	11.68 cu. ft.
6.32 cu. ft.	5.1 cu. ft.	5.1 cu. ft.	5.11 cu. ft.
Yes	Yes	Yes	No
No	No	No	No
Yes	Yes	Yes	No
Yes	Yes	Yes	No
No	No	No	No
Yes	No	No	No
Digital Display on Front, Top Trim	Digital Inner Display	Digital Inner Display	Digital Inner Display
Yes	Yes	Yes	Yes
LED—Side Walls	LED—Side Walls	LED—Side Walls	LED—Side Walls
4 Safety Glass	3 Safety Glass	3 Safety Glass	4 Safety Glass
2	1	1	1
5	3	3	4
Yes	Yes	Yes	Yes
No	No	No	No
Variable Speed VCC	Variable Speed VCC	Variable Speed VCC	Variable Speed VCC
Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes
2	3	2	2
Yes	Yes	No	Yes
No	No	Yes	No
120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
2.5 Amps	1.7 Amps	1.7 Amps	2.4 Amps
—	44 dBA	44 dBA	43 dBA
71 ¹¹ / ₁₆ " x 35 ¹³ / ₁₆ " x 26 ¹³ / ₁₆ "	67 ³ / ₄ " x 29 ¹ / ₈ " x 28 ⁵ / ₁₆ "	67 ³ / ₄ " x 29 ¹ / ₈ " x 28 ⁵ / ₁₆ "	75 ¹ / ₄ " x 27 ³ / ₁₆ " x 26 ⁵ / ₈ "
298 lbs. / 135 kg	198 lbs. / 90 kg	198 lbs. / 90 kg	182 lbs. / 82.5 kg
73 ⁴⁵ / ₆₄ " x 38 ¹ / ₂ " x 30 ⁴⁵ / ₆₄ "	71 ⁵ / ₈ " x 31 ⁷ / ₈ " x 31 ¹ / ₈ "	71 ⁵ / ₈ " x 31 ⁷ / ₈ " x 31 ¹ / ₈ "	78 ⁴⁷ / ₆₄ " x 29 ⁵⁹ / ₆₄ " x 30 ⁴⁵ / ₆₄ "
354 lbs. / 165 kg	209 lbs. / 95 kg	213 lbs. / 95 kg	198 lbs. / 90 kg
Yes	Yes	Yes	Yes
T	T	T	T
580 kWh / year	528 kWh / year	444 kWh / year	445 kWh / year
R134a	R600a	R600a	R600a
—	BRFB1822SSN	BRFB1812SSN	—
—	—	—	—
—	—	—	—
—	—	—	—
—	BRFB1822SSLN	BRFB1812SSLN	—

REFRIGERATORS		28" Counter Depth Top Freezer Refrigerator BRFT1522SS	28" Counter Depth Bottom Freezer Refrigerator BRFB1512SS	28" Counter Depth Bottom Freezer Refrigerator BRFB1452SSN
Systems	Cooling System	Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling	Semi Frost Free
	Control System	Electronic Control	Electronic Control	Mechanical Control
Capacities	Total Net Volume	12.56 cu. ft.	16.79 cu. ft.	13.8 cu. ft.
	Fresh Food Net Volume	9.67 cu. ft.	11.68 cu. ft.	10.8 cu. ft.
	Freezer Net Volume	2.89 cu. ft.	5.11 cu. ft.	3 cu. ft.
Fridge Features	Blue Light Technology	No	No	No
	FlexiZone	No	No	No
	IonFresh	No	No	No
	Carbon Filter	No	No	No
	Interior Filtered Water Dispenser	No	No	No
	Filtered Ice & Water Dispenser Through Door	No	No	No
	Electronic Control Display Type	Digital Inner Display	Digital Inner Display	No
	Auto Defrost	Yes	Yes	No
	Inner Illumination	LED—Left Wall	LED—Side Walls	LED—Ceiling
	Shelves	3 Safety Glass	4 Safety Glass	3 Safety Glass
	Crispers	1	1	2
	Door Racks	3	4	4
	Wine Rack	Yes	Yes	Yes
	Bottle Gripper	No	No	Yes
	Compressor	Variable Speed VCC	Variable Speed VCC	Variable Speed VCC
	Fan Ventilation	Yes	Yes	No
Freezer Features	Auto Defrost	Yes	Yes	Yes
	Number of Freezer Drawers	No	3	3
	Automatic Ice Maker	Yes	No	No
	Ice Cube Tray	No	Yes	Yes
Technical Information	Supply Voltage	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
	Rated Current	2.4 Amps	2.4 Amps	1.5 Amps
	Noise Level	47 dBA	43 dBA	42 dBA
Dimensions / Weight	Product Dimensions (H x W x D)	67 ³ / ₄ " x 27 ⁹ / ₁₆ " x 24 ⁵ / ₈ "	75 ¹ / ₄ " x 27 ⁹ / ₁₆ " x 26 ⁵ / ₈ "	75 ³ / ₁₆ " x 27 ⁹ / ₁₆ " x 22 ¹⁵ / ₁₆ "
	Product Weight	179 lbs. / 81 kg	182 lbs. / 82.5 kg	165 lbs. / 75 kg
	Packed Dimensions (H x W x D)	70 ¹³ / ₃₂ " x 29 ²¹ / ₆₄ " x 27 ⁵¹ / ₆₄ "	78 ⁴⁷ / ₆₄ " x 29 ⁵⁹ / ₆₄ " x 30 ¹⁵ / ₆₄ "	78" x 30 ¹ / ₄ " x 27 ³ / ₄ "
	Packed Weight	185 lbs. / 84 kg	198 lbs. / 90 kg	179 lbs. / 82 kg
Performance	ENERGY STAR® Qualified	Yes, Most Energy Efficient	Yes	Yes
	Climatic Class	T	T	T
	Annual Energy Consumption	400 kWh / year	445 kWh / year	445 kWh / year
	Cooling Gas	R600a	R600a	R600a
Color Options	Stainless Steel (SS)	—	—	—
	Silver (SL)	—	—	—
	White (WH)	—	—	—
	Panel Ready (FBI / FFBI)	—	—	—
	Left Door Hinge (LN)	—	—	—

24" Counter Depth Bottom Freezer Refrigerator BRFB1322SS	24" Counter Depth Bottom Freezer Refrigerator BRFB1312SS	24" Counter Depth Bottom Freezer Refrigerator BRFB1044 Series	22" Built-in Bottom Freezer Refrigerator BRFB1052FFBIN	22" Built-in Bottom Freezer Refrigerator BRFB1051FFBIN
Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling	Duo Cycle Frost Free Cooling
Electronic Control	Electronic Control	Mechanical Control	Electronic Control	Electronic Control
11.35 cu. ft.	11.35 cu. ft.	10.34 cu. ft.	8 cu. ft.	8.4 cu. ft.
7.93 cu. ft.	7.93 cu. ft.	6.85 cu. ft.	6.1 cu. ft.	6.1 cu. ft.
3.42 cu. ft.	3.42 cu. ft.	3.49 cu. ft.	1.9 cu. ft.	2.3 cu. ft.
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
No	No	No	No	No
Digital Inner Display	Digital Inner Display	No	Digital Display on Front, Top Trim	Digital Display on Front, Top Trim
Yes	Yes	Yes	Yes	Yes
LED—Ceiling	LED—Ceiling	LED—Ceiling	LED—Ceiling	LED—Ceiling
3 Safety Glass	3 Safety Glass	3 Safety Glass	3 Safety Glass	3
1	1	1	1	1
3	3	3	3	3
Yes	Yes	Yes	No	No
Yes	Yes	No	No	No
Variable Speed VCC	Variable Speed VCC	Variable Speed VCC	Variable Speed VCC	Variable Speed VCC
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
2	3	3	3	3
Yes	No	No	Yes	No
No	Yes	Yes	No	Yes
120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz	120 V / 60 Hz
2.1 Amps	2.1 Amps	4 Amps	2.1 Amps	2.1 Amps
43 dBA	43 dBA	43 dBA	39 dBA	39 dBA
72 ⁵ / ₈ " x 23 ⁷ / ₁₆ " x 24 ⁷ / ₁₆ "	72 ⁵ / ₈ " x 23 ⁷ / ₁₆ " x 24 ⁷ / ₁₆ "	68 ⁵ / ₈ " x 23 ⁷ / ₁₆ " x 24 ⁷ / ₁₆ "	71 ⁷ / ₁₆ " x 21 ⁷ / ₈ " x 21 ⁵ / ₈ "	69 ⁷ / ₈ " x 21 ⁷ / ₈ " x 21 ⁵ / ₈ "
159 lbs. / 72 kg	159 lbs. / 72 kg	143 lbs. / 65 kg	168 lbs. / 76 kg	146 lbs. / 66 kg
75 ¹⁵ / ₁₆ " x 26 ⁹ / ₆₄ " x 29 ³ / ₆₄ "	75 ¹⁵ / ₁₆ " x 26 ⁹ / ₆₄ " x 29 ³ / ₆₄ "	70 ³⁵ / ₆₄ " x 25 ⁹ / ₃₂ " x 29 ⁹ / ₆₄ "	75 ⁵ / ₃₂ " x 23 ¹ / ₂ " x 23 ¹ / ₂ "	72 ⁶¹ / ₆₄ " x 23 ¹ / ₂ " x 23 ¹ / ₂ "
170 lbs. / 77 kg	170 lbs. / 77 kg	157 lbs. / 71.3 kg	176 lbs. / 80 kg	154 lbs. / 70 kg
Yes	Yes	Yes	Yes	Yes
T	T	SN-T	T	T
395 kWh / year	395 kWh / year	302 kWh / year	465 kWh / year	387 kWh / year
R600a	R600a	R600a	R600a	R600a
—	—	BRFB1044SS	—	—
—	—	—	—	—
—	—	BRFB1044WH	—	—
—	—	—	—	—
—	—	—	—	—

DISHWASHERS		24" Top Control Dishwasher DWT81900 Series	24" Top Control Dishwasher DWT81800 Series	24" Front Control Dishwasher DWT52800 Series
Controls	Control Type	Electronic	Electronic	Electronic
	Position	Top	Top	Front
Main Features	Loading Capacity (Place Settings)	16	16	16
	Tub Material	Stainless Steel Interior	Stainless Steel Interior	Stainless Steel Interior
	Inner Illumination	Top	Top	No
	Water Softener	No	DWT81800SSWS Only	No
	DMFS Overflow Protection	Overflow Safety	Overflow Safety	Overflow Safety
	5 Level Wash	Yes	Yes	Yes
	Delay Timer	1/2 – 24 hours	1/2 – 24 hours	1/2 – 24 hours
	Drying System	Closed Fan	Active Ventilation	Active Ventilation
	Brushless DC™ Motor	Yes	Yes	Yes
	Turbidity Sensor	Yes	Yes	Yes
	Silent Operation (Silence Level)	39 dBA	45 dBA	45 dBA
	All-in-1 Tablet Function	Yes	Yes	Yes
	Half Load Function	Yes	Yes	Yes
	Self-cleaning Filter	Yes	No	No
	Interior High Loop with Air Gap	Yes	Yes	Yes
Functions	Sanitize Function	Yes	Yes	Yes
	Extra Rinse Function	No	No	No
	SuperGloss Function	Yes	Yes	Yes
	RapidClean Function	Yes	Yes	No
	Power Wash Function	Yes with Extra Spray Arm	Yes with Extra Spray Arm	Yes with Extra Spray Arm
Programs	Number of Programs	9	8	8
	Pots and Pans+ (167°F)	Yes	Yes	Yes
	Auto Program (131°F–149°F)	Yes	Yes	Yes
	MixWash+ (131°F–149°F)	Yes	Yes	Yes
	Regular Wash (142°F–145°F)	Yes	Yes	No
	Express Dry	Yes	Yes	Yes
	China / Crystal (149°F)	No	No	Yes
	GlassCare	Yes	Yes	No
	Quick Wash (131°F)	Yes	Yes	Yes
	Rinse & Hold	Yes	Yes	Yes
Display	ProCare	No	No	Yes
	Rinse Aid Indicator	Yes	Yes	Yes
	Salt Indicator Display	No	No	No
	LED Spot (Light Indicator on Floor)	Yes	Yes	No
Rack System	WiFi Connectivity through HomeWhiz	Yes	No	No
	SmartFold Lower Rack Folding Tines	8	4	4
	Lower Rack Handle	Stainless Steel	Stainless Steel	Stainless Steel
	Cutlery Basket	Sliding	Sliding	Sliding
	Upper Rack (Inset Shelves)	4	2	4
	SmartFold Upper Rack Folding Tines	6	3	3
	Adjustable Upper Rack	3 Positions, When Loaded	3 Positions, When Loaded	3 Positions, When Loaded
	3 rd Rack	Full-size	Full-size	Full-size
	Lower Basket Wine Glass Holder	Yes	No	No
Dimensions / Weight	Knife Accessory	No	No	No
	Detergent Dispenser Type	Sliding Lid (Vertical)	Sliding Lid (Vertical)	Sliding Lid (Vertical)
	Product Dimensions (H x W x D)	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"
	Product Weight	99.2 lbs. / 45 kg	96.1 lbs. / 43.6 kg	91.71 lbs. / 41.6 kg
	Packed Dimensions (H x W x D)	35" x 25 3/8" x 26"	35" x 25 3/8" x 26"	35" x 25 3/8" x 26"
Environ. Standards	Packed Weight	105.82 lbs. / 48 kg	102.7 lbs. / 46.6 kg	98.32 lbs. / 44.6 kg
	ENERGY STAR® Qualified	Yes	Yes, Most Energy Efficient	Yes, Most Energy Efficient
	Energy Consumption	225 kWh/year	225 kWh/year	225 kWh/year
	Water Consumption	2.4–4.7 gal./cycle	2.4–4.7 gal./cycle	2.4–4.7 gal./cycle
	Meets CEE Specifications	No	Yes	Yes
Color Options	Fingerprint-free Stainless Steel (SS)	DWT81900SS	DWT81800SS	—
	Fingerprint-free Stainless Steel with Integrated Handle (SSIH)	—	DWT81800SSIH	DWT52800SSIH
	Black (B) / Black with Integrated Handle (BIH)	—	—	—
	White (W) / White with Integrated Handle (WIH)	—	—	DWT52800WIH
	Panel Ready (FBI)	DWT81900FBI	DWT81800FBI	—
	With Built-in Water Softener (WS)	—	DWT81800SSWS	—

24" Front Control Dishwasher DWT52600 Series	24" Front Control Dishwasher DWT51600 Series	24" Front Control Dishwasher DWT71600 Series	24" Top Control ADA Dishwasher DW51600 Series	18" Top Control ADA Dishwasher DWS51500 Series
Electronic	Electronic	Electronic	Electronic	Electronic
Front	Front	Front	Top	Top
14	14	14	14	8
Stainless Steel Interior	Stainless Steel Interior	Stainless Steel Interior	Stainless Steel Interior	Stainless Steel Interior
No	No	No	No	No
No	No	No	No	No
Overflow Safety	Overflow Safety	Overflow Safety	Overflow Safety	Overflow Safety
Yes	Yes	Yes	No, 2 Level Wash	Yes
1/2 – 24 hours	1/2 – 24 hours	1/2 – 24 hours	1/2 – 24 hours	1/2 – 24 hours
Static	Static	Static	Static	Static
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
48 dBA	48 dBA	48 dBA	48 dBA	48 dBA
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	No
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
6	6	6	6	5
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
Yes	Yes	No	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	No
No	No	No	No	No
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	Yes
Yes	Yes	No	Yes	Yes
Yes	Yes	Yes	Yes	Yes
No	No	No	No	No
No	Yes	Yes	Yes	No
No	No	No	No	No
No	No	No	4	No
No	No	No	Plastic	No
Sliding	Sliding	Sliding	Sliding	Sliding
2	2	2	2	2
No	No	No	3	No
Fixed	Fixed	3 Positions, When Loaded	3 Positions, When Loaded	3 Positions, When Loaded
No	No	No	No	No
Yes	Yes	Yes	Yes	No
Yes	Yes	Yes	Yes	No
Sliding Lid (Vertical)	Sliding Lid (Vertical)	Sliding Lid (Vertical)	Sliding Lid (Vertical)	Sliding Lid (Vertical)
33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"	33 7/8" x 23 9/16" x 22 7/16"	32 13/16" x 23 9/16" x 22 7/16"	32 13/16" x 17 5/8" x 22 7/16"
83.33 lbs. / 37.8 kg	87.08 lbs. / 39.5 kg	94.79 lbs. / 43 kg	82.23 lbs. / 37.3 kg	75.17 lbs. / 34.1 kg
35" x 25 3/8" x 26"	35" x 25 3/8" x 26"	35" x 25 3/8" x 26"	33 13/16" x 25 3/8" x 26"	33 13/16" x 19 7/16" x 26"
89.4 lbs. / 40.8 kg	93.69 lbs. / 42.5 kg	101.41 lbs. / 46 kg	88.84 lbs. / 40.3 kg	80.68 lbs. / 36.6 kg
Yes, Most Energy Efficient 234 kWh/year	Yes, Most Energy Efficient 234 kWh/year	Yes 234 kWh/year	Yes, Most Energy Efficient 234 kWh/year	Yes 220 kWh/year
3.5–5.0 gal./cycle	3.5–5.0 gal./cycle	3.5–5.0 gal./cycle	3.5–5.0 gal./cycle	2.5–4.0 gal./cycle
Yes	Yes	No	Yes	No
—	DWT51600SS	DWT71600SS	DW51600SS	DWS51500SS
DWT52600SSIH	—	DWT71600SSIH	—	—
DWT52600BIH	—	—	—	—
DWT52600WIH	DWT51600W	—	—	—
—	DWT51600FBI	—	DW51600FBI	DWS51500FBI
—	—	—	—	—

COMPACT WASHERS		24" Front Load Washer WM98400SX2	24" Front Load Washer WM77120
General	Capacity	2.5 cu. ft.	1.95 cu. ft.
	Washing Load Capacity	22.3 lbs. / 10.1 kg	15.5 lbs. / 7 kg
	Style	Front-loading	Front-loading
	Maximum Spin Speed	1,400 RPM	1,200 RPM
	Variable Spin Speed	Yes	Yes
	Automatic Temperature Control	Yes	Yes
	Control	Digital Display	Digital Display
	Delay Time	0–24 hours	0–24 hours
	Remaining Time Indicator	Yes	Yes
	Silence Level (Washing/Spinning)	52 dBA/76 dBA	59 dBA/75 dBA
	Drum Material	Stainless Steel	Stainless Steel
	Dispenser	Yes	Yes
	Detergent (Liquid/Powder)	Yes	Yes
	Bleach Dispenser	Yes	No
	Fabric Softener	Yes	Yes
Functions	Automatic Water Adjustment System	Yes	Yes
	Automatic Detergent Dispensing System	Yes	Yes
	Unbalance Detection System	Yes	Yes
	Euro Wash System with Internal Water Heater	Yes	Yes
	Program Follower	Yes	Yes
	Adjustable Leveling Legs	4	4
Finishes	Cabinet	White	White
	Door Rim	Chrome	White
	Cycle Selector Knob	Chrome	Silver
Dimensions	Product Dimensions (H x W x D)	33 1/8" x 23 5/8" x 25 3/8"	33 1/8" x 23 5/8" x 22 3/4"
	Product Weight	185 lbs./84 kg	161 lbs./73 kg
	Packed Dimensions (H x W x D)	35" x 25 5/8" x 26"	34 5/8" x 25 5/8" x 26"
	Packed Weight	192 lbs./87 kg	168 lbs./76 kg
Technical Features	Voltage/Frequency	208–240 V, 60 Hz	208–240 V, 60 Hz
	Rated Current/Required Circuit Panel*	15 Amps/30 Amps*	15 Amps/30 Amps*
	Circuit Required for Laundry Pair	1–30 Amps Dedicated	1–30 Amps Dedicated
	Power Plug	Plugs into Matching Dryer	Plugs into Matching Dryer
Environ. Standards	ENERGY STAR® Qualified	Yes, Most Energy Efficient	Yes
	Energy Consumption	86 kWh/year	67 kWh/year
	UL Listed	Yes	Yes
	RoHS Compliant (Lead Free)	Yes	Yes

* Required when operating a Blomberg washer and dryer on the same circuit. The washer plugs into the rear of the dryer. This is why a 208–240 V / 30 Amp circuit breaker is required. Machines should not be directly connected to any other brand washer or dryer.



3 Wire Connection
10-30R Receptacle
208-240 V / 30 Amps



4 Wire Connection
14-30R Receptacle
208-240 V / 30 Amps

Dryers are only supplied with a four-prong plug from the factory, but can be converted at the time of installation.

COMPACT DRYERS		24" Ventless Heat Pump DHP24412W	24" Vented Electric DV17542
General	Dryer Type	Heat Pump Ventless	Electric Air Vented
	Capacity	4.1 cu. ft.	3.7 cu. ft.
	Dry Load Capacity	17.7 lbs./8 kg	15.5 lbs./7 kg
	Drum Material	Stainless Steel	Stainless Steel
	Control	Digital Display	LED Display
	Silence Level	65 dBA	66 dBA
	Automatic Water Drain	Yes	No
	Reduce Static Cling	Yes	No
	Delay Time	0–24 hours	No
Functions	End of Cycle Buzzer	Yes	Yes
	Child Lock	Yes	Yes
	Automatic Easy Ironing	Yes	Yes
	Interior Drum LED Lighting	Yes	No
	Glass Door with Heat Protection	Yes	Yes
	Reversible Glass Door	Yes	No
	Program Follower	Yes	Yes
	Leveling Legs	4	2
	Clean Filter Indicator	Yes	Yes
	Number of Vent Options	No	1
	Bidirectional Drum Action	Yes	Yes
	Low Heat	No	Yes
	Auto Cool-down Phase	Yes	Yes
Finishes	Cabinet	White	White
	Door Rim	Chrome	White
	Cycle Selector Knob	Chrome	Silver
Dimensions	Product Dimensions (H x W x D)	33 ⁵ / ₁₆ " x 23 ³ / ₈ " x 26 ⁹ / ₁₆ "	33 ¹ / ₈ " x 23 ¹ / ₂ " x 21 ⁷ / ₈ "
	Product Weight	116 lbs. / 52.5 kg	79 lbs. / 35.5 kg
	Packed Dimensions (H x W x D)	35 ¹ / ₄ " x 26" x 26 ³ / ₈ "	35 ¹ / ₂ " x 26 ¹ / ₂ " x 23 ³ / ₈ "
	Packed Weight	125 lbs. / 56.5 kg	89 lbs. / 40 kg
Technical Features	Rated Current/Required Circuit Panel* Amps	5 Amps/30 Amps*	15 Amps/30 Amps*
	Circuit Required for Laundry Pair	1–30 Amps Dedicated	1–30 Amps Dedicated
	Voltage/Frequency	208–240 V, 60 Hz	208–240 V, 60 Hz
	Watts	900 W	2,000 W
Environ. Standards	ENERGY STAR® Qualified	Yes, Most Energy Efficient	No
	Energy Consumption	190 kWh / year	379 kWh / year
	UL Listed	Yes	Yes
	RoHS Compliant (Lead Free)	Yes	Yes
Stack Kits	Kit 1 (Universal Stacking Kit, Can be mounted with all washing machines with any depth)	No	2977200300
	Kit 2 (Can be mounted with any washing machine with 19 ¹ / ₂ "–21 ¹ / ₄ "–23 ³ / ₈ " depth)	2985400200	2967100100

COOKING



GRIDDLE

G3001

Adding Blomberg accessories, such as the special griddle attachment for the center oval burner, can add to your cooking experience.

WOK RING

119240080

This is an adapter that can be added to your range to assist when using a wok pan. The Wok Ring holds the pan in place for easy use.

SIDE TRIM KIT

CW3001 (SS)  CW3002 (BK) 

Side trim fills the gaps between the counter and the range for a more professional look. Available for 30" and Slide-in models.

REFRIGERATORS



WATER FILTER

4874960100

Replacement water filter for units with built-in water dispenser.

DISHWASHERS



STEMWARE RACK

1752850100

Stabilize delicate stemware for bottom rack washing.


LAUNDRY



UNIVERSAL STACKING KIT

2992100300

Add a stacking kit so you can place your dryer on top of your washer to save space.



SERVICE SUPPORT

800.459.9848

Monday through Friday

7AM – 4PM PST

PRODUCT INQUIRIES

888.352.2356

Monday through Friday

8AM – 5:30PM CST



IN HARMONY WITH NATURE, YOUR LIFE, AND YOU.

BlombergAppliances.com

nkba.org/beko/blomberg

 [BlombergUSA](https://www.facebook.com/BlombergUSA)

 [Blomberg_USA](https://twitter.com/Blomberg_USA)

 [BlombergAppliancesUSA](https://www.instagram.com/BlombergAppliancesUSA)

Blomberg[®]
seit 1883

888.352.2356 | 1115 Hosler Drive, Bolingbrook, IL 60490