



# FULGOR

## MILANO

### PRODUCT GUIDE **2019**

WARRANTY



**DURATION OF WARRANTY**

Fulgor grants a 24 month full warranty from the date of purchase indicated on the invoice. During this period, Fulgor will pay the cost for replaced parts and labor needed to repair the appliance.

**COVERAGE**

This warranty applies to Fulgor appliances utilized only for residential use. Our appliances are not intended for commercial use. This warranty is only valid for the original owner and is not transferable. During the warranty period Fulgor will, at its discretion, repair or exchange the product without charge for parts and labor.

To take knowledge of all the details of the 2-year warranty, please refer to the Use and Care Manual before using the appliance for the first time.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

## INDEX

<b>F6PGR</b>	<b>Sofia Pro Gas Range</b>	<b>4</b>
<b>F6PIR</b>	<b>Sofia Pro Induction Range</b>	<b>4</b>
<b>F6PDF</b>	<b>Sofia Pro Dual Fuel Range</b>	<b>5</b>
<b>F4PGR</b>	<b>Accento Gas Range</b>	<b>6</b>
<b>F4PDF</b>	<b>Accento Dual Fuel Range</b>	<b>6</b>
<b>F6GRT-F6IR</b>	<b>Rangetops</b>	<b>7</b>
<b>F6PGK</b>	<b>Cooktops</b>	<b>7</b>
<b>F3RK-F4GK</b>	<b>Cooktops</b>	<b>8</b>
<b>F6RT-F7IT</b>	<b>Cooktops</b>	<b>9</b>
<b>F1SM-F1SP-F4SP</b>	<b>Ovens</b>	<b>10</b>
<b>F6P-F7</b>	<b>Ovens</b>	<b>11</b>
<b>F6PW-F7DW-F7IW</b>	<b>Warming Drawers</b>	<b>12</b>
<b>F4UC-F6PH-F4BP</b>	<b>Ventilation</b>	<b>13</b>
<b>F6FBM</b>	<b>Refrigeration</b>	<b>14</b>
<b>F7IBM-F7IBW</b>	<b>Refrigeration</b>	<b>15</b>
<b>F6DW-F6PDW</b>	<b>Dishwashers</b>	<b>16</b>
	<b>Accessories</b>	<b>17 - 19</b>

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

**SOFIA PRO RANGES**

**MODEL**

**WIDTH**

**FINISH**

**ENERGY**



F6PGR304S2	30"	Stainless	Full Gas
F6PGR366S2	36"	Stainless	Full Gas

**COOKTOP**

- > Heavy Duty, continuous cast iron grates
- > One piece, matte finish porcelain burner bowl
- > Dual-Flame Crescendo Burners (4 for 30" / 6 for 36")
- > 30" : 1 X 20,000 BTU max (NG) & 3 X 18,000 BTU max (NG)
- > 36" : 2 X 20,000 BTU max (NG) & 4 X 18,000 BTU max (NG)
- > Natural Gas (LP convertible)

**OVEN**

- > Dual Convection
- > Oven temperature electronic control
- > Nova Broiler System
- > Black Porcelain enamel interior
- > Cool to touch, soft closing door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Gross capacity 4.4 cu. ft. (30") 5.7 cu. ft. (36")
- > 2 chromed racks
- > 1 telescopic rack
- > Enameled Broiler Pan

30" (W) 29-3/4" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/handle)

36" (W) 35-3/4" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/handle)

F6PIR304S1	30"	Stainless	Induction
F6PIR365S1	36"	Stainless	Induction



**COOKTOP**

- > 30" - 4 cooking zones (1400W to 3700W)
- > 36" - 6 cooking zones (1850W to 5500W)
- > Ceramic glass surface
- > Pot detection system
- > Control lock
- > Digital clock and timer (white LED)
- > Knob controls
- > Cooling fan system
- > Failure codes indication
- > Low temperature level for delicate cooking
- > Booster/fast boil function for each zone
- > Hot surface and residual heat indicator
- > Digital display for power level indication
- > island trim included
- > Rating at 240V, 60Hz: 11kW/45,8A
- > Rating at 208V, 60Hz: 10kW/48,5A

**OVEN**

- > Gross capacity: (30") 4.4 cu. ft. (36") 5.7 cu. ft.
- > Soft closing door
- > Wide-glass, cool-touch door
- > Pyrolytic self-clean with auto door latch
- > True dual-fan convection (with element)
- > Electronic controls with LCD display + knobs
- > Automatic fast preheat
- > Preset/last used temperature memory
- > Preheat bar (25%, 50%, 75%, 100%)
- > 1 telescopic chromed rack
- > 6 rack positions
- > 3 x 20W halogen lights
- > Pro style handle
- > Command lock and door lock
- > Meat probe
- > Sabbath mode
- > 2 chromed racks + 1 enameled grill set (basin + anti splash)

30" (W) 29-3/4" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/handle)

36" (W) 35 3/4" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/handle)

**See range accessories > Pages 17-19**

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

SOFIA PRO RANGES

MODEL

WIDTH

FINISH

ENERGY



F6PDF304S1	30"	Stainless	Dual Fuel
F6PDF366S1	36"	Stainless	Dual Fuel
F6PDF486GS1	48"	Stainless	Dual Fuel

**30 & 36" COOKTOP**

- > Sealed burners (4 for 30"/6 for 36")
- > Dual flame brass burners (950 to 18,000 BTU)
- > Heavy duty cast iron grates (2 for 30"/3 for 36")

**48" COOKTOP**

- > Sealed burners 6 + Griddle
- > Dual flame brass burners (750 to 20,000 BTU)
- > Trilaminate Stainless Steel Griddle with Tubular Gas Burner (4,200 to 12,500 BTU)

**GENERAL COOKTOP FEATURES**

- > Electric flame ignition and re-ignition
- > Flame out sensing
- > Pressure regulator
- > Digital clock and timer (white LED)
- > Knob controls
- > L.P. conversion kit
- > Island trim included
- > Heavy duty cast iron grates (2 for 30"/3 for 36"/3 for 48")


**OVEN**

- > Gross capacity: (30") 4.4 cu. ft. (36") 5.7 cu. ft. (48") 4.4 cu. ft. and 2.7 cu. ft.
- > Soft closing door
- > Wide-glass, cool-touch door
- > Pyrolytic self-clean with auto door latch
- > True dual-fan convection (with element)
- > Electronic controls with LCD display + knobs
- > Automatic fast pre-heat
- > Preset/last used temperature memory
- > Preheat bar (25%, 50%, 75%, 100%)
- > 1 telescopic chromed rack
- > 6 rack positions
- > 3 x 20W halogen lights (2 in the smaller 48" oven)
- > Pro style handle
- > Command lock and door lock
- > Meat probe
- > Sabbath mode
- > 2 chromed racks
- > 1 enameled grill set (basin + anti splash)

30" (W) 29-3/4" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/handle)

36" (W) 35-3/4" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/ handle)

48" (W) 47-7/8" (H) min. 35-3/8" max. 37-1/4" (cooking surface) + 3" backguard (D) 29-3/4" (w/ handle)



See range accessories > Pages 17-19

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCENTO RANGES

MODEL

WIDTH

FINISH

ENERGY

COMING SOON



F4PGR304S1 30" Stainless Gas

F4PGR366S1 36" Stainless Gas



COOKTOP

- > Heavy Duty, continuous cast iron grates (2 for 30" / 3 for 36")
- > One piece, matte finish porcelain burner bowl
- > Dual-Flame Crescendo Burners (2 for 30" / 3 for 36")
- > 18,000 BTU max (NG) (2 for 30" / 3 for 36")
- > Rapid Burners (2 for 30" / 3 for 36")
- > 15,000 BTU max (NG) (2 for 30" / 3 for 36")
- > Natural Gas (LP convertible)

OVEN

- > Dual Convection
- > Black Porcelain enamel interior
- > Cool to the touch door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Gross capacity 30" 4.4 cu. ft. / 36" 5.7 cu. ft.
- > 2 Chromed Racks
- > Enameled Grill Set



F4PDF304S1 30" Stainless Dual Fuel

F4PDF366S1 36" stainless Dual Fuel

COMING SOON



COOKTOP

- > Heavy Duty, continuous cast iron grates (2 for 30" / 3 for 36")
- > One piece, matte finish porcelain burner bowl
- > Dual-Flame Crescendo Burners (2 for 30" / 3 for 36")
- > 18,000 BTU max (NG) (2 for 30" / 3 for 36")
- > Rapid Burners (2 for 30" / 3 for 36")
- > 15,000 BTU max (NG) (2 for 30" / 3 for 36")
- > Natural Gas (LP convertible)

OVEN

- > Dual True Convection
- > Self-cleaning oven with Multifunction baking
- > Black Porcelain enamel interior
- > Cool to the touch door
- > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility
- > Gross capacity 30" 4.4 cu. ft. / 36" 5.7 cu. ft.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

RANGETOPS & COOKTOPS

MODEL

WIDTH

FINISH

ENERGY



F6GRT304S1	30"	Stainless	Gas
F6GRT366S1	36"	Stainless	Gas

- > Sealed burners (4 for 30"/6 for 36") > Dual flame brass burners (950 to 18,000 BTU)
- > Electric flame ignition and re-ignition > Flame out sensing > Knob controls > L.P. conversion kit
- > island trim included > Heavy duty cast iron grates (2 for 30"/3 for 36")

30" (W) 29-3/4" (H) 7" (cooking surface) + 3" backguard (D) 29-3/4"  
 36" (W) 35-3/4" (H) 7" (cooking surface) + 3" backguard (D) 29-3/4"



F6IRT304S1	30"	Stainless	Induction
------------	-----	-----------	-----------

- > 4 cooking zones (1400W to 3700W) > Ceramic glass surface > Pot detection system
- > Control lock > Digital clock and timer (white LED) > Knob controls > Cooling fan system
- > Failure codes indication > Low temperature level for delicate cooking
- > Booster/fast boil function for each zone > Hot surface and residual heat indicator
- > Digital display for power level indication > island trim included > Rating at 240V, 60Hz: 7.2kW/30A

30" (W) 29-3/4" (H) 7" (cooking surface) + 3" backguard (D) 29-3/4"



F6PGK305S1	30"	Stainless	Gas
F6PGK365S1	36"	Stainless	Gas

- > 3 Heavy duty continuous cast iron grates
- > Heavy Gauge 304 Stainless Steel Burner Bowl
- > 1 Solid Brass Dual Flame Burner with 20,000 BTU Max (NG)
- > 4 Solid Brass Stacked Burners with 18,000 BTU Max (NG)
- > Backlit Control Knob indicates burner operation (White)
- > Backlit Control Knob indicates residual heat (Red)
- > Heavy duty control panel
- > Large cooking area
- > Full pot stability
- > Natural Gas (LP Convertible)

30" (W) 30"x (H) 3 1/2"x (D) 21"  
 36" (W) 36"x (H) 3 1/2"x (D) 21"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COOKTOPS

MODEL

WIDTH

FINISH

ENERGY



F4GK24S1      24"      Stainless      Gas

- > 4 gas burners (including dual crown burner) > power 450-18000 BTU
- > 4 front/horizontal design knobs > 4 heavy duty cast iron grates
- > optional simmer plate, wok ring and small pot insert > flame out sensing
- > electric flame ignition and re-ignition > propane conversion kit > (W) 24.4" (H) 2.9" (D) 20"



F4GK30S1      30"      Stainless      Gas

- > 5 gas burners (including dual crown burner) > power 450-18000 BTU
- > 5 front/horizontal design knobs > 2 heavy duty cast iron grates
- > optional simmer plate, wok ring and small pot insert > flame out sensing
- > electric flame ignition and re-ignition > propane conversion kit > (W) 29.9" (H) 2.9" (D) 20"



F4GK36S1      36"      Stainless      Gas

- > 5 gas burners (including dual crown burner) > power 450-18000 BTU
- > 5 front/horizontal design knobs > 3 heavy duty cast iron grates
- > optional simmer plate, wok ring and small pot insert > flame out sensing
- > electric flame ignition and re-ignition > propane conversion kit > (W) 35.8" (H) 2.9" (D) 20"



F4GK42S1      42"      Stainless      Gas

- > 4 gas burners (including dual crown burner) > Power 450-18000 BTU
- > 4 front/horizontal design knobs > 4 heavy duty cast iron grates
- > Optional simmer plate, wok ring and small pot insert > Flame out sensing
- > Electric flame ignition and re-ignition > Propane conversion kit > (W) 44" (H) 2.9" (D) 16.7"



F3RK24B1      24"      Black Ceramic      Electric

- > 4 radiant zones > Power 800 - 1900W > 4 side design knobs for power level setting
- > Power on Indication > Hot surface Indication > (W) 24" (H) 3-9/32" + 15/16" conduit (D) 21"



F3RK24S2      24"      Black Ceramic      Electric

- > 4 radiant zones > Power 800 - 1900W > 4 side design knobs for power level setting
- > Power on Indication > Hot surface Indication > (W) 24" (H) 3 9/32" (D) 21"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.



COOKTOPS

MODEL

WIDTH

FINISH

ENERGY



**F6RT30S2**      30"      Black Ceramic      Electric

- > 4 radiant zones > 1 double zone (800-2200W) - 1 triple zone (800-1600-2500W)
- > Slide touch controls > "Peacock Tail" Bar for power indication
- > 4 digital display for power level indication > Low temperature electronic control for delicate cooking
- > Command lock > Automatic fast boil function > Hot surface and residual heat indication
- > Failure code indication > Timer display with 4 timer functions and buzzer > Aluminium frame
- > (W) 30" (H) 3-9/32" + 15/16" conduit (D) 21"



**F6RT36S2**      36"      Black Ceramic      Electric

- > 5 radiant zones > 1 bridge zone (800W) - 1 triple zone (800-1600-2500W) > Slide touch controls
- > "Peacock Tail" Bar for power indication > 5 digital display for power level indication
- > Low temperature electronic control for delicate cooking > Command lock
- > Automatic fast boil function > Hot surface and residual heat indication > Failure code indication
- > Timer display with 5 timer functions and buzzer > Aluminium frame
- > (W) 36" (H) 3-9/32" + 15/16" conduit (D) 21"



**F7IT30S1**      30"      Black Ceramic      Induction

- > 4 Induction cooking zones > 11" cooking zone > Elegant Ceramic glass surface
- > Premium induction technology for unsurpassed performance > Warming Function
- > Residual heat and Power on Indicators > Pot Detection System > Child Lock Function
- > Brushed aluminium frame > (W) 30 3/8" (H) 4" (D) 21 3/16"



**F7IT36S1**      36"      Black Ceramic      Induction

- > 5 Induction cooking zones > 11" cooking zone > Bridge zone on the right side
- > Elegant Ceramic glass surface > Premium induction technology for unsurpassed performance
- > Warming Function > Residual heat and Power on Indicators > Pot Detection System > Child Lock Function
- > Brushed aluminium frame > (W) 36 3/16" (H) 4" (D) 21 3/16"



**INDUKIT4**

**Induction Plate Kit – 4 pieces**

*The cookware used must be induction compatible in order to complete the magnetic connection require for induction cooking. If customers do not own induction compatible cookware, the plates that are placed between the induction cooking zone and the cookware being used will complete the magnetic connection.*

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVENS

MODEL

WIDTH

FINISH

ENERGY



**F1SM24S2**      24"      Stainless      Electric

- > 2.2 cu.ft net capacity > Convection > 8 cooking functions > Red LED clock/timer display
- > 2000W broil upper heating element > 2 chromed racks and enameled broiler pan
- > Thermostat temperature regulation > 1 X 20W halogen light > 3 pane heat resistant glass
- > Tubular steel handle > 4 rack positions > (W) 23 3/8" (H) 23 3/8" (D) 21 7/8"



**F1SM30S1**      30"      Stainless      Electric

- > 2.8 cu.ft net capacity > Convection > 8 cooking functions > Red LED clock/timer display
- > 3100W broil upper heating element > 2 chromed racks and enameled broiler pan
- > Thermostat temperature regulation > 2 X 20W halogen lights > 3 pane heat resistant glass
- > Tubular steel handle > 4 rack positions > (W) 29-3/8" (H) 23-3/16" (D) 22-1/16"



**F1SP24S2**      24"      Stainless      Electric

- > 2.2 cu.ft net capacity > Pyrolytic self-clean > Multifunction: True Euro Convection
- > 8 cooking functions > Electronic control display > 2000W broil upper heating element
- > 2 chromed racks and enameled grill set (basin+anti-splash) > Electronic temperature regulation
- > 2 X 20W halogen lights > 4 pane heat resistant glass > Rounded stainless handle > °C/°F
- > 4 rack positions > (W) 23-7/16" (H) 23-3/16" (D) 22-1/16"



**F1SP30S1**      30"      Stainless      Electric

- > 2.8 cu.ft net capacity > Pyrolytic self-clean > Multifunction: True Euro Convection
- > Electronic control display > 8 cooking functions > 3100W broil upper heating element
- > 2 chromed racks and enameled grill set (basin+anti-splash) > Electronic temperature regulation
- > 2 X 20W halogen lights > 4 pane heat resistant glass > Tubular steel handle > °C/°F
- > 4 rack positions > (W) 29-3/8" (H) 23-3/16" (D) 22-1/16"



**F4SP30S1**      30"      Stainless      Electric

- > 4.3 cu.ft net capacity > Pyrolytic self clean > Multifunction: True Euro Convection
- > Red LED electronic control display with intuitive access + 2 knobs > 8 cooking functions
- > 3100W broil upper heating element > 2 chromed racks and enameled grill set (basin+anti-splash)
- > Electronic temperature regulation > 3 X 20W halogen lights > 4 pane heat resistant glass
- > Tubular steel handle > °C/°F > 6 rack positions > (W) 29-11/16" (H) 27-7/8" (D) 24"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVENS

MODEL

WIDTH

FINISH

ENERGY

CAVITY



F6PSP30S1

F6PSP30S1	30"	Stainless	Electric	Single
F6PDP30S1	30"	Stainless	Electric	Double

FEATURES PER CAVITY

- > Knob and electronic controls > Dual True Convection > Self-cleaning oven with Multifunction baking > Black Porcelain enamel interior > Cool to the touch, soft closing door > Extra-large baking cavity and viewing area
- > 3 Halogen lights for flawless visibility > Gross capacity 4.4 cu. ft. > 2 chromed racks
- > 1 telescopic rack > Enameled Grill Set > °C/°F > Sabbath Mode
- > Automatic fast preheat > Preheat bar (25-50-75-100%) > Preset/Last used temperature memory > 4.1 cu.ft net capacity > Pyrolytic self clean with automatic door latch > 12 cooking functions > Multifunction (2 fans): True Euro Convection > CreActive Touch control system > Blue backlight clock/timer display > White LED electronic control display > Stainless tube handle w/plastic terminals > Commands and child door locks
- > SINGLE (W) 29-11/16" (H) 27-7/8" (D) 24"
- > DOUBLE (W) 29-11/16" (H) 50" (D) 24"



F6PDP30S1

\* Meat probe in upper oven only for double oven



F7SP30S1

F7SP30S1	30"	Stainless	Electric	Single
F7SP30W1	30"	White	Electric	Single
F7SP30B1	30"	Black	Electric	Single
F7DP30S1	30"	Stainless	Electric	Double
F7DP30W1	30"	White	Electric	Double
F7DP30B1	30"	Black	Electric	Double

FEATURES PER CAVITY

- > 4.1 cu.ft net capacity > Pyrolytic self clean with automatic door latch
- > 12 cooking functions > Multifunction (2 fans): True Euro Convection
- > CreActive Touch control system > Blue backlight clock/timer display
- > Red LED electronic control display with intuitive access > 2 chromed racks
- > 1 enameled grill set (basin+anti-splash) > 3500W broil upper heating element
- > 1 telescopic chromed rack > Meat probe\* > Electronic temperature regulation
- > Automatic fast preheat > Preheat bar (25-50-75-100%) > Preset/Last used temperature memory
- > 3 X 20W halogen lights > 4 pane heat resistant glass > 6 rack positions > °C/°F > Sabbath Mode
- > Stainless tube handle w/plastic terminals > Commands and child door locks
- > SINGLE (W) 29-11/16" (H) 27-7/8" (D) 24"
- > DOUBLE (W) 29-11/16" (H) 50-13/16" (D) 24"



F7DP30S1



F7SP30B1



F7SP30W1

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WARMING DRAWERS

MODEL

WIDTH

FINISH

ENERGY



F6PWD30S1	30"	Stainless with Professional Handle
F7DWD30S1	30"	Distinto
F7IWD30O1	30"	Panel Ready

- > Knob Control
- > Heavy Duty full extendable telescopic rails
- > Large capacity 2.1 cu. ft.
- > Convection heating system for a more heating distribution
- > All stainless steel structure
- > Warming Temperature range; min. 86 °F up to 190 °F
- > Push-Pull system to open and close door
- > 2 Internal lights
- > Non-slip rubber mat



PRO (W) 29-7/8" x (H) 10-3/8" x (D) 24-3/4"  
 DIST (W) 29-5/8" x (H) 10-3/8" x (D) 23-3/4"  
 PR (W) 27-3/4" x (H) 8-1/4" x (D) 23"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

**VENTILATION**

**MODEL**

**WIDTH**

**FINISH**

**POWER**



F4UC30S1 30" Stainless 450 cfm  
F4UC36S1 36" Stainless 450 cfm

> undercabinet > 450 CFM > 4 speed mechanical controls > ducted and recirculating venting type  
> 2 x 1.2W LED lights > 5-15/16" ducting > baffle filters  
> 30" (W) 29-13/16" (H) 10-1/4" (D) 21-1/8" > 36" (W) 35-7/8" (H) 10-1/4" (D) 21-1/8"



F6PH30S1 30" Stainless 600 cfm  
F6PH36S1 36" Stainless 600 cfm

> professional > 600 CFM > 4 speed mechanical controls > ducted and recirculating venting type  
> 2 x 1.2W LED lights > 5-15/16" ducting > pro baffle filters  
> 30" (W) 29-13/16" (H) 18" (D) 24" > 36" (W) 35-7/8" (H) 18" (D) 24"



F6PH36DS1 36" Stainless 1000 CFM  
F6PH48DS1 48" Stainless 1000 CFM

> professional > 1000 CFM > 4 + 4 speed mechanical controls > Dual Fan Motors > Ducted and recirculating > 36" 4 and 48" x 1.2W LED lights > 8" ducting > pro baffle filters  
> 36" (W) 35-7/8" (H) 18" (D) 24" > 48" W) 48" (H) 18" (D) 24"



F4BP28S1 28" Stainless 600 cfm  
F6BP34S1 34" Stainless 600 cfm

> insert > 600 CFM > 4 speed mechanical controls > ducted and recirculating venting type  
> 2 x 1.2W LED lights > 5-15/16" ducting > baffle filters (pro for 34" model)  
> 28" (W) 28-3/8" (H) 10-3/8" (D) 15-3/4" > 34" (W) 34-1/4" (H) 13-1/8" (D) 18-1/2"



F6CK36-12 36" Stainless  
F6CK30-12 30" Stainless  
F6CK48-12 48" Stainless

Chimney Extension for Professional Hoods (F6PH models) Height 12"



**FMFIL**

**Carbon Filters for Recirculating Range Hoods**



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH

ENERGY



Freestanding French Door Fridge

**F6FBM36S1**    36"    Stainless

- > Duo Cycle Frost Free Cooling
- > Electronic Control
- > Ion Fresh
- > Inner Digital Display
- > Sabbath Mode
- > Large Pantry Drawer
- > Height Adjustable Cantilever Shelves
- > Interior Filtered Water Dispenser
- > Interior Theatre Lighting with LED lights
- > Automatic Ice Machine
- > Large Freezer Drawer
- > Energy Star Rated

69 ¾ H x 35 ¾" W x 26 13/16" D.

**F6HK36FFBS**    36"    SOFIA PRO Handle Kit with Badge

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH

ENERGY



BUILT-IN BOTTOM MOUNT REFRIGERATOR

F7IBM36O1-L	36"	Panel Ready - Left Swing
F7IBM36O1-R	36"	Panel Ready - Right Swing
F7PBM36S1-L	36"	Stainless - Left Swing
F7PBM36S1-R	36"	Stainless - Right Swing

- > Fridge Compartment
- > Flexzone Bottom Drawer
- > Stainless Steel Crisper Drawers
- > Ice Maker with ice tray
- > LED Lighting
- > Brilliant white aluminium interior
- > Cool Zone 0°C
- > Hot air ventilation
- > Total No Frost
- > Rapid Deep Freezing
- > Noise Level 41 (dB)
- > Holiday Mode

Overlay (W)	35 1/2"x (H)	83 1/2" x (D) 22"
Stainless (W)	35 1/2"x (H)	84"x (D) 22"



BUILT-IN WINE CELLAR

F7IBW24O1-L	24"	Panel Ready - Left Swing
F7IBW24O1-R	24"	Panel Ready - Right Swing
F7PBW24S1-L	24"	Stainless - Left Swing
F7PBW24S1-R	24"	Stainless - Right Swing

- > Cave Storage Compartment, Natural Wood Shelves, for 36 bottles
- > Wine Cellar Compartment, Natural Wood Shelves, for 18 bottles
- > TriplePlay Refrigeration
- > Total No Frost
- > Brilliant white aluminium interior
- > TriZone Bottom Drawer
- > Rapid Deep Freezing
- > LED lighting
- > Noise Level 41 (dB)
- > Integrated Installation
- > Holiday Mode
- > Triple Panel Door
- > 54 Bottles Capacity

Overlay (W)	23 3/4"x (H)	83 1/2"x (D) 22"
Stainless (W)	23 3/4"x (H)	83 1/2"x (D) 22"

REFHANDPRO24	24"	Pro handle kit for overlay 24" fridge
REFHANDPRO36	36"	Pro handle kit for overlay 36" fridge

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH

F6DW24FI1	24"	Panel Ready
F6DW24SS1	24"	Stainless with Designer Handle
F6PDW24SS1	24	Stainless with Professional Handle

> 9 wash cycles (incl. fast cycles) > Quiet Plus (50 dB) > Stainless Steel Interior door and tub  
 > Adjustable upper rack > 13 place settings > Half load > Concealed heating element  
 > Turbidity sensor > Delay timer (9h) > End of cycle buzzer  
 > (W) 23-9/16" (H) 33-13/16 - 35-3/4" (D) 23-3/16"



F6DW24FI1



F6DW24SS1



F6PDW24SS1

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.



ACCESSORIES

MODEL

WIDTH

FINISH

ENERGY



Accento Pro Range Door Colour

ACDKIT30MB	30"	Matte Black
ACDKIT36MB	36"	Matte Black
ACDKIT30MW	30"	Matte White
ACDKIT36MW	36"	Matte White
ACDKIT30RD	30"	Glossy Red
ACDKIT36RD	36"	Glossy Red



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCESSORIES

MODEL

WIDTH

FINISH



Sofia Pro Range Door Colour Kits

PDRKIT30WH	30"	WHITE
PDRKIT36WH	36"	WHITE
PDRKIT30RD	30"	RED
PDRKIT36RD	36"	RED
PDRKIT30BK	30"	GLOSSY BLACK
PDRKIT36BK	36"	GLOSSY BLACK
PDRKIT30MB	30"	MATTE BLACK
PDRKIT36MB	36"	MATTE BLACK
PDRKIT30MG	30"	MATTE GREY
PDRKIT36MG	36"	MATTE GREY



White



Red



Glossy Black



Matte Black



Matte Grey

Backguards for Sofia Accento

F6BG30STD	30"	3" standard - stainless steel
F6BG36STD	36"	3" standard - stainless steel
F6BG30ISL	30"	Island - stainless steel
F6BG36ISL	36"	Island - stainless steel
F6BG30HBT	30"	9" highback - stainless steel
F6BG36HBT	36"	9" highback - stainless steel
F6BG30BCI	30"	Island - Cast Iron
F6BG36BCI	36"	Island - Cast Iron
F6BG48BCI	48"	Island - Cast Iron



NOTE: stainless island trim comes automatically with the appropriate range or rangetop.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCESSORIES

MODEL WIDTH FINISH



Telescopic Guides

FMTELG	24"	Chrome
--------	-----	--------



Telescopic Rack Kit

FMTR130	30"	Chrome	
FMTR630	30"	Chrome	
FMTRP30	30"	Chrome	Sofia ranges and Pro ovens
FMTRP36	36"	Chrome	Sofia ranges and Pro ovens
FMTRP18	18"	Chrome	Sofia 48" Range



Simmer Plate

FMSIM		Cast iron
-------	--	-----------



Small Pot Insert (only for F4GK gas cooktops)

FMSPR		Cast iron
-------	--	-----------




Wok Ring

FMWOK		Cast iron
-------	--	-----------



Griddle Pan

FMGRID30	30"	Cast iron	Sofia ranges and rangetops
FMGRID36	36"	Cast iron	Sofia ranges and rangetops



Griddle Cover

FMGRIDCOV48	48"	Cast iron	Stainless Ste
-------------	-----	-----------	---------------



Induction Plate Kit – 4 pieces

INDUKIT4

*The cookware used must be induction compatible in order to complete the magnetic connection require for induction cooking. If customers do not own induction compatible cookware, the plates that are placed between the induction cooking zone and the cookware being used will complete the magnetic connection.*

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

# PRODUCT GUIDE **2019**

T 800 361 0799 F 450 682 7943

[www.distinctive-online.com](http://www.distinctive-online.com) [info@distinctive-online.com](mailto:info@distinctive-online.com)

## HEAD OFFICE / WAREHOUSE / SHOWROOM

2025 Cunard, Laval (QC) H7S 2N1

## ONTARIO SHOWROOM

6900 Airport Road (Suite 206), Mississauga (ON) L4V 1E8

## PART & SERVICE

[service@distinctive-online.com](mailto:service@distinctive-online.com)

## ORDER DESK

[orderdesk@distinctive-online.com](mailto:orderdesk@distinctive-online.com)