



Blomberg
seit 1883

PRODUCT GUIDE **2019**

REFRIGERATION	FREEZER TOP BOTTOM-MOUNT	BRFT 1522 SSN	3
		BRFB 1051 FFBIN	4
		BRFB 1042 SSN	4
		BRFB 1900 FBI	5
		BRFB 1920 FBI/SS	5
		BRFB 1312 SS	6
		BRFB 1512 SS	6
		BRFB 1812 SSN/SSLN	7
		BRFB 1822 SSN/SSLN	7
	FRENCH-DOOR	BRFD 2230 SS	8
COOKING	RANGES	BERC 24102 SS	9
		BERC 24202 SS	9
		BGR 24102 SS	10
		BERU 30420 CSS	10
		BGR 30420 CSS	11
		BGRP 34520 CSS	11
		BDFP 34550 CSS	12
		BIRP 34450 CSS	12
	COOKTOPS	CTG 24400SS	13
		CTG 30400SS	13
		CTG 30500SS	14
		CTG 36500SS	14
		CTI 30410	15
		CTI 36510	15
		CTE 24410	16
		CTE 24402	17
		CTE 30410	17
		ACCESSOIRES	18
	OVENS	BWOS 24110 SS/B	19
		BWOS 30200 SS	19
	OTR-MICROWAVE	BOTR 30200 CSS	20
		BOTR 30100 SS	20
	RANGE HOODS	BCHP 30100 SS	21
		BCHS 30100 SS	21
DISHWASHERS	SLIM TUB TALL TUB	DWS 51500 SS/FBI	22
		DWT 51600 SS/W/FBI	22
		DWT 52600 SSIH/WIH/BIH	23
		DWT 52800 SSIH/WIH	23
		DWT 71600 SS/SSIH	24
		DWT 81800 SS/FBI/SSWS	24
		DWT 81900 SS/FBI	25
LAUNDRY	WASHER	WM 98400 SX2	26
		WM 72200 W	26
	DRYER	DHP 24412 W	27
		DV 17600 W	27
	COMBO WASHER DRYER	WMD 24400 W	28
WARRANTY			29

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING TOP FREEZER REFRIGERATOR

BRFT1522SSN

28"

Fingerprint Free Stainless Steel

FEATURES

- Electronic control system
- Duo Cycle Cooling
- Eco-friendly refrigerant R600A
- Field reversibility of doors
- Total gross volume: 12.56 cu.ft
- Fresh food net volume: 9.67 cu.ft.
- Freezer net volume: 2.89 cu.ft.
- (H) 67 3/4" x (W) 27 9/16" x (D) 24 5/8" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 2 glass shelves
- Wine rack
- Fan ventilation
- Inner digital display
- Flexi-rack
- Interior LED lighting

FREEZER

- Automatic ice machine

REFRIGERATION

MODEL

WIDTH

FINISH



FULLY INTEGRATED BOTTOM FREEZER REFRIGERATOR

BRFB1051FFBIN

22"

Panel Ready

FEATURES

- Electronic touch control system (7 segments)
- Antibacterial seal + carbon filter
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 10.6 cu.ft
- Total net volume: 8.4 cu.ft
- H 71-7/16" W 21-15/16" D 21-5/8"



FRIDGE

- 3 door racks, 1 crisper, 3 glass shelves
- Bottle holder, 2 x 6-egg trays
- White LED lighting
- Net volume: 6.1 cu.ft

FREEZER

- 3 drawers, ice cube tray
- Auto defrost
- Net volume: 2.3 cu.ft



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1042SSN

24"

Fingerprint Free Stainless Steel

FEATURES

- Mechanical control system
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 10.6 cu.ft
- Total net volume: 8.8 cu.ft
- H 67-3/8" W 23-3/8" D 22-5/8" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 3 glass shelves
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Net volume: 6.2 cu.ft

FREEZER

- 3 drawers
- Auto defrost
- Net volume: 2.6 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



BRFB1920SS
Stainless Steel panel internal with
auto ice maker + water dispenser

INTEGRATED BOTTOM FRIDGE/FREEZER

BRFB1900FBI	30"	Panel Ready
BRFB1920FBI	30"	Panel Ready with ice machine
BRFB1920SS	30"	Fingerprint Free SS with ice machine

FEATURES

- Digital controls
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 18.5 cu.ft
- Auto ice machine with 11lbs/ day capacity
- H 83-3/4" W 29-3/4" D 24" (with door)



FRIDGE

- 4 door racks, blue light crisp zone
- Wine rack, 2 x 6-egg trays
- White LED lighting

FREEZER

- Extra-large freezer drawer
- Auto defrost
- White LED lighting



BRFB1900FBI
Panel-ready with no ice



BRFB1920FBI
Panel-ready with internal auto ice maker
+ water dispenser

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1312SS

24"

Fingerprint Free Stainless Steel

FEATURES

- Electronic control system (7 segments)
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 12.9 cu.ft
- Total net volume: 11.4 cu.ft
- H 72-5/8" W 23-3/8" D 24-3/4" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 3 glass shelves, bottle holder
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Total net volume: 7.9 cu.ft

FREEZER

- 3 drawers, ice cube tray
- Auto defrost
- Total net volume: 3.4 cu.ft



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1512SS

27"

Fingerprint Free Stainless Steel

FEATURES

- Electronic control system (7 segments)
- Antibacterial seal
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Field reversible hinge design
- Total gross volume: 18.4 cu.ft
- Total net volume: 16.8 cu.ft
- H 75-9/16" W 27-1/2" D 24-3/4" (without handles)



FRIDGE

- 4 door racks, 1 crisper, 4 glass shelves, bottle gripper
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Total net volume: 11,7 cu.ft

FREEZER

- 3 drawers (2 for BRFB1522), ice cube tray
- Auto defrost
- Total net volume: 5.1 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING BOTTOM-MOUNT FRIDGE/FREEZER

BRFB1812SSN	30"	Fingerprint Free Stainless Steel	R
BRFB1812SSLN	30"	Fingerprint Free Stainless Steel	L
BRFB1822SSN	30"	Fingerprint Free Stainless Steel with automatic ice machine	R
BRFB1822SSLN	30"	Fingerprint Free Stainless Steel with automatic ice machine	L

FEATURES

- Electronic control system (7 segments)
- Antibacterial seal + carbon filter
- HygAIR ionizing technology
- Duo cycle no frost cooling
- Eco-friendly refrigerant R600A
- Total gross volume: 17.8 cu.ft
- Total net volume: 16.2 cu.ft
- H 67-3/4" W 29-1/8" D 28-3/8" (without handles)



FRIDGE

- 3 door racks, 1 crisper, 2 glass shelves
- Wine rack, 2 x 6-egg trays
- White LED lighting
- Fan ventilation
- Blue zone
- Total net volume: 11.1 cu.ft

FREEZER

- 3 drawers, ice cube tray
- Auto defrost
- Total net volume: 5.1 cu.ft
- Automatic ice machine (BRFB1822)



BRFB1822SSN

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

REFRIGERATION

MODEL

WIDTH

FINISH



FREESTANDING FRENCH-DOOR FRIDGE/FREEZER

BRFD2230SS

36"

Fingerprint Free Stainless Steel

FEATURES

- Electronic touch control system
- Antibacterial seal + carbon filter
- Duo cycle no frost cooling
- Eco-friendly refrigerant R134A
- Total gross volume: 22 cu.ft
- Total net volume: 18.7 cu.ft
- H 69-3/4" W 35-3/4" D 26-7/8" (without handles)



FRIDGE

- 6 door racks, 3 crispers, 4 glass shelves
- 2 x 6-egg trays
- White LED lighting
- Water dispenser
- Blue zone
- Total net volume: 13.3 cu.ft

FREEZER

- 2 drawers, 1 basket
- Auto defrost / Fast free function
- Automatic ice machine (11 lbs/day)
- Total net volume: 5.4 cu.ft



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVEN

MODEL

WIDTH

FINISH



ELECTRIC CERAN CONVECTION RANGE

BERC24102SS

24"

Stainless Steel & Black

FEATURES

- 8 cooking functions: cooking, 3D cooking, bottom heater, fan, grill, fan + grill, fan + bottom + top heater, fan heating (turbo)
- Capacity: 2.51 cu.ft
- Electronic touch controls & timer
- 4 vitroceramic elements: 1200W - 1500W - 1800W - 2200W
- Convection oven
- 1 x 25W light
- 3 pane heat resistant glass
- 5 side rack positions
- 2 level wire racks
- Pull out storage drawer
- Adjustable feet
- 4" high stainless backsplash included (island trim comes with the range un-attached)
- Voltage / Frequency: 220-240V / 60Hz
- Circuit breaker: 40 A
- H 36" W 23-1/2" D 23-3/4"



ELECTRIC CERAN THERMAL RANGE

BERC24202SS

24"

Stainless Steel & Black

FEATURES

- 4 cooking functions: cooking, bottom heater, low grill, grill.
- Capacity: 2.51 cu.ft
- Mechanical timer (knob control)
- 4 vitroceramic elements: 2 x 1200W - 2 x 1800W
- Easy clean enamel
- 1 x 25W light
- 3 pane heat resistant glass
- 5 side rack positions
- 2 level wire racks
- Flap door storage
- Adjustable feet
- Island trim included (4" high stainless backsplash optional)
- Optional backsplash
- Voltage / Frequency: 220-240V / 60Hz
- Circuit breaker: 36 A
- H 36" W 23-1/2" D 23-3/4"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVEN

MODEL

WIDTH

FINISH



GAS RANGE

BGR24102SS

24"

Stainless Steel & Black

FEATURES

- Capacity: 2.51 cu.ft
- Mechanical knob controls
- 4 gas burners: 1 x 3500 Btu - 2 x 7000 Btu - 1 x 12 000 Btu
- 2 cast iron pan supports
- Flame failure safety device
- Easy clean enamel
- 1 x 25W light
- 3 pane heat resistant glass
- 5 side rack positions
- 2 chromed racks
- Flap door storage
- Adjustable feet
- Island trim included (4" high stainless backsplash optional)
- Voltage / Frequency: 120V / 60Hz (0.5A)
- H 36" W 23-1/2" D 23-3/4"



ELECTRIC SLIDE-IN RANGE - 4 ZONES

BERU30420CSS

30"

Stainless Steel

FEATURES

- 10 cooking functions: Bake, Roast, Broil (high & low), Convection Bake, Convection Roast, Warming, Slow Cook, Pizza Cooking, Proof, Defrost
- Capacity: 5.7 cu.ft
- Electronic display control with multi-functions + silver knobs
- 4 vitroceramic elements: 1200W - 1800W - 2200/3000W
- 2 x 40W lights
- Self clean oven with convection fan
- 4 pane heat resistant glass
- 3 side rack positions
- 3 thick chromed easy pull-out racks
- Storage drawer
- Adjustable feet
- Slim backsplash design
- Voltage / Frequency: 240V / 60Hz (Min.40 A)
- H 36" W 29-13/16" D 29-1/8"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVEN

MODEL

WIDTH

FINISH

GAS SLIDE-IN RANGE - 4 BURNERS

BGR30420CSS

30"

Stainless Steel

FEATURES

- 10 cooking functions: Bake, Roast, Broil (high & low), Convection Bake, Convection Roast, Warming, Slow Cook, Pizza Cooking, Proving, Defrost
- Capacity: 5.7 cu.ft
- Electronic display control with multi-functions
- Silver knobs with integrated electronic ignition
- 4 sealed gas burners: 4000 - 7500 - 10 500 - 18 000 Btu
- 3 cast iron pan supports
- Self clean oven with convection fan
- Flame failure safety device
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks
- Storage drawer
- Adjustable feet
- Slim island trim
- LP kit included
- H 36" W 29-13/16" D 29-1/8"

GAS PRO RANGE - 5 BURNERS

BGRP34520CSS

30"

Stainless Steel

FEATURES

- 4 cooking functions: Bake, Convection Bake, Convection Roast, Broil (high & low)
- Capacity: 5.7 cu.ft
- LED-illuminated silver knobs with integrated electronic ignition
- Flame failure safety device
- 5 sealed gas burners: 4000 - 8000 - 10 000 - 12 500 - 20 000 Btu
- 3 cast iron pan supports
- Self clean oven with convection fan
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks (including 1 full extension rack)
- Adjustable feet
- Slim island trim
- LP kit included
- H 36" W 29-13/16" D 29-1/8"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVEN

MODEL

WIDTH

FINISH

DUAL-FUEL PRO RANGE - 5 BURNERS

BDFP34550CSS

30"

Stainless Steel

FEATURES

- 4 cooking functions: Bake, Convection Bake, Convection Roast, Broil (high & low)
- Capacity: 5.7 cu.ft
- Silver knobs with integrated electronic ignition
- 5 sealed gas burners: 4000 - 8000 - 10 000 - 2 x 20 000 Btu
- 3 cast iron pan supports
- Self clean oven with convection fan
- Flame failure safety device
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks (including 1 full extension rack)
- Adjustable feet
- Slim island trim
- Voltage / Frequency: 240V / 60Hz
- LP kit included
- H 36" W 29-13/16" D 29-1/8"

INDUCTION PRO RANGE - 4 ZONES

BIRP34450CSS

30"

Stainless Steel

FEATURES

- 4 cooking functions: Bake, Convection Bake, Convection Roast, Broil (high & low)
- Capacity: 5.7 cu.ft
- LED-illuminated silver knobs
- 4 induction zones: 1400 to 3600 W
- Self clean oven with convection fan
- 2 x 40W lights
- 4 pane heat resistant glass
- 6 side rack positions
- 3 thick chromed easy pull-out racks (including 1 full extension rack)
- Adjustable feet
- Slim island trim
- Voltage / Frequency: 240V / 60Hz (Min.40 A)
- H 36" W 29-13/16" D 29-1/8"



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COOKTOP

MODEL

WIDTH

FINISH



BUILT-IN GAS COOKTOP – 4 BURNER


CTG24400SS

24"

Stainless Steel

FEATURES

- Sealed Burner
- 4 Gas Burners 2x 6000 BTU – 1x 10000 BTU – 1x 12000 BTU
- Front Knob Control
- Gas Safety Device
- Cast Iron Continuous Grates
- Integrated Ignition
- Supplied Cord - 110-120 V, 60 Hz
- H 1 13/16" x 22 7/8" x D 20 1/16"



BUILT-IN GAS COOKTOP – 4 BURNER

CTG30400SS

30"

Stainless Steel

FEATURES

- Sealed Burner
- 4 Gas Burners 2x 5000 BTU – 1x 10000 BTU – 1x 12000 BTU
- Reignition Controlled Burners
- Gas Safety Device
- Cast Iron Continuous Grates
- Front Knob Control
- Supplied Cord - 110-120 V, 60 Hz
- H 3 7/8" x 29 7/8" x D 21 1/4"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COOKTOP

MODEL

WIDTH

FINISH



BUILT-IN GAS COOKTOP – 5 BURNER

CTG30500SS

30"

Stainless Steel

FEATURES

- Sealed Burner
- 5 Gas Burners 2x 5000 BTU – 2x 10000 BTU – 1x 20000 BTU
- Reignition Controlled Burners
- Gas Safety Device
- Cast Iron Continuous Grates
- Front Knob Control
- Supplied Cord - 110-120 V, 60 Hz
- H 3 7/8" x 29 7/8" x D 21 1/4"



BUILT-IN GAS COOKTOP – 5 BURNER

CTG36500SS

36"

Stainless

FEATURES

- Sealed Burner
- 5 Gas Burners 2x 6000 BTU – 2x 12000 BTU – 1x 20000 BTU
- Front Knob Control with LED Illumination
- Reignition Controlled Burners
- Gas Safety Device
- Cast Iron Continuous Grates
- Front Knob Control
- Supplied Cord - 110-120 V, 60 Hz
- H 3 7/8" x 36" x D 21 1/4"


Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COOKTOPS

MODEL

WIDTH

FINISH



BUILT-IN INDUCTION COOKTOP - 4 ELEMENTS


CTI30410

30"

Black Glass Ceramic

FEATURES

- 4 Induction Zones 1x 700/1700 W – 1x 2100/3700 W – 2x 2600/3700 W
- 9 Cooking Levels
- Front Touch Control
- Automatic Pan Recognition
- On/Off Light
- Fully Automatic Cooling System
- Warming Function
- Boost Control
- Residual Heat Indicators
- Display lock
- H 5 /32" x W 30 11/16" x D 20 7/16 "
- Voltage / Frequency: 220–240 V, 50–60 Hz



BUILT-IN INDUCTION COOKTOP - 5 ELEMENTS

CTI36510

36"

Black Glass Ceramic

FEATURES

- 5 Induction Zones 4 x 2100/3700 W – 1 2500/3700 W
- 9 Cooking Levels
- Front Touch Control
- Automatic Pan Recognition
- On/Off Light
- Fully Automatic Cooling System
- Warming Function
- Boost Control
- Residual Heat Indicators
- Display lock
- H 5 /32" x W 34 5/8" x D 20 7/16 "
- Voltage / Frequency: 220–240 V, 50–60 Hz

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COOKTOPS

MODEL

WIDTH

FINISH



BUILT-IN INDUCTION COOKTOP - 4 ELEMENTS

CTE24410

24"

Black Glass

FEATURES

- Slide Touch Control with Timer
- Programmable Touch control System
- 6 cooking levels per element
- Zone power: 2x650 W Hi-Light - 1x1200 W – 1x 2200W
- Hot surface indication
- Residual heat indication
- Voltage / Frequency: 240V / 60Hz (21 A)
- H 2-5/8" W 24-3/16" D 20-15/16"


Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COOKTOPS

MODEL

WIDTH

FINISH



BUILT-IN ELECTRIC COOKTOP - 4 ELEMENTS


CTE24402

24"

Black Glass Ceramic + SS Frame

FEATURES

- Side mounted manual controls
- 4 cooking zones
- 6 cooking levels per element
- Zone power: 2x1200 W - 2x1800 W
- Hot surface indication
- Residual heat indication
- Voltage / Frequency: 240V / 60Hz (25 A)
- H 3-1/4" W 24-1/8" D 20-7/8"



BUILT-IN ELECTRIC COOKTOP - 4 ELEMENTS

CTE30410

30"

Black Glass Ceramic

FEATURES

- Touch sensitive front controls (digital display)
- 9 cooking levels per element
- 4 cooking zones (2 double) : 2x1200W - 1x800/2200W - 1x1100/2500W
- Automatic fast boil function
- Hot surface indication
- Residual heat indication
- Acoustic buzzer
- Low power scale for delicate cooking
- Failure codes indication
- Command lock
- Voltage / Frequency: 240V / 60Hz (30 A)
- H 3 9/32" + conduit 15/16" W 30" D 21"

ACCESORIES

MODEL

WIDTH

FINISH



COOKING GRIDDLE FOR 30" RANGE

G3001

30"

Cast iron



RANGE WINGS

OW3001

Stainless Steel

OW3002

Black

Features

Filler strip adaptable on 24" ranges, 30" slide-in and 30" Pro-style ranges.
Comes with adhesive tape.

OVENS

MODEL

WIDTH

FINISH



BWOS24110B



BUILT-IN ELECTRIC OVEN

BWOS24110SS	24"	Fingerprint Free Stainless Steel
BWOS24110B	24"	Black

FEATURES

- 8 cooking functions: true european convection bake, convection broil, convection roast, bake, broil, defrost, fast preheat, 3D (advanced convection system)
- 2.5 cu. ft. Oven Capacity
- 2 black knobs + digital display
- 1 x 25W light
- Easy to clean enamel
- 3 pane heat resistant glass
- 5 side rack positions
- Electronic lock
- 2 chromed racks
- Voltage / Frequency: 240V / 60Hz (10 A)
- H 23-5/8" W 23-3/64" D 21-21/32"

BUILT-IN SELF-CLEAN ELECTRIC OVEN

BWOS30200SS	30"	Fingerprint Free Stainless Steel
--------------------	-----	----------------------------------

FEATURES

- Cooking Modes: Bake, Roast, Broil, Convection Bake, Convection Roast, Convection Broil, Warm Keeping, Slow Cook, Pizza Cooking, Bread Proof, Defrost, Pyrolytic Self-clean, Sabbath Mode
- Capacity: 5.7 cu.ft
- User-friendly, Smart LED Display
- Sensitive Touch Button Control
- Easy Grip Stainless Steel Handle
- Pyro Proof Black Enamel Cavity
- Full Extension Telescopic Rack
- 2 Halogen Lamp Illuminations
- Self-clean Oven
- Cool-touch Door, 4-pane Glass
- 2 chromed racks
- Voltage / Frequency: 240V / 60Hz (15 A)
- H 28-7/8" W 29-3/4" D 24-7/16"
- Sensitive Touch Button Control

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OVER THE RANGE

MODEL

WIDTH

FINISH



OVER-THE-RANGE CONVECTION MICROWAVE HOOD

BOTR30200CSS

30"

Stainless Steel + Black

FEATURES

- Capacity: 1.5 cu.ft
- Convection power: 1450 W
- 900 Watts
- 300 CFM hood
- 1 x 25W light
- Auto-weight defrost
- Auto-cooking
- Digital timer
- Electronic Controls
- Voltage / Frequency: 120V / 60Hz
- H 16-7/16" W 29-7/8" D 15-1/4"



OVER-THE-RANGE MICROWAVE HOOD

BOTR30100SS

30"

Stainless Steel + Black

FEATURES

- Capacity: 1.6 cu.ft
- 1000 Watts
- 300 CFM hood
- 1 x 25W light
- Auto-cooking
- Digital timer
- Electronic Controls
- Voltage / Frequency: 120V / 60Hz
- H 16-7/16" W 29-7/8" D 15"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

VENTILATION

MODEL

WIDTH

FINISH



UNDER CABINET PROFESSIONAL RANGE HOOD

BCHP30100SS

30"

Stainless Steel

FEATURES

- Knob Control
- 600 CFM Suction Power with
- 4 Fan Speed Levels
- "Direct Ducting with Charcoal Filter for
- Ductless Use Availability
- Stainless Baffle Grease Filters (Dishwasher-safe)
- 2 Halogen Lights (50 W Each) with Surface Light Adjustable Illumination
- H 18-3/8" W 30" D 23"



UNDER CABINET RANGE HOOD

BCHS30100SS

30"

Stainless Steel

FEATURES

- Tag Switches with LED Controls
- 250 CFM Suction Power with Three Fan
- Speed Levels
- "Direct Ducting with Charcoal Filter for
- Ductless Use Availability"
- Washable Grease Filters
- 2 Halogen Lights (50 W Each) with
- Surface Light On/Off Control

DISHWASHERS

MODEL

WIDTH

FINISH



SLIM TUB, ADA COMPATIBLE, TOP CONTROL DISHWASHER

DWS51500SS 18" Fingerprint free stainless steel

DWS51500FBI 18" Panel ready

FEATURES

- Electronic Touch Control
- 5 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), Express Dry, Quick Wash (131°F), Rinse & Hold
- 4 Functions
- Silent Operation: 48 dBA
- 3 Position Adjustable Upper Rack
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 8 Place Settings
- Stainless Steel Interior
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 32 13/64" x W 17 5/8" x D 22 7/16"



TALL TUB, TOP CONTROL DISHWASHER

DWT51600SS 24" Fingerprint free stainless steel

DWT51600W 24" White finish

DWT51600FBI 24" Panel ready

FEATURES

- Electronic Touch Control
- 6 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), Express Dry, China/Crystal (149°F), Quick Wash (131°F), Rinse & Hold
- Silent Operation: 48 dBA
- LED Spot
- Extra Rinse, RapidClean, Sanitize Functions
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 14 Place Settings
- Stainless Steel Interior
- Fixed Upper Rack
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 33 7/8 x W 23 9/16 x D 22 7/16

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH



TALL TUB, FRONT CONTROL DISHWASHER

DWT52600SSIH 24" Fingerprint free stainless steel

DWT52600WIH 24" White finish

DWT52600BIH 24" Black finish

FEATURES

- Electronic Touch Control
- 6 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), Express Dry, China/Crystal (149°F), Quick Wash (131°F), Rinse & Hold
- Silent Operation: 48 dBA
- Functions: Half Load, Extra Rinse, RapidClean, Sanitize
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 14 Place Settings
- Stainless Steel Interior
- Fixed Upper Rack
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 33 7/8 x W 23 9/16 x D 22 7/16



TALL TUB, FRONT CONTROL DISHWASHER

DWT52800SSIH 24" Fingerprint free stainless steel

DWT52800WIH 24" White finish

FEATURES

- Electronic Touch Control
- 8 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), MixWash+ (131 – 149°F), Auto Program (131 – 149°F), Express Dry, China/Crystal (149°F), Quick Wash (131°F), Rinse & Hold
- Silent Operation: 45 dBA
- Functions: Half Load, Sanitize, SuperGloss, PowerWash Function with Extra Spray Arm
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 16 Place Settings
- Stainless Steel Interior
- Upper Rack: 3 Positions, Adjustable When Loaded
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Active Ventilation Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 33 7/8 x W 23 9/16 x D 22 7/16

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH



TALL TUB, TOP CONTROL DISHWASHER

DWT71600SS 24" Fingerprint free stainless steel

DWT71600SSIH 24" Fingerprint free stainless steel

FEATURES

- Electronic Direct Access Touch Control
- 6 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), Express Dry, China/Crystal (149°F), Quick Wash (131°F), Rinse & Hold
- Silent Operation: 48 dBA
- Functions: Half Load, Sanitize, Extra Rinse, Rapid Clean
- LED Spot
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 14 Place Settings
- Stainless Steel Interior
- Upper Rack: 3 Positions, Adjustable When Loaded
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Static Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 33 7/8 x W 23 9/16 x D 22 7/16



TALL TUB, TOP CONTROL DISHWASHER

DWT81800SS 24" Fingerprint free stainless steel

DWT81800FBI 24" Panel ready

DWT81800SSWS (Water Softener) 24" Fingerprint free stainless steel

FEATURES

- Electronic Direct Access Touch Control
- 8 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), Auto Program (131 – 149°F), MixWash+ (131 – 149°F), Express Dry, Glass-Care, Quick Wash (131°F), Rinse & Hold
- Functions: Half Load, Sanitize, SuperGloss, Rapid Clean, PowerWash Function with Extra Spray Arm
- Silent Operation: 45 dBA
- LED SPOT
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 16 Place Settings
- Stainless Steel Interior
- Upper Rack: 3 Positions, Adjustable When Loaded
- Full-size 3rd Rack
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Active Ventilation Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 33 7/8 x W 23 9/16 x D 22 7/16

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DISHWASHERS

MODEL

WIDTH

FINISH



TALL TUB, TOP CONTROL DISHWASHER

DWT81900SS 24" Fingerprint free stainless steel

DWT81900FBI 24" Panel ready

FEATURES

- Electronic Direct Access Touch Control
- 9 programs: Pots and Pans+ (167°F), Regular Wash (142°F–145°F), Auto Program (131 – 149°F), MixWash+ (131 – 149°F), Express Dry, GlassCare, Quick Wash (131°F), Rinse & Hold, Download Cycle
- Silent Operation: 39 dBA
- LED SPOT
- Inner Illumination
- WiFi Enabled
- Easy Installation
- Concealed Heating Element
- Adjustable Feet and Self-adjustable Hinge
- Capacity: 16 Place Settings
- Stainless Steel Interior
- Upper Rack: 3 Positions, Adjustable When Loaded
- Full-size 3rd Rack
- Functions: Half Load, Sanitize, SuperGloss, RapidClean, PowerWash Function with Extra Spray Arm
- DMFS Overflow Protection
- 5 Level Wash
- Delay Timer from 1/2 – 24 hours
- Closed Fan Drying System
- Brushless DC™ Motor
- Turbidity Sensor
- All-in-1 Tablet Function
- Interior High Loop with Air Gap
- H 33 7/8 x W 23 9/16 x D 22 7/16

LAUNDRY

MODEL

WIDTH

FINISH



FRONT LOAD WASHER

WM98400SX2

24"

White with chrome door rim

FEATURES

- 16 wash cycles*
- Capacity: 2.5 cu.ft
- New detergent saving system prevents loss of detergent
- Optima™ Inverter motor technology
- Euro wash system with internal water heater
- Digital display with dial knob
- Automatic detergent dispensing system
- Automatic water adjustment system
- Unbalance detection system
- Washing load capacity: 10.1 kg (22.3 lb)
- Variable spin speed: Up to 1400 rpm
- Noise level: 52 dB (washing) / 76 dB (spinning)
- Automatic temperature control: Extra hot, hot, warm, cold, tap cold
- Drum material: Stainless steel
- Time delay (1-24h)
- Remaining time indicator
- Program Follower
- Child lock
- Dispensers: Detergent (liquid/powder), bleach, fabric softener
- Voltage / Frequency: 208-240V / 60Hz (15 amps)
- H 33 1/8 x W 23 5/8 x D 24 5/8

* WASH CYCLES

Normal / Reg. Cotton	Wool	Jeans	Rinse
Permanent Press	Drain & Spin	Pet Hair Cleansing	Heavy Soil
Hand Wash	Bedding	Tub Sanitize	Soak
Quick Wash 35'	Jogging Wear	Super Quick 20'	Extra Rinse

FRONT LOAD WASHER

WM72200W

24"

White

FEATURES

- 15 wash cycles*
- Capacity: 1.9 cu.ft
- New detergent saving system prevents loss of detergent
- Optima™ Inverter motor technology
- Digital display with dial knob
- Automatic water adjustment system
- Washing load capacity: 8 kg (17.64 lb)
- Variable spin speed: Up to 1200 rpm
- Automatic temperature control
- Drum material: Stainless steel
- Time delay (1-19h)
- Remaining time indicator
- Child lock
- Dispensers: Detergent (liquid/powder)
- Voltage / Frequency: 1200V / 60Hz (10 amps)
- Unit plugs into wall
- H 33 5/64" x W 23 5/8" x D 21 1/4"

* WASH CYCLES

Normal / Cotton	Allergen	CoolClean	Organic Wash
Permanent Press	Spin + Drain	Delicates / Dark	Quick Wash
Heavy Duty	Hand Wash / Wool	Sportswear	
Mixed Fabric	Down Wear		

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

LAUNDRY

MODEL

WIDTH

FINISH



HEAT PUMP VENTLESS DRYER

DHP24412W

24"

White with chrome door rim

FEATURES

- 16 dry cycles*
- Capacity: 4.1 cu.ft
- Ventless heat pump technology
- Digital display with dial knob
- Automatic water drain
- Automatic easy ironing
- Reduce static cling
- Dry load capacity: 8 kg (17.7 lb)
- Noise level: 65 dB
- Drum material: Stainless steel
- Interior drum LED lighting
- Reversible door
- Clean filter indicator
- Time delay (0-24h)
- Program follower
- End of cycle buzzer
- Child lock
- Stacking kit included (2985 400 200)
- Voltage / Frequency: 208-240V / 60Hz (5 amps)
- H 33 5/16 x W 23 3/8 x D 24 1/2

* DRY CYCLES

Cottons Damp Dry	Dry	Timed Dry	Wool Protect
Cottons Regular Dry	Bedding	Delicates	Express 45'
Cottons Extra Dry	Air fluff	Baby Protect	Sportswear
Permanent Press Damp	Super Quick 30'	Night (Quiet)	Jeans
Permanent Press Regular			

VENTED DRYER

DV17600W

24"

White

FEATURES

- Electric Air-vented
- 15 dry cycles*
- Capacity: 3.7 cu.ft
- Digital display with dial knob
- Dry load capacity: 7 kg (15.4 lb)
- Drum material: Stainless steel
- Clean filter indicator
- End of cycle buzzer
- Time delay (0-24h)
- AntiCrease+
- Child lock
- Stacking kit included (2961460038)
- Voltage / Frequency: 4 pin 208-240V / 60Hz (9.1-10.5 amps)
- H 33 1/4 x W 23 7/16 x D 22 15/16"

* DRY CYCLES

Cottons / Normal	Time Dry (High Temperature)	Wrinkle Free
Perm Press	Timed Dry (Low Temperature)	Delicates
Heavy Duty	Air Fluff	Sportswear
Mixed Fabric	Wool	Bedding
Sanitize	Towel	Quick Dry



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

LAUNDRY

MODEL

WIDTH

FINISH



COMBO WASHER DRYER

WMD24400W

24"

White with chrome door rim

FEATURES

- 16 Programs*
- Functions (Heavy Soil, Soak, Extra Rinse, Drying, Child Lock)
- Capacity 2.5 cu.ft.
- Washing Capacity 17.6 lbs. (8 kg)
- Drying Capacity 11 lbs. (5 kg)
- Variable spin speed: Up to 1,400 rpm
- Electronic Controls
- Automatic temperature control
- Time delay (1-24h)
- Remaining Time Indicator
- Unbalanced Load Control
- Overflow Safety
- Drum material: Stainless steel
- Liquid Detergent Dispensers
- Automatic Water Adjustment System
- Voltage / Frequency: 208-240V / 60Hz (10 amps)
- H 33 5 /64 x W 23 5 /8 x D 23 7 /32 in. (84 x 60 x 59 cm)

PROGRAMS

- Regular Cotton
- Heavy Duty
- Tub Sanitize
- Perm Press Dry
- Perm Press
- Delicates & Dark
- Jogging Wear
- Baby Sanitize Wash & Dry
- Hand Wash / Wool
- Rinse
- Down Wear
- Wash & Dry
- Quick Wash 25
- Spin & Drain
- Cotton Dry
- Wash & Wear

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WARRANTY

GENERAL WARRANTY FOR ALL APPLIANCES

- 1 year > Full warranty from date of first installation (parts and labor)
- 2 years > Limited warranty from date of first installation (parts only)

EXCEPTIONS

- 5 years > Limited warranty from date of first installation (parts only)
 - Refrigerators only (sealed system)
- Lifetime > Limited warranty from date of first installation
 - Washers and dryers only: drum if rust occurs
 - Dishwashers only: tub if rust occurs

SEE BLOMBERG WARRANTY STATEMENT DETAILS AT

www.blombergappliances.us/warranty-information

- Warranty is void if the product is used commercially.
- Service must be performed by an authorized Blomberg service agency.

PRODUCT GUIDE 2019

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

HEAD OFFICE / WAREHOUSE / SHOWROOM

2025 Cunard, Laval (QC) H7S 2N1

ONTARIO SHOWROOM

6900 Airport Road (Suite 206), Mississauga (ON) L4V 1E8

PART & SERVICE

service@distinctive-online.com

ORDER DESK

orderdesk@distinctive-online.com