



BERTAZZONI

INDEX

FREESTANDING RANGES

Gas Ranges - Professional / Master / Heritage	3 - 4 - 5
Dual Fuel Ranges - Professional / Master / Heritage	6 - 7
Induction Ranges - Professional / Master	8 - 9

BUILT-IN OVENS & SPECIALTY

Electric Ovens - Professional / Master	10
Speed Ovens - Professional / Master	11
Steam Ovens - Professional / Master	12
Warming Drawers - Professional / Master	12

RANGETOPS & COOKTOPS

Gas Rangetops	13
Gas Cooktops	14
Segmented Cooktops	15
Induction Cooktops	16
Electric Cooktops	16

REFRIGERATION

French door Refrigerators	17
Built-in Bottom Mount Refrigerators	18- 19
Freestanding Refrigerators	20

CLEAN UP

Built-in Dishwashers	21
----------------------	----

VENTILATION

Undermount Canopy Hoods	22
Inserts Hoods & Downdrafts	23
Wallmount Hoods	23-24-25

ACCESSORIES

Duct Covers and Recirculation Kits	26
Baffle, Mesh and Charcoal Filters	27
Toe-kick Panels, Knobs, Backguards, Decor Sets	28
Telescopic Shelves, Trays, Simmer/Wok/Griddle Plates	29
Ventilation Accessory Guide Matrix	30
Bertazzoni Color Options	31

TWO YEAR LIMITED WARRANTY

Bertazzoni SpA will repair or replace any component part which fails or proves defective due to materials and/or workmanship within 2 years from the date of installation and under conditions of normal residential use. Repair or replacement will be free of charge, including labor at standard rates and shipping expenses. Repair service must be performed by a Bertazzoni Authorized Service Center during normal working hours. Cosmetic damages must be reported no later than 30 days after installation. This warranty does not cover the use of the product in any commercial application.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

ALL GAS RANGES



MAST486GGASBIE



HERT366GASXT



PROF304GASART



MAST244GASXE

48" ALL-GAS RANGE

- Stainless steel electric griddle and cover (1100W)
- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- 4.7 cu.ft gas main oven with dual horizontal convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- 2.4 cu.ft auxiliary gas oven (including 2 wire shelves, 1 set of telescopic glides)
- Main: Bake element 3500-14000 BTU - Main: Broiler element 9000 BTU - Aux: Bake element 2400-7000 BTU
- Dimensions: **W** 48" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

36" ALL-GAS RANGE

- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- 5.9 cu.ft gas oven with dual horizontal convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- Bake element 4100-17000 BTU - Broiler element 11000 BTU
- Dimensions: **W** 36" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

30" ALL-GAS RANGE

- 1 x 19000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- 4.7 cu.ft gas oven with dual horizontal convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- Bake element 3500-14000 BTU - Broiler element 9000 BTU
- Dimensions: **W** 30" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16" (handle not included)

24" ALL-GAS RANGE

- 1 x 19000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- 2.4 cu.ft gas oven with convection fan for even baking and roasting on 5 shelf levels
- Oven door with soft-motion hinges
- Convenient bottom storage space with stainless steel access panel
- Dimensions: **W** 23-15/16" **H** 35-3/4" - 37-1/2" (adjustable legs) **D** 25-3/16"

ALL-GAS RANGES - ADDITIONAL FEATURES

- Counter-deep maintop for flush installation with kitchen countertops and cabinets
- Soft-close oven door with edge-to-edge tempered glass (T models)
- Electric ignition with thermocouple safety device (for gas burners)
- Extra-large high-power infrared gas broiler for broiling and grilling (except 24" model)
- Elegant temperature gauge for control of oven temperature during pre-heating and baking (except 24" model)
- Food temperature probe for accurate roasting + baking (T models only)
- Smooth-glide telescopic racks (except 24" model)
- Fingerprint free stainless steel
- Included accessories: Wok ring (T models only), Simmer ring, 1" stainless steel island trim (except 24" model is 4" backguard)
- Ranges are available in NG (standard) or LP (selected models). A gas conversion kit is included with every range

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

ALL GAS RANGES
48" ALL-GAS RANGES

PROF486GGASXT	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASXTLP	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle - LP version
PROF486GGASNET	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASBIT	○	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASGIT	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASART	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
PROF486GGASROT	●	48" Professional Series Range - Gas Oven - 6 brass burners + griddle
MAST486GGASXT	●	48" Master Series Range - Gas Oven - 6 brass burners + griddle
MAST486GGASXTLP	●	48" Master Series Range - Gas Oven - 6 brass burners + griddle - LP
MAST486GGASXE	●	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle
MAST486GGASXELP	●	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle - LP version
MAST486GGASNEE	●	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle
MAST486GGASBIE	○	48" Master Series Range - Gas Oven - 6 aluminum burners + griddle
HERT486GGASXT	●	48" Heritage Series Range - Gas Oven - 6 brass burners + griddle
HERT486GGASAVT	○	48" Heritage Series Range - Gas Oven - 6 brass burners + griddle
HERT486GGASNET	●	48" Heritage Series Range - Gas Oven - 6 brass burners + griddle

36" ALL-GAS RANGES

PROF366GASXT	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASXTLP	●	36" Professional Series Range - Gas oven - 6 brass burners - LP version
PROF366GASNET	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASBIT	○	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASGIT	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASART	●	36" Professional Series Range - Gas oven - 6 brass burners
PROF366GASROT	●	36" Professional Series Range - Gas oven - 6 brass burners
MAST366GASXT	●	36" Master Series Range - Gas Oven - 6 brass burners
MAST366GASXTLP	●	36" Master Series Range - Gas Oven - 6 brass burners - LP
MAST365GASXE	●	36" Master Series Range - Gas oven - 5 aluminum burners
MAST365GASXELP	●	36" Master Series Range - Gas oven - 5 aluminum burners - LP
MAST365GASNEE	●	36" Master Series Range - Gas oven - 5 aluminum burners
MAST365GASBIE	○	36" Master Series Range - Gas oven - 5 aluminum burners
HERT366GASXT	●	36" Heritage Series range - Gas Oven - 6 brass burners
HERT366GASAVT	○	36" Heritage Series range - Gas Oven - 6 brass burners
HERT366GASNET	●	36" Heritage Series range - Gas Oven - 6 brass burners

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

ALL GAS RANGES



PROF486GGASART



MAST365GASBIE



PROF304GASGIT



MAST244GASNEE

30" ALL-GAS RANGES

PROF304GASXT	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASXTLP	●	30" Professional Series Range - Gas oven - 4 brass burners - LP version
PROF304GASNET	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASBIT	○	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASGIT	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASART	●	30" Professional Series Range - Gas oven - 4 brass burners
PROF304GASROT	●	30" Professional Series Range - Gas oven - 4 brass burners
MAST305GASXE	●	30" Master Series Range - Gas oven - 5 aluminum burners
MAST305GASXELP	●	30" Master Series Range - Gas oven - 5 aluminum burners - LP
MAST305GASNEE	●	30" Master Series Range - Gas oven - 5 aluminum burners
MAST305GASBIE	○	30" Master Series Range - Gas oven - 5 aluminum burners

24" ALL-GAS RANGES

PROF244GASXE	●	24" Professional Series range - Gas oven - 4 aluminum burners
PROF244GASXE LP	●	24" Professional Series range - Gas oven - 4 aluminum burners - LP version
MAST244GASXE	●	24" Master Series range - Gas oven - 4 aluminum burners
MAST244GASXE LP	●	24" Master Series range - Gas oven - 4 aluminum burners - LP version
MAST244GASNEE	●	24" Master Series range - Gas oven - 4 aluminum burners
MAST244GASBIE	○	24" Master Series range - Gas oven - 4 aluminum burners



6 Burner Configuration



Professional Series Knob



Master Series Knob



Heritage Series Knob

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

DUAL FUEL RANGES



HERT486DFSNET



MAST366DFSXT



PROF304DFSROT



MAST305DFMBIE



Professional Series Handle



Master Series Handle



Heritage Series Handle

48" DUAL FUEL RANGE

- Stainless steel electric griddle and cover (1100W)
- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class
- 4.6 cu.ft main electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- 2.4 cu.ft auxiliary electric oven (including 2 wire shelves, 1 set of telescopic glides)
- 8-pass electric broiler in main oven with optional convection and 6-pass electric broiler in auxiliary oven
- Bake: Bottom 2100W / 900W - Bake: Top 1400W / 900W - Broiler: 3400W / 2000W - Convection: 2 x 1650W
- Dimensions: W 48" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

36" DUAL FUEL RANGE

- 2 x 19000 BTU power burners with dual ring flame delivering fastest time-to-boil in class (1 power burner for DFM models)
- **DFS** Models: 5.7 cu.ft main electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **DFM** Models: 5.9 cu.ft main electric oven with dual **horizontal** convection fans on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet)
- 10-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2400W - Bake: Top 1600W - Broiler: 4000W - Convection: 2 x 1650W (DFS models)
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (DFM models)
- Dimensions: W 36" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

30" DUAL FUEL RANGE

- 1 x 19000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- **DFS** Models: 4.6 cu.ft main electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **DFM** Models: 4.7 cu.ft main electric oven with dual **horizontal** convection fans on 7 shelf levels (including 3 wire shelves, baking tray with grill trivet)
- 8-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2100W - Bake: Top 1400W - Broiler: 3400W - Convection: 2 x 1650W (DFS models)
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (DFM models)
- Dimensions: W 30" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

DUAL FUEL RANGES - ADDITIONAL FEATURES

- **DFS** Models Functions (Dual Fuel **Self Clean**):
Warming/Proofing/Dehydrate - Bake - Convection - Convection Bake - Broil - Convection Broil - Pizza - Clean
- **DFM** Models Functions (Dual Fuel **Manual Clean**):
Fast preheat - Bake - Bottom Bake - Upper bake - Convection - Convection Bake - Broil - Convection Broil - Pizza
- Electric ignition with thermocouple safety device
- Counter-deep maintop for flush installation with countertops and cabinets
- Fingerprint free stainless steel
- Food temperature probe for accurate roasting + baking (DFS models only)
- Elegant digital gauge for precise control of oven temperature during pre-heating and baking with integrated controls for the temperature probe (DFS models only)
- Soft-close oven door with edge-to-edge tempered glass (DFS models)
- Oven door with edge-to-edge tempered glass (DFM models)
- Included accessories: Wok ring (except DFM models), Simmer ring, 1" stainless steel island trim
- Ranges are available in NG (standard) or LP (selected models). A gas conversion kit is included with every range

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

DUAL FUEL RANGES
48" DUAL FUEL RANGES

PROF486GDFSXT	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSNET	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSBIT	○	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSGIT	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSART	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
PROF486GDFSROT	●	48" Professional Series Range - Electric self clean oven - 6 brass burners + griddle
MAST486GDFSXT	●	48" Master Series Range - Electric self clean oven - 6 brass burners + griddle
MAST486GDFMXE	●	48" Master Series Range - Electric oven - 6 aluminium burners + griddle
HERT486GDFSXT	●	48" Heritage Series Range - Electric self clean oven - 6 brass burners + griddle
HERT486GDFSAVT	○	48" Heritage Series Range - Electric self clean oven - 6 brass burners + griddle
HERT486GDFSNET	●	48" Heritage Series Range - Electric self clean oven - 6 brass burners + griddle

36" DUAL FUEL RANGES

PROF366DFSXT	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSNET	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSBIT	○	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSGIT	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSART	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
PROF366DFSROT	●	36" Professional Series Range - Electric self clean oven - 6 brass burners
MAST366DFSXT	●	36" Master Series Range - Electric self clean oven - 6 brass burners
MAST365DFMXE	●	36" Master Series Range - Electric oven - 5 aluminum burners
MAST365DFMNEE	●	36" Master Series Range - Electric oven - 5 aluminum burners
MAST365DFMBIE	○	36" Master Series Range - Electric oven - 5 aluminum burners
HERT366DFSXT	●	36" Heritage Series Range - Electric self clean oven - 6 brass burners
HERT366DFSART	○	36" Heritage Series Range - Electric self clean oven - 6 brass burners
HERT366DFSNET	●	36" Heritage Series Range - Electric self clean oven - 6 brass burners

30" DUAL FUEL RANGES

PROF304DFSXT	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSNET	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSBIT	○	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSGIT	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSART	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
PROF304DFSROT	●	30" Professional Series Range - Electric self clean oven - 4 brass burners
MAST305DFMXE	●	30" Master Series Range - Electric oven - 5 aluminum burners
MAST305DFMNEE	●	30" Master Series Range - Electric oven - 5 aluminum burners
MAST305DFMBIE	○	30" Master Series Range - Electric oven - 5 aluminum burners

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

INDUCTION RANGES



PROF365INSGIT



MAST365INSXT



PROF304INSBIT



MAST304INMXE

36" INDUCTION RANGE 5 ZONES

- **INS** Models: 5.7 cu.ft electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **INM** Models: 5.9 cu.ft electric oven with dual **horizontal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet)
- Maintop with 5 latest generation extra-large induction zones and bridging of right-side zones
- 10-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2400W - Bake: Top 1600W - Broiler: 4000W - Convection: 2 x 1650W (INS models)
Electrical supply: 120/240V 60 Hz -17,000W / 50 Amp
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (INM models)
Electrical supply: 120/240V 60 Hz -15,000W / 40 Amp
- Dimensions: W 36" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

30" INDUCTION RANGE 4 ZONES

- **INS** Models: 4.6 cu.ft electric oven with dual **diagonal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet, 1 set of telescopic glides)
- **INM** Models: 4.7 cu.ft electric oven with dual **horizontal** convection fans for even baking and roasting on 7 shelf levels (including 2 wire shelves, baking tray with grill trivet)
- Maintop with 4 latest generation extra-large induction zones and bridging of right-side zones
- 8-pass electric broiler for broiling and grilling, with optional convection
- Bake: Bottom 2100W - Bake: Top 1400W - Broiler: 3400W - Convection: 2 x 1650W (INS models)
Electrical supply: 120/240V 60 Hz -13,000W / 40 Amp
- Bake: Bottom 1600W - Bake: Top 1200W - Broiler: 2700W - Convection: 2 x 1200W (INM models)
Electrical supply: 120/240V 60 Hz -11,000W / 40 Amp
- Dimensions: W 30" H 35-3/4" - 37-1/2" (adjustable legs) D 25-3/16" (handle not included)

INDUCTION RANGES - ADDITIONAL FEATURES

- **INS** Models Functions (**Induction Self Clean**): Warming/Proofing/Dehydrate - Bake - Convection - Convection Bake - Broil - Convection Broil - Pizza - Clean
- **INM** Models Functions (**Induction Manual Clean**): Fast preheat - Bake - Bottom Bake - Upper bake - Convection - Convection Bake - Broil - Convection Broil - Pizza
- Counter-deep maintop for flush installation with countertops and cabinets
- Fingerprint free stainless steel
- Food temperature probe for accurate roasting and baking (INS models only)
- Elegant digital gauge for precise control of oven temperature during pre-heating and baking with integrated controls for the temperature probe (INS models only)
- Soft-close oven door with edge-to-edge tempered glass (INS models)
- Included accessory: 1" stainless steel island trim

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

INDUCTION RANGES



5 Heating Zone Configuration



Digital Gauge
(Self Clean Models)



Gauge
(Manual Clean Models)

36" INDUCTION RANGES

PROF365INSXT	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSNET	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSBIT	○	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSGIT	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSART	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
PROF365INSROT	●	36" Professional Series Range - Electric self clean oven - 5 induction zones
MAST365INSXT	●	36" Master Series Range - Electric self clean oven - 5 induction zones
MAST365INMXE	●	36" Master Series Range - Electric manual clean oven - 5 induction zones

30" INDUCTION RANGES

PROF304INSXT	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSNET	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSBIT	○	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSGIT	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSART	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INSROT	●	30" Professional Series Range - Electric self clean oven - 4 induction zones
PROF304INMXE	●	30" Professional Series Range - Electric manual clean oven - 4 induction zones
MAST304INMXE	●	30" Master Series Range - Electric manual clean oven - 4 induction zones

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

BUILT-IN OVENS

30" ELECTRIC CONVECTION SINGLE OVEN

PROFS30XT	●	30" Professional Series - Single Self-Clean Oven - Top Version (T)
MASFS30XT	●	30" Master Series - Single Self-Clean Oven - Top Version (T)
PROFS30XV	●	30" Professional Series - Single Oven - Value Version (V)
MASFS30XV	●	30" Master Series - Single Oven - Value Version (V)

30" ELECTRIC CONVECTION DOUBLE OVEN

PROFD30XT	●	30" Professional Series - Double Self-Clean Oven - Top Version (T)
MASFD30XT	●	30" Master Series - Double Self-Clean Oven - Top Version (T)
PROFS30XV	●	30" Professional Series - Single Oven - Value Version (V)
MASFS30XV	●	30" Master Series - Oven - Value Version (V)

- LCD touch control interface + knobs with 10 cooking modes + Assistant (XT models)
LED touch control interface + knobs with 9 cooking modes (XV models)
- Flush front design and suitable for undercounter installation
- Fingerprint free stainless steel
- Dual diagonal convection system
- Net volume for each cavity : 4.1 cu.ft
- Dimensions: **W** 29-3/4" / **D** 22-5/8" / **H** 28-3/4" (single) **H** 53-1/4" (double)
- 4 heating elements: 3400W+2100W+2x1650W
- Touch digital programmer timer
- Electrical supply: 30 Amp - 5 000 W (single)
Electrical supply: 50 Amp - 11 000 W (double)
- Soft motion door with quadruple glass
- 2 wire shelves and 7 shelf positions
- 1 baking tray included (double: 2 trays)
- Full extension telescopic rack and meat probe (XT models)

COOKING MODES: 1 convection 2 broiler 3 convection broiler 4 convection bake 5 bake 6 turbo 7 dehydration/defrosting 8 proofing 9 warming 10 self clean (XT models only) 11 auto cooking modes: 33 preset with assistant (XT models only)



PROFS30XV



MASFS30XT



PROFD30XT



MASFD30XV

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN OVENS

24" CONVECTION OVEN

PROFS24XV

24" Professional Series - Electric convection single oven



- Capacity 2.3 cu.ft
- 5 power levels
- Fingerprint free stainless steel
- Flush installation with cabinet doors
- 2 wire shelves, 1 baking tray, 5 shelf positions
- Metal finish knobs with LED display interface
- Triple glass inner oven door
- Dimensions: W 23-3/8" / D 21-13/16" / H 23-3/8"

24" CONVECTION SPEED OVEN (COMBI MICROWAVE)

SO24PROX/WMC

24" Professional Series - Electric convection Speed oven (with metal conduit)

TR30PROSO

30" Width installation - Side trim panels required



- Combination of electric convection + grill with microwave (6 fonctions)
- LCD touch control glass interface
- Fingerprint free stainless steel
- Flush front design
- Suitable for undercounter installation
- 5 power levels (200 W to 1000 W)
- 13 preset cooking modes
- European convection ring heating element
- 1.35 cu.ft stainless cavity
- Broiler: 1500W electric grill
- Cooling fan
- Glass turntable
- W 23-7/16" / D min. 17-3/4 max. 20-7/16" H 17-15/16"
- Side Panels (2): W 2-31/32" / H 17-29/32"

30" CONVECTION SPEED OVEN

PROSO30X

30" Professional Series - Electric Convection Speed oven

MASSO30X

30" Master Series - Electric convection Speed oven



PROSO30X

- Combination of electric convection + grill with microwave (6 fonctions)
- Touch LED display + knobs
- Fingerprint free stainless steel
- Flush front design
- 1.34 cu.ft stainless cavity
- 5 preset auto cooking modes
- Cooling fan
- 1 glass turntable tray
- 2 shelf positions
- Suitable for undercounter installation
- Dimensions: W 29-3/4" / D 21-17/64" / H 18-5/8"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

SPECIALITY OVENS

30" CONVECTION STEAM OVEN

PROCS30X	30" Professional Series - Electric convection Steam oven
MASCS30X	30" Master Series - Electric convection Steam oven



MASCS30X

- Combination of electric convection + grill with steam (6 fonctions)
- Touch LED display + knobs
- Fingerprint free stainless steel
- Flush front design
- Suitable for undercounter installation
- 1.10 cu.ft stainless cavity
- 1 stainless tray and 1 perforated stainless tray
- 2 shelf positions
- Dimensions: W 29-3/4" / D 21-17/64" / H 18-5/8"

24" BUILT-IN MICROWAVE OVEN

MO30STANE	24" Microwave oven
FR30PROX	30" Width installation - Stainless steel frame required



MO30STANE + FR30PROX

- Style to match with Professional and Master Series
- Capacity 2 cu.ft
- 10 power levels / Power 1100 watts
- Turntable diameter 16"
- White cavity finishing
- Sensor heat, defrost, cook function, timer
- Preset cooking modes
- Dimensions: W 24" / D 21-3/4" / H 12-1/2"
- Frame dimensions: W 29-7/8" / D 1" / H 18-1/4"

30" MICROWAVE HOOD (OTR)

KOTR30XT	30" Microwave Hood + Convection (over-the-range)
KOTR30X	30" Microwave Hood (over-the-range)



- Style to match with Professional and Master Series
- Can be located above a 24"/30" cooking surface
- Integrated, multi stage range hood function
- Stainless steel front and black glass window
- 3 lights, one in the cavity - two on the base plate
- Turntable (diam. 13.6")
- 2 speeds, high level 300CFM - low level 190CFM
- 10 Power levels and controls (pre-set functions, cooking timer and sensor for reheating + defrosting).
- Convection power: 1450W (XT model only)
- Microwave Power : 900W (X) / 1000W (XT)
- Oven volume: 1.6 cu.ft (X) / 1.5 cu.ft (XT)
- Dimensions: W 29 13/16" / D 14 7/8" / H 16 1/8"

30" WARMING DRAWER

PROWD30X	30" Professional Series - Warming drawer
MASWD30X	30" Master Series - Warming drawer



PROWD30X



MASWD30X

- Capacity 1.5 cu.ft
- Flush front design
- Fingerprint free stainless steel
- Ceramic-finished drawer
- Soft closing operation
- Power rating 400W
- Temperature: 85° F - 170° F
- Dimensions: W 29-7/8" / D 21-1/4" / H 10-3/64"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

BUILT-IN RANGETOPS

GAS RANGETOPS

CB486G00X	Professional Series - 48" gas rangetop - 6 brass burners + griddle
CB48M6G00X	Master Series - 48" gas rangetop - 6 brass burners + griddle
CB36600X	Professional Series - 36" gas rangetop - 6 brass burners
CB36M600X	Master Series - 36" gas rangetop - 6 brass burners
CB36500X	Professional Series - 36" gas rangetop - 5 brass burners
CB36M500X	Master Series - 36" gas rangetop - 5 brass burners



CB36M600X



CB36500X

- 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- Electric griddle: 1100 Watts (48" model only)
- Cast iron professional grade grates
- Propane conversion kit included
- Thermocouple gas shut-off safety
- Wok ring, simmer plate and 3/4" backguard included
- 48" dimensions: W 47-13/16" / H 6-1/2" - D 25-3/16"
- 36" dimensions: W 35-13/16" / H 7-5/16" (with grates) / D 25-3/16"



CB48M6G00X

GAS COOKTOPS - FRONT CONTROLS

V36500X	Professional Series - 36" gas cooktop - 5 aluminum burners - low profile maintop
V24400X	Professional Series - 24" gas cooktop - 4 aluminum burners - low profile maintop



V36500X

- Aluminium burners 750-13,000 BTUs
- Cast iron grates
- Propane conversion kit included
- Thermocouple gas shut-off safety
- Easy to clean one-piece surface
- Black metal coated knobs
- Slim depth installation compatible
- 36" dimensions: W 35-13/16" / H 1-1/2" / D 21-11/16"
- 24" dimensions: W 23-1/4" / H 1-1/2" / D 19-5/8"



V24400X

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

BUILT-IN COOKTOPS

GAS COOKTOPS - SIDE CONTROLS

DB36600X	Professional Series - 36" gas cooktop - 6 brass burners - high profile maintop
QB36600X	Professional Series - 36" gas cooktop - 6 brass burners - low profile maintop
QB36M600X	Master Series - 36" gas cooktop - 6 brass burners - low profile maintop
QB36500X	Professional Series - 36" gas cooktop - 5 brass burners - low profile maintop
QB36M500X	Master Series - 36" gas cooktop - 5 brass burners - low profile maintop
Q36500X	Professional Series - 36" gas cooktop - 5 aluminum burners - low profile maintop
Q36M500X	Master Series - 36" gas cooktop - 5 aluminum burners - low profile maintop
QB30400X	Professional Series - 30" gas cooktop - 4 brass burners - low profile maintop
QB30M400X	Master Series - 30" gas cooktop - 4 brass burners - low profile maintop
Q30400X	Professional Series - 30" gas cooktop - 4 aluminum burners - low profile maintop
Q30M400X	Master Series - 30" gas cooktop - 4 aluminum burners - low profile maintop



DB36600X



QB36M600X



QB36500X



Q36M500X



QB30M400X



Q30M400X

- 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- Cast iron professional grade grates
- Propane conversion kit included
- Thermocouple gas shut-off safety
- Wok ring, simmer plate and 3/4" backguard included
- Dimensions - 36" high profile: W 36-13/32" / H 1-3/8" / D 21-1/4"
- 36" low* profile: W 36-13/16" / H 2-11/16" / D 21-1/4"
- 30" low* profile: W 29-7/16" / H 2-5/8" / D 21-1/4"
*Low profile: the height is integrated in countertop



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL
SERIES

BUILT-IN COOKTOPS

SEGMENTED COOKTOP - FRONT CONTROLS

PM36500X	Professional Series - 36" cooktop - 5 brass gas burners
PM365S0X	Professional Series - 36" cooktop - 5 brass gas burners
PM3630GX	Professional Series - 36" cooktop - 3 brass gas burners + 800W griddle
PM363I0X	Professional Series - 36" cooktop - 3 brass gas burners + 2 induction zones
PM361IGX	Professional Series - 36" cooktop - 1 brass gas burner + 800W griddle + 2 induction zones
PM360IGX	Professional Series - 36" cooktop - 5 induction zones



PM36500X

- 18000 BTU power burner with dual ring flame delivering fastest time-to-boil in class
- Thermocouple gas shut-off safety
- Propane conversion kit included
- Metal knobs
- Cast iron grates
- Wok ring included
- Dimensions: W 35-1/32" / H 2-11/16" / D 20-15/32"



PM363I0X



PM365S0X

PM36500X / PM365S0X / PM3630GX

- 110 Volts hook up

PM363I0X / PM361IGX / PM360IGX

- 220/240 Volts hook up
- Residual heat indicator
- Maximum induction power per zone: 1,800 watts (3,000 watts for PM360IGX)



PM361IGX



PM3630GX



PM360IGX

SEGMENTED COOKTOP - FRONT CONTROLS

PMB24300X	Professional Series - 24" gas cooktop - 3 brass burners - low profile maintop
PM24400X	Professional Series - 24" gas cooktop - 4 aluminum burners - low profile maintop

PMB24300X

- 3 brass burners > 750-18000 Btu (dual zone) + 6500 Btu + 3400 Btu OR
- 4 aluminium burners > 11000 Btu + 2 x 6500 Btu + 3400 Btu
- Silver metal coated knobs
- Wok ring included (PMB23400X only)
- Thermocouple gas shut-off safety
- Dimensions: W 23-3/16" / H 2-11/16" / D 20-15/32"



PM24400X

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL
SERIES

BUILT-IN COOKTOPS

INDUCTION COOKTOP - TOUCH CONTROLS

P365IAE	Professional Series - 36" induction cooktop - 5 zones
P304IAE	Professional Series - 30" induction cooktop - 4 zones

- Bevelled ceramic glass
- 14 Power levels
- Timed cooking function for each heating zone
- Digitally controlled sensors and residual heat indicators
- Wear-resistant ceramic glass surface, easy to clean



P365IAE

- Induction zones of up to 5500W
- Max Amp usage: 11100 W - power rating: 48 A
- 2 bridge cooking zones
- 36" dimensions: W 34 5/8" / D 20 15/32" / H 2 7/16"



P304IAE

- Induction zones of up to 30": 3700W
- Max Amp usage: 7400 W - power rating: 32 A
- 1 bridge cooking zone
- 30" dimensions: W 30 11/16" / D 20 15/32" / H 2 7/16"

ELECTRIC COOKTOP - SIDE CONTROLS

P304CERNE	Professional Series - 30" electric cooktop - 4 zones
P244CERNE	Professional Series - 24" electric cooktop - 4 zones

- Ceramic glass with metal trim
- Electromechanical controls - Push & Turn
- Soft touch knobs



P304CERNE

- 4 radiant elements : 2 x 1200W + 1100W + 1800W (double zone 2500W)
- Dimensions: W 30" / H 2-3/16" / D 21"



P244CERNE

- 4 radiant elements : 2 x 1200W + 2 X 1800W
- Dimensions: W 24" / H 3-1/8" / D 21"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

REFRIGERATION



Professional Series



Master Series



Heritage Series

36" FREESTANDING FRENCH DOOR

REF36X/17

36" Refrigerator - French Door with freezer drawers

- Fingerprint free stainless steel
- LED lights on sides and top part of the cabinet
- Open door alarm
- Door Storage: 2 stationary + 4 height adjustable
- Shelves: 2 stationary / 4 height-adjustable
- Foldable glass shelf
- Interior LED touch-interface
- Temperature controlled crisper
- Drawers (refrigerator): 2 large
- Drawers (freezer): 2 + 1 tray for ice cubes
- Automatic Ice maker (2.6 lbs/24 hr capacity of ice)
- Dimensions: W 35-7/8" / H 70"
D 30-3/4" (with handles)
D 28-1/2" (without handles)

THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT.



36" HANDLE KIT FOR REFRIGERATOR (KIT CONTAINS 4 HANDLES)



PROHK36REF	Handle kit for 36" French Door refrigerator - Professional Series - Built-in Cooking Style
PROHK36FD	Handle kit for 36" French Door refrigerator - Professional Series - New Range Style
MASHK36REF	Handle kit for 36" French Door refrigerator - Master Series - Built-in Cooking Style
MASHK36FD	Handle kit for 36" French Door refrigerator - Master Series - New Range Style
HERHK36REF	Handle kit for 36" French Door refrigerator - Heritage Series - New Style

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

REFRIGERATION

INTEGRATED BOTTOM MOUNT REFRIGERATOR

REF24PR 24" Refrigerator - Panel Ready - Field Reversible Door

- 8.8 cu.ft. (6.4 cu.ft. REF & 2.4 cu.ft. FRE)
- Full width crisper
- Extra bottom storage space
- 3 level freezer drawers
- LED lighting
- ADA compliant
- Energy Star rated

BUILT-IN BOTTOM MOUNT REFRIGERATOR

REF36PRR 36" Refrigerator - Panel ready - Right hinge

REF36PRL 36" Refrigerator - Panel ready - Left hinge

REF30PRR 30" Refrigerator - Panel ready - Right hinge

REF30PRL 30" Refrigerator - Panel ready - Left hinge

- Extra-bright LED lights interior illumination on top and sides
- Automatic settings: Max Cool Fridge, Vacation, Beverage Cooler, SuperIce, IceSize, Sabbath Mode, Water Filter
- Integrated water filter connected to water line ensures regular production of ice cubes of customizable size.
- White Aluminium Interior
- 2 full-width shelves, 2 antibacterial stainless steel drawers
- Flex Mode: Switch bottom compartment between freezer and refrigerator with one touch.
- Door storage: 3 full-width racks
- Freezer: 1 large drawer, 1 inner drawer, ice tray
- Automatic ice maker with filter (up to 3 lbs / 24 hours)
- Total no frost
- Internal LED touch interface with intuitive controls
- Dimensions 30": W 29 1/2" / H 83 1/2" / *D* 24"
- Dimensions 36": W 35 3/8" / H 83 1/2" / *D* 24"
- 17.7 cu.ft capacity (36") - 13.9 cu.ft capacity (30")

HANDLE MUST BE ORDERED SEPARATELY IF NEEDED

* Depth is without handles and custom cabinet panel



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

REFRIGERATION



REF36PIXL + PROHK36PI

BUILT-IN BOTTOM MOUNT REFRIGERATOR

REF36PIXR	36" Refrigerator - Panel installed - Right hinge
REF36PIXL	36" Refrigerator - Panel installed - Left hinge
REF30PIXR	30" Refrigerator - Panel installed - Right hinge
REF30PIXL	30" Refrigerator - Panel installed - Left hinge

- Extra-bright LED lights interior illumination on top and sides
- Automatic settings: Max Cool Fridge, Vacation, Beverage Cooler, SuperIce, IceSize, Sabbath Mode, Water Filter
- Integrated water filter connected to water line ensures regular production of ice cubes of customizable size.
- White aluminium interior
- 2 full-width shelves, 2 antibacterial stainless steel drawers
- Flex Mode: Switch bottom compartment between freezer and refrigerator with one touch.
- Door storage: 3 full-width racks
- Freezer: 1 large drawer, 1 inner drawer, ice tray
- Automatic ice maker with filter (up to 3lbs/24 hours)
- Total no frost
- Internal LED touch interface with intuitive controls
- 17.7 cu.ft capacity (36") - 13.9 cu.ft capacity (30")
- 36" dimensions: W 35 3/8" / H 83 1/2" / D 25" (without handle)
- 30" dimensions 30": W 29 1/2" / H 83 1/2" / D 25" (without handle)

THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT.

HANDLE KIT FOR REF_ _PIX_ (KIT CONTAINS 2 HANDLES)


PROHK36PI	Handle kit for 36" Built-in refrigerator - Professional Series - New Range Style
PROHK36PI REF	Handle kit for 36" Built-in refrigerator - Professional Series - Built-in Cooking Style
MASHK36PI	Handle kit for 36" Built-in refrigerator - Master Series - New Range Style
MASHK36PI REF	Handle kit for 36" Built-in refrigerator - Master Series - Built-in Cooking Style
HERHK36PI	Handle kit for 36" Built-in refrigerator - Heritage Series - Range Style
PROHK30PI	Handle kit for 30" Built-in refrigerator - Professional Series - New Range Style
PROHK30PI REF	Handle kit for 30" Built-in refrigerator - Professional Series - Built-in Cooking Style
MASHK30PI	Handle kit for 30" Built-in refrigerator - Master Series - New Range Style
MASHK30PI REF	Handle kit for 30" Built-in refrigerator - Master Series - Built-in Cooking Style
HERHK30PI	Handle kit for 30" Built-in refrigerator - Heritage Series - Range Style

BUILT-IN SIDE BY SIDE CONNECTION TRIM INSTALL KIT

901470	For panel installed
901469	For panel ready

INSTALLATION TRIM KIT

901533	Flange trim kit for replacement installation for REF36PIXL/R
--------	--



PRO MASTER HERITAGE



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.


PROFESSIONAL &
MASTER SERIES

REFRIGERATION

FREESTANDING REFRIGERATOR

REF31BMFIX 31" Refrigerator - Reversible hinge

- Surround Cooling System - Optimized airflow design with multiple vents on every shelf level for even temperature throughout entire refrigerator
- Total No-Frost system: automated defrosting of evaporator ensures food stays always fresh
- Fridge compartment: 3 shelves - 1 large crisper - Height adjustable
- Door Storage: 2 full-width bins - 4 half-width bins
- Freezer compartment: 2 full-width drawers - 1 half-width drawer
- Fast freeze - 2 air vents in top freezer drawer accelerate temperature drop, helping lock vitamins and maintain flavors.
- Automatic ice-maker
- Interior touch-control with LED screen (on top)
- LED lighting
- Flat front stainless steel doors with no-fingerprint surface treatment
- Dimensions: W 31 1/8" / H 71 5/8" / D 26 1/2" (without handle)
- 17.1 total cu.ft. capacity



REF31BMFIX + MASHK31BM

THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT (_ _ _HK24BM).

FREESTANDING REFRIGERATOR

REF24BMFX 24" Refrigerator - Reversible hinge

- Surround Cooling System - Optimized airflow design with multiple vents on every shelf level for even temperature throughout entire refrigerator
- Total No-Frost system: automated defrosting of evaporator ensures food stays always fresh
- Fridge compartment: 3 shelves - 1 Chrome wine rack - 1 large crisper drawer
- Door Storage: 3 full-width bins - Height adjustable
- Freezer compartment: 3 drawers
- Fast freeze - 2 air vents in top freezer drawer accelerate temperature drop, helping lock vitamins and maintain flavors.
- Interior touch-control with LED screen (on top)
- LED lighting
- Flat front stainless steel doors with no-fingerprint surface treatment
- Dimensions: W 23 3/8" / H 74 3/32" / D 25 3/32" (without handle)
- 11.5 total cu.ft. capacity



REF24BMFX + PROHK24BM

THE REFRIGERATOR MUST BE ORDERED WITH THE HANDLE KIT (_ _ _HK24BM).

HANDLE KIT FOR REF31BMFIX AND REF24BMFX (KIT CONTAINS 2 HANDLES)


PROHK31BM Professional Series - 31" Stainless steel for New Range

MASHK31BM Master Series - 31" Chrome for New Range

PROHK24BM Handle kit for 24" / 31" bottom mount refrigerator - PROFESSIONAL SERIES

MASHK24BM Handle kit for 24" / 31" bottom mount refrigerator - MASTER SERIES

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.



ALL SERIES

CLEAN UP

BUILT-IN DISHWASHER



DW24XV + HERHK24DW

DW24XT	24" Dishwasher - Top version - 16 place settings
DW24XV	24" Dishwasher - Value version - 14 place settings

- Fingerprint free stainless steel
- 6 washing cycles: heavy, auto, normal, quick, eco, rinse.
- Washing options: power zone (XT only), extra dry, sani boost, high temp, delay start 24h.
- Sound insulation: 45 db (XT) 48db (XV)
- Place settings: 16 (XT) 14 (XV)
- LED touch controls (concealed)
- Energy star certification
- Food disposer
- Spray arms: 4 (XT, including power zone) 3 (XV)
- Racks: 3 (XT, including flexible top drawer) 2 (XV)
- Turbo drying system (XT only)
- 2 LED lights (XT only)
- Triple-stage filter in stainless steel and plastic
- Dimensions: W 23-3/4" / H 33-3/4"
- D 24-1/2" (without handle)

THE DISHWASHER MUST BE ORDERED WITH THE HANDLE (_ _HK24DW).



BUILT-IN DISHWASHER - PANEL READY

DW24PR	24" Dishwasher - 10 place settings
DW18PR	18" Dishwasher - 8 place settings



DW24PR

- Panel ready
- 6 washing cycles: heavy, auto, normal, quick, eco, rinse.
- 4 washing options: sanitize, hi temp, heating dry, energy save
- Sound insulation: 49 dB
- Electronic touch control and LED display (concealed)
- Energy star certification
- End of cycle floor projection indicator light
- Stainless steel interior finish
- 3 spray arms
- 24" dimensions: W 23-5/8" / H 32-1/2" / D* 21-5/8"
- 18" dimensions: W 17-11/16" / H 32-1/2" / D* 21-5/8"



DW18PR

* Without handles or custom cabinet panel

HANDLE MUST BE ORDERED SEPARATELY IF NEEDED (_ _HK_ _DW).



HANDLE FOR DISHWASHERS

PROHK24DW	24" Handle Kit for dishwasher - Professional Series - Built-in cooking Style
PROHK24DWPI	24" Handle Kit for dishwasher - Professional Series - New Range Style
MASHK24DW	24" Handle Kit for dishwasher - Master Series - Built-in cooking Style
MASHK24DWPI	24" Handle Kit for dishwasher - Master Series - New Range Style
HERHK24DW	24" Handle Kit for dishwasher - Heritage Series - new style
PROHK18DW	18" Handle Kit for dishwasher - Professional Series
MASHK18DW	18" Handle Kit for dishwasher - Master Series



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PROFESSIONAL &
MASTER SERIES

VENTILATION

UNDERMOUNT CANOPY HOOD

KU48PRO2X/14	48" Canopy hood - 2 motors - 1200 CFM - Stainless baffle filters - Top version
KU36PRO2X/14	36" Canopy hood - 2 motors - 1200 CFM - Stainless baffle filters - Top version
KU48PRO1X/14	48" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version
KU36PRO1X/14	36" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version
KU30PRO1X/14	30" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version
KU24PRO1X/14	24" Canopy hood - 1 motor - 600 CFM - Aluminum mesh filters - Top version



KU36PRO2X/14

- Stainless steel
- Electronic controls (3 speeds)
- Halogen lighting (2 motors: 4 lights / 1 motor: 2 lights)

KU48PRO2X/14 W 47-13/16" / D 12" - 22-7/16" / H* 10-1/8"

Duct covers sold separately: 901263 (medium), 901261 (large) / Air bracket: 901264

KU36PRO2X/14 W 35-7/8" / D 12" - 22-7/16" / H* 10-1/8"

Duct covers sold separately: 901263 (medium), 901265 (large) / Air bracket: 901264

KU48PRO1X/14 W 47-13/16" / D 12" - 19-5/16" / H* 10-1/8"

Duct covers sold separately: 901262 narrow-tall / 901281 narrow-short / 901261-large

KU36PRO1X/14 W 35-7/8" / D 12" - 19-5/16" / H* 10-1/8"

Duct covers sold separately: 901262 narrow-tall / 901281 narrow-short / 901265-large

KU30PRO1X/14 W 29-15/16" / D 12" - 19-5/16" / H* 10-1/8"

Duct covers sold separately: 901262 narrow-tall / 901281 narrow-short / 901266-large

Recirculation kit: 901154

KU24PRO1X/14 W 23-15/16" / D 12" - 19-5/16" / H* 10-1/8"

Duct covers sold separately: 901262 narrow-tall / 901281 narrow-short / Recirculation kit: 901154

*Total Height (incl. duct cover) 46-5/8" to 82-5/8"



KU30PRO1X/14

UNDERMOUNT CANOPY HOOD

KU36PRO1XV	36" Hood - 1 motor - 400 CFM - Aluminum mesh filters - Value version
KU30PRO1XV	30" Hood - 1 motor - 400 CFM - Aluminum mesh filters - Value version
KU24PRO1XV	24" Hood - 1 motor - 400 CFM - Aluminum mesh filters - Value version

- Stainless steel
- Slider controls (3 speeds)
- 2 halogen lights
- Duct covers sold separately: 901262 (narrow), 901281 (lower height - narrow)
- Recirculation kit available

KU36PRO1XV W 36" / D 17-33/64" / H 8-17/64"

KU30PRO1XV W 30" / D 17-33/64" / H 8-17/64"

KU24PRO1XV W 24" / D 17-33/64" / H 8-17/64"



KU30PRO1XV

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

VENTILATION

INSERT HOOD

KIN46PROX	46" Insert hood - 2 motors - 1200 CFM - Stainless baffle filters
KIN36PROX	36" Insert hood - 2 motors - 1200 CFM - Stainless baffle filters
KIN30PROX	30" Insert hood - 1 motor - 600 CFM - Stainless baffle filters



KIN36PROX



KIN30PROX

- Stainless steel
- Recirculation kit available

KIN46PROX and KIN36PROX

- 3 speed slider controls x 2
- 4 LED lights
- 46" dimensions: W 45-7/16" / D 18-1/2" / H 12-1/4"
- 36" dimensions: W 34-1/4" / D 18-1/2" / H 12-1/4"
- Air Bracket included on board

KIN30PROX

- 3 speed electronic controls + remote control
- 2 LED lights
- Dimensions: W 28-3/8" / D 15-3/4" / H 11-1/8"



KIN46PROX

VISOR HOOD

KTV30PRO1X	30" Visor downdraft hood - 1 motor - 500 CFM - Aluminum mesh filters
KTV24PRO1X	24" Visor downdraft hood - 1 motor - 300 CFM - Aluminum mesh filters



KTV30PRO1X

- Stainless steel
- Digital touch controls (3 speeds)
- 2 halogen lights
- Max telescopic extension is 8"3/4
- 30" dimensions: W 30" / D 11" / H 1-5/8' (total H: 12-1/2")
- 24" dimensions: W 23-11/16" / D 11" / H 1-5/8' (total H: 12-1/2")

WALLMOUNT HOOD

KG48CONX	48" Wallmount hood - 1 motor - 600 CFM - Aluminium mesh filters (euro style)
KG36CONX	36" Wallmount hood - 1 motor - 600 CFM - Aluminium mesh filters (euro style)
KG30CONX	30" Wallmount hood - 1 motor - 600 CFM - Aluminium mesh filters (euro style)



KG36CONX

- Stainless steel + black glass frontage
- 3 speed touch controls (glass panel)
- 2 halogen lights
- Duct cover included
- 48" dimensions: W 47-11/16" / D 18-1/2" / H 3-1/8"
- 36" dimensions: W 35-7/8" / D 18-1/2" / H 3-1/8"
- 30" dimensions: W 30-7/8" / D 18-1/2" / H 3-1/8"
- Total Height with duct cover: 19-5/16" to 33-3/16"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

VENTILATION

WALLMOUNT HOOD

K48CONX/14	48" Wallmount hood - 1 motor - 600 CFM - Aluminum mesh filters
K36CONX/14	36" Wallmount hood - 1 motor - 600 CFM - Aluminum mesh filters




K36CONX

- Stainless steel
- 600 CFM (1 motor)
- Electronic controls (3 speeds)
- 2 halogen lights
- Duct cover included
- 48" dimensions: W 48" / D 19-11/16" / H 4-11/16"
- 36" dimensions: W 36" / D 19-11/16" / H 4-11/16"
- Total Height with duct cover: 21-11/16" to 35-13/16"

CONTEMPORARY CANOPY WALLMOUNT HOOD

KMC48X	●	48" Canopy Hood - Stainless
KMC48NE	●	48" Canopy Hood - Matt Black
KMC48BI	○	48" Canopy Hood - Matt White
KMC36X	●	36" Canopy Hood - Stainless
KMC36NE	●	36" Canopy Hood - Matt Black
KMC36BI	○	36" Canopy Hood - Matt White
KMC30X	●	30" Canopy Hood - Stainless
KMC30NE	●	30" Canopy Hood - Matt Black
KMC30BI	○	30" Canopy Hood - Matt White



- Contemporary Style
- 600 CFM (1 motor)
- Colour matched duct cover included
- Digital Control interface
- 48" dimension: W 48" / D xx" / H xx"
- 36" dimension: W 36" / D xx" / H xx"
- 30" dimension: W 30" / D xx" / H xx"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ALL SERIES

VENTILATION

WALLMOUNT HOOD

K48HERTX	48" Wallmount hood - 1 motor - 600 CFM
K36HERTX	36" Wallmount hood - 1 motor - 600 CFM



K36HERTX/KC36HERTNE

- Base unit is Stainless Steel
- Electronic controls (3 speeds)
- 2 halogen lights
- Baffle Stainless Steel Filters
- Duct cover included (installs up to 10' ceilings)
- Must be sold with canopy
- Chrome utensils bar included with the canopy
- 48" dimensions: W 48" / D 19-11/16"
- 36" dimensions: W 36" / D 19-11/16"
- Total Height (with canopy) 38" 5/16 - 54" 1/16

CANOPY TO COMPLETE ASSEMBLY

KC48HERTX	●	48" Canopy Hood Stainless
KC48HERTNE	●	48" Canopy Hood Black
KC48HERTAV	○	48" Canopy Hood Ivory
KC36HERTX	●	36" Canopy Hood Stainless
KC36HERTNE	●	36" Canopy Hood Black
KC36HERTAV	○	36" Canopy Hood Ivory

DUCT COVERS AND RECIRCULATION KITS

ACCESSORIES



901262 Duct Cover Narrow - Tall - up to 12' ceiling

901281 Duct Cover Narrow - Short - 8-10' ceiling

901263 Duct Cover Medium



901266 30" Duct Cover Large

901265 36" Duct Cover Large

901261 48" Duct Cover Large



901255 Duct Extension for all PRO models

901363 Duct Extension for all CON/14 models

901261

901271 Recirculation Kit for KG48CONX-KG36CONX models

901335 Recirculation Kit for KU30PRO1XV model

901336 Recirculation Kit for KU36PRO1XV model


901396 Recirculation Kit for KU24PRO1XV model

901397 Recirculation Kit for KIN46-36-30 models



901426 Recirculation Kit for CON/14 - HER/14 and PRO/14 models

901453 Recirculation Kit for KTV30PRO1X-KTV24PRO1X models



901264 Air Bracket for KU48-36 PRO 2X models



Z130018 Flow through restrictor
- Reducing performance from 440 or 600 cfm hoods to 300 cfm
- To be installed in hoods that have only 1 motor.

901530 Flow through restrictor for KMC models - 400 CFM

901544 Flow through restrictor for KMC models - 300 CFM

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCESSORIES

FILTER KITS



- 901364 Kit Baffle Filters for CON/14 and HER/14 models
1 package contains 4 filters

- 901365 Kit Baffle Filters for KU48-36-24 PROX/14 models
1 package contains 4 filters

- 901366 Kit Baffle Filters for KU30 PROX/14 model
1 package contains 4 filters



- 901402 Kit Aluminium Mesh Filters for KU48-36-24 PRO/14 and KU36-24 XV models
1 package contains 4 filters

- 901403 Kit Aluminium Mesh Filters for KU30 PRO/14 and KU30 XV models
1 package contains 4 filters


- 901404 Kit Aluminium Mesh Filters for CON/14 and HER/14
1 package contains 4 filters




- 901394 Charcoal Filter Kit for PRO/14 models



- 901395 Charcoal Filter Kit for CON/14, HER/14 and HERT models




- 901430 Charcoal Filter Kit for XV models



- 901486 Charcoal Filter Kit for KG30-36-48 CONX models

- 901531 Charcoal Filter Kit for KMC models



- 901532 Durable Charcoal Filter Kit for KMC models
(can be washed and reused for up to 3 years)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCESSORIES

TOEKICK PANELS



TKP48X 48" Toekick panel for Professional and Master Series

TKP36X 36" Toekick panel for Professional and Master Series

TKP30X 30" Toekick panel for Professional and Master Series

TKHERX Square legs covers 5" wide - set of 2



KKMASX Master Series Black Knob Kit (rubber coated) for New Gas and Dual Fuel Ranges

KKMASINX Master Series Black Knob Kit (rubber coated) for New Induction Ranges

BACKGUARDS



BGH48 4" backguard for 48" Professional and Master Series


BGH36 4" backguard for 36" Professional and Master Series

BGH30 4" backguard for 30" Professional and Master Series

BGH24 4" backguard for 24" Professional and Master Series

HERITAGE SERIES DÉCOR SETS


AVAILABLE OCTOBER 2019



DS1HERTGO Range & Hood kit - Gold finish

DS1HERTPC Range & Hood kit - Polished Copper finish

DS1HERTSB Range & Hood kit - Matt Satin Black finish



DS2HERTGO Refrigerator & Dishwasher kit - Gold finish

DS2HERTPC Refrigerator & Dishwasher kit - Polished Copper finish

DS2HERTSB Refrigerator & Dishwasher kit - Matt Satin Black finish

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCESSORIES

COOKING



TG

Telescopic glide set for all 30" wall ovens
Includes 1 set of telescopic glides + 1 additional wire shelf



901471

Telescopic glide set for PROF/MAST/HERT Series ranges 30-36-48"

901511

Telescopic glide set for PROF/MAST ranges 24"



901272

Porcelain Tray



901273

Glass Tray



CIG36

Cast Iron Griddle for PROF/MAST/HERT Series ranges



901438

Simmer Ring - Replaces #408077



901439

Wok Ring - Replaces #408084

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ACCESSORY GUIDE

2017 VENTILATION ACCESSORIES GUIDE

Range hood Category	Series	Size	Model #	Duct cover	Duct cover extension	Recirculation kit	Air bracket for 2 in 1 ducting	Baffle Filters	Mesh Filters	Flow through Restrictor *
Cabinet Mount/ Visor Hood	ALL	24"	KTV24PRO1X	n/a	n/a	901453	n/a	n/a	n/a	n/a
		30"	KTV30PRO1X	n/a	n/a	901453	n/a	n/a	n/a	Z130018
Wall Mount	Design	30"	KG30CONX	included	not available	901271	n/a	n/a	n/a	Z130018
		36"	KG36CONX	included	not available	901271	n/a	n/a	n/a	Z130018
			K36CONX/14	included	901363	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	Z130018
		48"	KG48CONX	included	not available	901271	n/a	n/a	n/a	Z130018
			K48CONX/14	included	901363	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	Z130018
	Heritage	36"	K36HERX/14	included	not available	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	n/a
		48"	K48HERX/14	included	not available	901426 Kit diverter + charcoal filters 901395 kit charcoal filters	n/a	901364	901404	n/a
	Undermount/ Wall Mount	Professional	24"	KU24PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901365	n/a
KU24PRO1XV				Narrow 901262 Narrow ceiling 8-10ft 901281	901255	901396 recirculation kit 901430 charcoal filter kit	n/a	n/a	901402	Z130018
30"			KU30PRO 1 XV	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901266	901255	901335 recirculation kit 901430 charcoal filter kit	n/a	n/a	901403	Z130018
			KU30PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901266	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901366	901403	Z130018
			KU36PRO1XV	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901265	901255	901336 recirculation kit 901430 charcoal filter kit	n/a	n/a	901402	Z130018
			KU36PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281 Medium 901263 Full Width 901265	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901365	901402	Z130018
KU36PRO2X/14			Medium 901263 Full Width 901265	901255	n/a	901264	901365	n/a	n/a	
48"			KU48PRO1X/14	Narrow 901262 Narrow ceiling 8-10ft 901281 Full Width 901261	901255	901426 Kit diverter + charcoal filters 901394 kit charcoal filters	n/a	901365	901402	Z130018
			KU48PRO2X/14	Medium 901263 Full Width 901261	901255	n/a	901264	901365	n/a	n/a
Liners			ALL	30"	KIN30PROX	n/a	n/a	901397	n/a	n/a
	36"	KIN36PROX		n/a	n/a	901397	included	n/a	n/a	n/a
	46"	KIN46PROX		n/a	n/a	901397	included	n/a	n/a	n/a
OTR	ALL	30"	KO30PROX	n/a	n/a	n/a	n/a	n/a	n/a	n/a
			KOTR30X	n/a	n/a	901452	n/a	n/a	n/a	n/a

*Available only as a Spare

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COLORS

COLOR FINISH		SERIES
STAINLESS STEEL		All Series
NERO	Glossy Black	Professional
BIANCO	Glossy White	Professional
ROSSO	Glossy Red	Professional
GIALLO	Glossy Yellow	Professional
ARANCIO	Glossy Orange	Professional
BIANCO OPACO	Matt White	Master
NERO OPACO	Matt Black	Master & Heritage
AVORIO	Matt Ivory	Heritage



Nero



Bianco



Stainless



Rosso



Giallo



Arancio



Stainless Steel



Avorio



Nero



Stainless Steel

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT GUIDE 2019



T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

HEAD OFFICE / WAREHOUSE / SHOWROOM

2025 Cunard, Laval (QC) H7S 2N1

ONTARIO SHOWROOM

6900 Airport Road (Suite 206), Mississauga (ON) L4V 1E8

PARTS & SERVICE

service@distinctive-online.com

ORDER DESK

orderdesk@distinctive-online.com