



## PRODUCT GUIDE 2020

Coyote is a **Distinctive** brand

### PRODUCT GUIDE 2020





Coyote Outdoor Living understands the importance of delivering durable products that last a lifetime. All of our grills are built with premium grade 304 stainless steel throughout and have features such as double-walled stainless steel hoods, cast stainless steel burners and zinc nickel alloy knobs. Our specially designed firebox combined with our professional burner system delivers a perfect, even cooking experience every time.

Coyote Outdoor Living products are designed with a strict attention to consistency and aesthetics. Having a tremendous range of products to allow for the most custom of outdoor spaces loses appeal if the products fail to tie the space together with a consistent design aesthetic.



### All of our grills feature:

- Complete 304 stainless steel construction, including:
  - Cast Pro-Style stainless steel Infinity Burners™, grates and component parts
  - Double walled, stainless steel hood
  - Continuous weld on the grill box with seamless edges
- Interior grill lighting
- Stainless steel Heat Control Grids™ "C-Series"
- Ceramic briquette Heat Control Grids™ "S-Series"
- Limited lifetime warranty on burners and stainless steel exterior
- Independent burner ignition system

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.





## **Table of contents**

| C-Series Grills                       |
|---------------------------------------|
| S-Series Grills                       |
| Hybrid & Charcoal Grills              |
| Portable Grill                        |
| Pellet Grill                          |
| Asado Smoker                          |
| Electric Grill                        |
| Specialty Burners                     |
| Refrigeration & Refreshment Products  |
| Carts                                 |
| Access Doors / Storage Drawers        |
| Combination Storage / Warming Drawer  |
| Chimney Ventilation Hoods             |
| Liner Ventilation                     |
| Cooking Tools                         |
| Accessories                           |
| Covers                                |
| Hardware                              |
| Warranty                              |
| Product & Installation Specifications |

#### ITEM

APPLIANCE

CART / ACCESSORY





## **C-Series Grills**



#### C1C28 - 28" BUILT-IN GRILL

- Two cast high performance Coyote Infinity Burners™
- 640 sq. in. cooking area
- Up to 40,000 BTU
- Interior grill lighting
- Stainless steel heat control grids •
- 304 stainless steel

#### C1C28-FS - 28" GRILL ON CART

- Integrated wind guard
- Slide out tray for 20 lb propane tank

#### C2C34 - 34" BUII T-IN GRILL

- Three cast high performance Coyote Infinity Burners
- 780 sq. in. cooking area .
- Up to 60,000 BTU •
- Interior grill lighting .
- Stainless steel heat control grids
- 304 stainless steel

#### C2C36 - 36" BUILT-IN GRILL

- Four cast high performance Coyote Infinity Burners •
- 875 sq. in. cooking area •
- Up to 80,000 BTU •
- Interior grill lighting •
- Stainless steel heat control grids
- . 304 stainless steel

#### C2C42 - 42" BUILT-IN GRILL

- Five cast high performance Coyote Infinity Burners •
- 1275 sq. in. cooking area •
- Up to 100,000 BTU
- Interior grill lighting
- Stainless steel heat control grids •
- 304 stainless steel



💿 🚥 🌀

- •

#### ITEM

C1C28LP / C1C28NG

C1C28LP-FS / C1C28NG-FS

C2C34LP / C2C34NG

C2C36LP / C2C36NG

C2C42LP / C2C42NG

C1C34CT - 34" Cart

C1S36CT - 36" Cart

C1S42CT - 42" Cart



3

 $\overline{\mathbf{m}}$ 

Δ

Соуота ()





## **S-Series Grills**



### C2SL30 - 30" BUILT-IN GRILL

- Two high performance Coyote Infinity Burners™, plus one infrared rear burner, plus one Coyote RapidSear™ infrared burner
- 700 sq. in. cooking area
- Up to 70,000 BTU
- 304 stainless steel
- Interior grill lighting
- LED illuminated knobs
- Integrated wind guard
- Ceramic Heat Control Grids
- Included: rotisserie kit and smoker box (CSBX)

#### C2SL30-FS - 30" GRILL ON CART





۲

 $\bigcirc$ 

#### C2SL36 - 36" BUILT-IN GRILL

- Three high performance Coyote Infinity Burners<sup>™</sup>,
   Plus one infrared rear burner, plus one Coyote RapidSear<sup>™</sup> infrared burner
- 875 sq. in. cooking area
- Up to 90,000 BTU
- 304 stainless steel
- Interior grill lighting
- LED illuminated knobs
- Integrated wind guard
- Ceramic Heat Control Grids
- Included: rotisserie kit and smoker box (CSBX)

#### C2SL42 - 42" BUILT-IN GRILL

- Four high performance Coyote Infinity Burners<sup>™</sup>, plus one infrared rear burner, plus one Coyote RapidSear<sup>™</sup> infrared burner
- 1275 sq. in. cooking area
- Up to 110,000 BTU
- Complete 304 stainless steel construction
- Interior grill lighting
- LED illuminated knobs
- Integrated wind guard
- Ceramic Heat Control Grids
- Included: rotisserie kit and smoker box (CSBX)



ITEM

C2SL30LP / C2SL30NG

C2SL30LP-FS / C2SL30NG-FS

C2SL36LP / C2SL36NG

C2SL42LP / C2SL42NG

C1S36CT - 36" Cart

C1S42CT - 42" Cart

# All and





## **Hybrid & Charcoal Grills**



### C1CH36 - 36" DROP-IN CHARCOAL GRILL

- Over 875 sq. in. cooking area
- For use with charcoal or wood chips
- Complete 304 stainless steel construction
- Adjustable fuel tray
- Adjustable dampers for controlling air flow
- Coyote Lump charcoal available (model no. CLMP)





#### C1HY50 - 50" HYBRID GRILL

#### **GAS GRILL**

- Two high performance Coyote I-Burners™
- Over 600 sq. in. cooking area
- Up to 40,000 BTU
- Interior grill lighting

#### CHARCOAL GRILL

- Adjustable fuel tray
- Over 600 sq. in. cooking area
- For use with charcoal or wood chips
- Adjustable dampers for controlling air flow
- Coyote Lump charcoal available (model no. CLMP)



ITEM

C1CH36

C1HY50LP / C1HY50NG

C1CH36CT - 36" Cart

C1HY50CT - 50" Cart

C136LP2NG - C1H50 Conv. kit LP to NG

C136NG2LP - C1HY50 Conv. kit NG to LP







## **Portable Grill**



#### C1PORTLP PORTABLE GRILL

- 200 sq.in. cooking area
- 316 marine grade stainless steel
- Signature grate cooking surface
- Ceramic Heat Control Grid
- One Infinity Burner Capable of up to 20,000 BTU's
- 700 ° F maximum temperature
- Can be used with either a 20lb propane tank or a small propane canister (adapter included)
- Removable drip tray for easy cleaning



#### ITEM

C1PORTLP - PORTABLE GRILL

CCVRPG-CT - Cover for C1PORTLP





## Pellet Grill





#### C1P28 - 28" PELLET GRILL

- Intuitive digital touch control
- Dual fan, auger & drip tray
- Smart drop™ pellet feed
- Front loading pellet hopper
- Spring assist hood
- Double-walled canopy with gasket
- Versa-Rack<sup>™</sup> for multiple cooking surfaces
- 304 Stainless steel
- Interior grill lighting
- Led light for temperature probes
- Laser cut grates
- Built-in timer & wind guard
- 3 food temperature probes included
- Electric power ignition (120V; 5A; 60HZ)
- Individual smoke & sear grate included
- Hopper capacity of 12 lbs
- Temperature range of 175°F 650°F

#### C1P36 - 36" PELLET GRILL

- Intuitive digital touch control
- Dual fan, auger & drip tray
- Smart drop<sup>™</sup> pellet feed
- Front loading pellet hopper
- Spring assist hood
- Double-walled canopy with gasket
- Versa-Rack<sup>™</sup> for multiple cooking surfaces
- 304 Stainless steel
- Interior grill lighting
- Led light for temperature probes
- Laser cut grates
- Built-in timer & wind guard
- 3 food temperature probes included
- Electric power ignition (120V; 5A; 60HZ)
- Individual smoke & sear grate included
- Hopper capacity of 15 lbs
- Temperature range of 175°F 700°F

#### Dimensions

- Cutout: 16-1/2" (H) x 34-1/4" (W) x 23" (D)
- Overall: 31" (H) x 36" (W) x 27" (D)

Dimensions:

- Cutout: (H) 16 1/2" X (W) 26 1/4" X (D) 23"
- Overall: (H) 31" X (W) 28" X (D) 27"



| ITEM     | DESCRIPTION               |
|----------|---------------------------|
| C1P28    | 28" Pellet Grill          |
| C1P36    | 36" Pellet Grill          |
| C1P28-FS | 28" Pellet Grill and Cart |
| C1P36-FS | 36" Pellet Grill and Cart |









## Asado Ceramic Smoker



#### C1CHCS - ASADO SMOKER

- Coyote laser cut Signature Cooking Grate™
- Heat-resistant ceramic construction
- 254 sq. in. of cooking area
- Adjustable venting to maintain precise cooking temperatures
- Smoke, sear, grill option
- Dimensions : 22 1/4" Diameter x 34" Height
- CLMP Coyote Lump charcoal available



ASADO-PS - PIZZA STONE Essential accessory for evenly cooking crispy pizzas, flatbreads and other delights outdoor culinary delights

ASADO-HD - ASADO HEAT DEFLECTOR Enjoy cooking without open flame by evenly distributing heat across the grids

ASADO-CT - CHICKEN THRONE Marinade infusion tool for great tasting chicken or turkey



ASADO-GG - GRATE GRIPPERS Allows you to lift the pizza stone or cooking grids when they are too hot to handle.



ASADO-CVR - ASADO COVER When the Asado has cooled and is not in use, cover it with an Asado rain cover for extra protection.



ASADO-ACC ACCESSORY BUNDLE

| ITEM      | DESCRIPTION                                       |
|-----------|---|
| C2UNCT    | Universal cart available (page 11)                |
| C1CHCS    | Asado Smoker (egg only)                           |
| C1CHCS-FS | Asado smoker with stand and side shelves          |
| C1CHCS-CT | Cart Optional stand with side shelves (not shown) |
| ASADO-PS  | Asado Pizza Stone                                 |
| ASADO-HD  | Asado Heat Deflector                              |
| ASADO-CT  | Chicken Throne                                    |
| ASADO-GG  | Grid Grippers                                     |
| ASADO-CVR | Asado Cover                                       |
| ASADO-ACC | Asado Accessory Bundle                            |





## **Electric Grill**





#### C1EL120SM - ELECTRIC GRILL

- 156 sq. in. cooking area
- 5,000 hour heating element
- 304 stainless steel
- 550° F maximum temperature
- Cover & 2 Piece Tool Set Included
- Teflon coated cooking surface
- Ceramic flavorizer
- 60 minute safety timer with surge protector
- 120V 1300W 11A 60 Hz
- Removable frame for built-in application
  - C1ELCT21 Pedestal Stand available
    - Weighted base no anchoring required
       Fold-down side shelves
- C2ELISL Electric Grill Island available see page 11



BRIQUETTE TRAY WITH ELEMENT





| ITEM      | DESCRIPTION                                    |
|-----------|--|
| C1EL120SM | Electric Grill                                 |
| C1ELCT21  | Pedestal Cart for Single Burner Electric Grill |
| C2ELISL   | Electric Grill Island                          |





## **Specialty Burners**



#### C1SB - 10.5" X 14" SINGLE SIDE BURNER

- (1) 15,000 BTU brass burner
- Stainless steel lid included
- 304 stainless steel





#### C1DB - 12" X 20.5" DUAL SIDE BURNER

- (2) 15,000 BTU brass burners
- Stainless steel lid included
- 304 stainless steel

#### C1PB - 24" POWER BURNER

- Dual-valve burner with up to 60K BTU output
- Stainless steel lid included
- Simmer performance at 1,000 BTU
- 304 stainless steel
- Teppanyaki/wok optional
- C2UNCT Universal Cart available see page 11



#### C1CSB - SINGLE SIDE BURNER FOR CARTS

- (1) 15,000 BTU brass burner
- Stainless steel lid included
- 304 stainless steel
- Fits all gas grill carts / and free-standing models



ITEM

C1SBLP / C1SBNG

C1DBLP / C1DBNG

C1PBLP / C1PBNG

C1CSBLP / C1CSBNG



#### PRODUCT GUIDE 2020



## **Refrigeration and Refreshment Products**





### C1BIR24 - 24" OUTDOOR REFRIGERATOR

- Outdoor rated, freestanding refrigerator with lock
- Automatic defrost
- Stainless steel cabinet construction; graphite interior
- Capacity of 5.5 cubic feet
- Interior light and adjustable digital thermostat •
  - Front vented for built-in application
  - Hidden hinge with left or right swing
- C1BIR24-L : left hinge / C1BIR24-R : right hinge

#### CBIR - 21" OUTDOOR REFRIGERATOR

- Outdoor rated, freestanding refrigerator
- Automatic defrost
- Stainless steel cabinet construction; white interior
- Capacity of 4.1 cubic feet
- Interior light and adjustable manual thermostat
- Front vented for built-in application
- Left or right hinge swing
- CBIR-L : left hinge / CBIR-R : right hinge

#### CRC - 30" REFRESHMENT CENTER

- 2.4 cu.ft capacity drop in cooler with drain
- Removable condiment tray insert for drop in cooler
- Convenient bottle shelf, towel holder and bottle opener
- Cutting board accessory for sink
- Fully insulated
- Drain hole with plug included

#### CDIC - 25" DROP-IN COOLER

- Drops into countertop for easy access
- Fully insulated
- Drain hole with plug included
- Capacity of 2.1 cubic feet

### CPOC - 27" PULL OUT ICE CHEST

- Full extension drawer with commercial quality rails
- Fully insulated
- Drain hole with plug included
- Capacity of 3.8 cubic feet
- Removable condiment trays

#### C1SINK1618 - SINK

- Universal Mount
- 304 Stainless Steel
- 16" W x 18" D
- **Drain & Strainer Included**







| ITEM                |
|---------------------|
| C1BIR24-R/C1BIR24-L |
| CBIR-R/CBIR-L       |
| CRC                 |
| CDIC                |
| СРОС                |
| C1SINK1618          |

12





## Carts



ITEM C2UNCT C2ELISL

ELECTRIC

**GRILL ISLAND** 





## Access Doors / Storage Drawers

All access doors are made of rigid, premium 304 stainless steel with a consistent beveled trim and professional handles.



CSA1724 17"X24" SINGLE DOOR



CSA2417 24"X17" SINGLE DOOR



CSA1420 14"X20" SINGLE DOOR



CSA2014 20"X14" SINGLE DOOR



CDA2426

24"X26" DOUBLE DOOR


CDA2431 24" X 31" DOUBLE DOOR



CDA2436 24" X 36" DOUBLE DOOR



CDA2439 24" X 39" DOUBLE DOOR



CBIR21TK- 21" Refrigerator trim kit

CPOD PULLOUT DRAWER Holds standard propane tank



CSSD28 28" Single Storage Drawer

CSSD36 36" Single Storage Drawer



CPOD PULLOUT DRAWER Holds standard propane tank



CPTH Paper towel holder



C3DC 17" W

THREE-DRAWER

CABINET

**CSPRK** SPICE RACK 21" trim for refrigerator





## **Combination Storage / Warming Drawer**

All cabinets are made of rigid, premium stainless steel with a consistent beveled trim and professional handles. All drawers use easy open rollers.



CCD-POD 45" COMBO DOORS/DRAWER



CCD-2DC 45" COMBO DOORS/DRAWERS



CCD-WD 42" COMBO WITH WARMING DRAWER - Electric heating element (400 watt)

- Temperature range of 90° F - 250° F



CCD-2DC31 31" COMBO DOOR/DRAWERS



CDPC31 31" DRY PANTRY WITH DRAWERS



CDPC31 OPEN



CSTC 14" SINGLE PULL OUT TRASH & RECYCLE



CTC 27" DUAL PULL OUT TRASH & RECYCLE



#### CWD - 30" WARMING DRAWER

- Outdoor-rated
- ETL certified
- Internal electric heating element (400 watt)
- Temperature range of 90° F 250° F

ITEM CCD-POD CCD-2DC CCD-WD CCD-2DC31 CDPC31 CSTC CTC CWD





## Ventilation




#### CHIMNEY HOODS

- Grill matching sizes
- Extra deep 30" design for outdoor use
- 304 stainless steel construction
- UL Rated
- Variable speed control with lighted On/Off

48" Chimney Hood - Model No. C1HOOD48

- Heat sentry for greater reliability
- Bright halogen lighting
- Easy to clean baffle filters
- Removable grease drip rail
- Complete unit includes; 1 Chimney Hood, 1 Flue Cover and 1 1200 CFM Blower



### FLUE EXTENSIONS & MODEL NUMBERS

Use for grills 42" wide or less





## Ventilation





#### INSERT

- Grill matching sizes
- Extra deep 30" design for outdoor use
- 304 stainless steel construction
- UL Rated
- Variable speed control with lighted On/Off
- Heat sentry for greater reliability
- Bright halogen lighting
- Easy to clean baffle filters
- Removable grease drip rail
- Complete unit includes; 1 liner and 1 1200 CFM Blower

| ITEM                            | DESCRIPTION                     |
|---------------------------------|---------------------------------|
| 36" Liner - Model No. C1LINER36 | Use for grills 30" wide or less |
| 42" Liner - Model No. C1LINER42 | Use for grills 36" wide or less |
| 48" Liner - Model No. C1LINER48 | Use for grills 42" wide or less |





## **Cooking Tools**







**CTEP - TEPPANYAKI** 

C1GRDL - 14" DROP-IN GRIDDLE







**CROT - ROTISSERIE KIT** 







211

| ITEM   | DESCRIPTION                  |
|--------|------------------------------|
| C1GRDL | 14" Griddle                  |
| СТЕР   | Teppanyaki Griddle for C1PB  |
| СМОК   | Wok Accessory for C1PB       |
| CSBX   | Smoker Box                   |
| CROTC2 | Rotisserie Kit for 28" Grill |
| CROTC3 | Rotisserie Kit for 34" Grill |
| CROT36 | Rotisserie Kit for 36" Grill |
| CROT42 | Rotisserie Kit for 42" Grill |

18





## Accessories



CSIGRATE15



CSIGRATE12

## CSIGRATE - SIGNATURE GRATES

CSIGRATES15: 28", 30" and 42" grills CSIGRATES15: 34" and 36" grills

#### CCHTRAY - CHARCOAL TRAY CCHTRAY15: 28", 30" and 42" grills

CCHTRAY12: 34" and 36" grills

## CJAKT - INSULATED JACKET CWG - WIND GUARD





| ITEM       | DESCRIPTION                             |
|------------|---|
| CSIGRATE15 | Signature Grate 3 pk - 15 Bar           |
| CSIGRATE12 | Signature Grate 3 pk - 12 Bar           |
| CCHTRAY15  | Charcoal Tray 1 pc - 15 Bar             |
| CCHTRAY12  | Charcoal Tray 1 pc - 12 Bar             |
| CJAKTCC2   | Insulated Jacket for 28" CC2 Grill      |
| CJAKTCC3   | Insulated Jacket for 34" CC3 Grill      |
| CJAKTCS30  | Insulated Jacket for 30" C2SL30 Grill   |
| CJAKTCS36  | Insulated Jacket for 36" CS36 Grill     |
| CJAKTCS42  | Insulated Jacket for 42" CS42 Grill     |
| CJAKTC1SB  | Insulated Jacket for Single Side Burner |
| CJAKTC1DB  | Insulated Jacket for Double Side Burner |
| CJAKTC1PB  | Insulated Jacket for Power Burner       |
| CJAKTC1P28 | Insulated Jacket for 28" Pellet Grill   |
| CJAKTC1P36 | Insulated Jacket for 36" Pellet Grill   |
| C1WG28     | Wind Guard for 28" Grill                |
| CWG30      | Wind Guard for 30" Grill                |
| CWG34      | Wind Guard for 34" Grill                |
| CWG36      | Wind Guard for 36" Grill                |
| CWG42      | Wind Guard for 42" Grill                |





## Covers



| ITEM       | DESCRIPTION                        |
|------------|------------------------------------|
| CCVRDB-BI  | C1DB Cover (double side burner)    |
| CCVRSB-BI  | C1SB Cover (single side burner)    |
| CCVR2-BI   | C1C2 Grill Cover (grill head only) |
| CCVR2-CT   | 28" Pellet Grill on Cart           |
| CCVR30-BI  | Cover for 30" Grill Built-In       |
| CCVR30-CT  | Cover for 30" Grill on Cart        |
| CCVR3-BI   | 34" Grill Cover (head only)        |
| CCVR3-CT   | 34" Grill Cover (plus cart)        |
| CCVR36-BI  | 36" Grill Cover (head only)        |
| CCVR36-CT  | 36" Pellet Grill on Cart           |
| CCVR42-BI  | 42" Grill Cover (head only)        |
| CCVR42-CT  | 42" Grill Cover (plus cart)        |
| CCVR50-BI  | CH50 Grill Cover (head only)       |
| CCVR50-CT  | CH50 Grill Cover (plus cart)       |
| CCVR28P-BI | 28" Pellet Grill Built-In Cover    |
| CCVR36P-BI | 36" Pellet Grill Built-In Cover    |
| CCVR2-CT   | 28" Pellet Grill on Cart           |
| CCVR36-CT  | 36" Pellet Grill on Cart           |

20





## Hardware

| C          | COVENT CLMP   CBRIQ OUTON   CBRIQ OUTON   CBRIQ OUTON   OUTON CLMP   OUTON OUTON   OUTON CLMP   OUTON OUTON   OUTON OUTON |
|------------|--|
| ITEM       | DESCRIPTION  |
| CBRIQ28    | 28" Ceramic Flavorizer (2 pc set)  |
| CBRIQ34    | 34" Ceramic Flavorizer (3 pc set)  |
| C2BRIQ36   | 36" Ceramic Flavorizer (3 pc set)  |
| C2BRIQ42   | 42" Ceramic Flavorizer (4 pc set)  |
| CBRIQ50    | 50" Ceramic Flavorizer (2 pc set)  |
| C128LP2NG  | LP to NG Conversion Kit for C1C28  |
| C2LP2NG    | LP to NG Conversion Kit for C2C34, C2C36, C2C42, C2SL30, C2SL36, C2SL42  |
| C2NG2LP    | NG to LP Conversion Kit for C2C34, C2C36, C2C42, C2SL30, C2SL36, C2SL42  |
| C1S36LP2NG | LP to NG Conversion Kit for C1HY50   |
| C1S36NG2LP | NG to LP Conversion Kit for C1HY50   |
| CINLNREG   | In-Line Convertible LP / NG Regulator  |
| CLPREG     | Liquid Propane Regulator   |
| CNGREG     | Natural Gas Regulator  |
| COYVENT    | Stainless Steel Island Vent  |
| CLMP       | 20 Ib All Natural Hardwood Lump Charcoal   |
| C136LP2NG  | C1HY50 Conv. kit LP to NG  |





## Limited Product Warranty

Coyote Outdoor warrants to the original purchaser at the original site of delivery with proof of purchase of each Outdoor Gas grill/Side burner that when subject to normal residential use, it is free from defects in workmanship and materials for the periods specified below. This warranty excludes grills used in rental and commercial applications. This warranty excludes surface corrosion, scratches, and discoloration which may occur during regular use. It does NOT cover labor or labor related charges. There will be shipping and handling charge for the delivery of the warranty part(s).

#### COMPONENT WARRANTY PERIOD

| Cooking Grids (no rust or burn through)           | 5 years (limited) |
|---|-------------------|
| Flavorizer Bars (no rust or burn through)         | 2 years (limited) |
| Electric/Plastic Components                       | 2 years (limited) |
| Ignition systems/Valves                           | .1 year (limited) |
| Stainless steel frame/housing                     | Limited Lifetime  |
| Stainless Steel Burners (no rust or burn through) | Limited Lifetime  |

Our obligation under this warranty is limited to repair or replacement, at our option, of the product during the warranty period. The extent of any liability of Coyote under this warranty is limited to repair or replacement. This warranty does not cover normal wear of parts, damage resulting from any of the following: negligent use or misuse of the product, use of improper fuel/gas supply, use contrary to operating instructions, or alteration by any person other than a factory service center.

The warranty period is not extended by such repair or replacement. Please see Coyote Outdoor Living website at **www.coyoteoutdoor.com** for full warranty terms and conditions. This information is subject to change without notice. See website for most current information.





## **Product & Installation Specifications**

| Model                       | Product Description                                 | Cut                | out Dimens         | ions          | Overall Dimensions |                    | Total BTU Ratings |                                      | Electrical Requirements |                          |
|-----------------------------|---|--------------------|--------------------|---------------|--------------------|--------------------|-------------------|--------------------------------------|-------------------------|--------------------------|
| Grills                      |   | Heigh              | t Width            | Depth         | Height             | t Width            | Depth             | LP                                   | NG                      | 120 VAC                  |
| C1C28                       | 28" Grill w/ Hood Lights                            | 10 1/4"            | 25″                | 20 1/2"       | 23"                | 28″                | 25 1/2"           | 40,000                               | 40,000                  | Qty 1                    |
| C2C34                       | 34" Grill w/ Hood Lights                            | 10 1/4"            | 31″                | 20 1/2"       | 23″                | 34″                | 25 1/2"           | 60,000                               | 60,000                  | Qty 1                    |
| C2C36                       | 36" Grill w/ Hood Lights                            | 10 1/4"            | 32 1/2"            | 20 1/2"       | 23"                | 35 1/2"            | 25 1/2"           | 80,000                               | 80,000                  | Qty 1                    |
| C2C42                       | 42" Grill w/ Hood Lights                            | 10 1/4"            | 39 1/2"            | 20 1/2"       | 23"                | 42 1/2"            | 25 1/2"           | 100,000                              | 100,000                 | Qty 1                    |
| C1S36                       | 36" Grill w/ Hood Lights                            | 10 1/4"            | 32 1/2"            | 20 1/2"       | 23"                | 35 1/2"            | 25 1/2"           | 90,000                               | 90,000                  | Qty 1                    |
| C2SL30                      | 30" Grill w/ Hood & LED Lights                      | 10 1/4"            | 27"                | 20 1/2"       | 23"                | 30"                | 25 1/2"           | 70,000                               | 70,000                  | Qty 1                    |
| C2SL30                      | 36" Grill w/ Hood & LED Lights                      | 10 1/4"            | 32 1/2"            | 20 1/2"       | 23                 | 35 1/2"            | 25 1/2            | 90,000                               | 90,000                  | Qty 1                    |
| C2SL36                      | 42" Grill w/ Hood & LED Lights                      | 10 1/4"            | 32 1/2             | 20 1/2"       | 23                 | 42 1/2"            | 25 1/2            | 110,000                              | 110,000                 |                          |
|                             |   |                    |                    | -             |                    | 42 1/2"<br>50"     |                   | 40.000                               |                         | Qty 1                    |
| C1HY50                      | 50" Hybrid Grill w/ Hood Lights                     | 12 1/2"            | 47 3/4"            | 20 1/2"       | 25 1/4"            |                    | 25 1/2"           | ,                                    | 40,000                  | Qty 1                    |
| C1CH36                      | 36" Charcoal Grill                                  | 12 1/2"            | 32 1/2"            | 20 1/2"       | 25 1/4"            | 35 1/2"            | 25 1/2"           | N/                                   |                         | Qty 1                    |
| C1CHCS                      | Asado Smoker  | 17″                | 22 1/2"            | 22 1/2"       | 34″                | 22 1/4"            | 22 1/4″           | N/                                   |                         | None                     |
| C1EL120SM                   | Electric Grill Manual Control                       | 3 3/8"             | 16″                | 15″           | 11 3/8″            | 18 1/8″            | 16 1/4″           | 120V 130                             |                         | Qty 1                    |
| Side Burners                |   | Heigh              |                    | Depth         | Height             |                    | Depth             | LP                                   | NG                      | 120 VAC                  |
| C1SB                        | Coyote Single Side Burner                           | 10 1/4"            | 10 1/8″            | 13 5/8″       | 13″                | 11 3/8"            | 17″               | 15,000                               | 15,000                  | None                     |
| C1DB                        | Coyote Dual Side Burner                             | 10 1/4"            | 11 7/8″            | 20 1/4″       | 13″                | 13 1/8″            | 23 1/4″           | 30,000                               | 30,000                  | None                     |
| C1PB                        | Coyote Power Burner                                 | 10 1/4″            | 21″                | 21″           | 13″                | 24″                | 24 1/4″           | 60,000                               | 60,000                  | None                     |
| Insulated Jackets           | S   | Heigh              | t Width            | Depth         | Height             | t Width            | Depth             |                                      | No                      | otes                     |
| CJAKTCC2                    | Insulated Jacket for 28" Grills                     | 11″                | 28 1/4″            | 22 1/8″       | 11″                | 30 1/8″            | 23″               | Fo                                   | r Combustik             | e Construction           |
| CJAKTCC3                    | Insulated Jacket for 34" Grills                     | 11″                | 34 1/4"            | 22 1/8"       | 11″                | 36 1/8"            | 23"               |                                      |                         | e Construction           |
| CJAKTCS30                   | Insulated Jacket for 30" Grills                     | 11″                | 30 3/4"            | 22 1/8"       | 11″                | 32 3/8"            | 23″               |                                      |                         | e Construction           |
| CJAKTCS36                   | Insulated Jacket for 36" Grills                     | 11″                | 35 3/4"            | 22 1/8"       | 11″                | 37 5/8"            | 23″               |                                      |                         | e Construction           |
| CJAKTCS42                   | Insulated Jacket for 42" Grills                     | 11″                | 42 1/4"            | 22 1/8"       | 11″                | 44 1/8"            | 23"               |                                      |                         | le Construction          |
| CJAKTC1SB                   | Insulated Jacket for CISB                           | 11″                | 13 3/4"            | 16"           | 11″                | 15 1/4"            | 16 3/4"           |                                      |                         | le Construction          |
| CJAKTCIDB                   | Insulated Jacket for CIDB                           | 11″                | 15 1/2"            | 22 1/4"       | 11″                | 15 1/4             | 23"               |                                      |                         |                          |
|                             |   |                    |                    |               | 11"                |                    |                   | For Combustible Construction         |                         |                          |
| CJAKTC1PB                   | Insulated Jacket for C1PB                           | 11″                | 22 1/8″            | 21 7/8"       |                    | 24 7/8"            | 22 3/4"           | For Combustible Construction         |                         |                          |
| Access Doors                |   | Heigh              |                    |               | Height             |                    | Depth             |                                      |                         | otes                     |
| CDA2426                     | 26" Double Access Door                              | 20 1/2"            | 20 3/4"            | 1″            | 24″                | 24 1/4″            | 3″                |                                      |                         | /A                       |
| CDA2431                     | 31" Double Access Door                              | 20 1/2"            | 26 1/2″            | 1″            | 24″                | 30″                | 3"                | N/A                                  |                         | •                        |
| CDA2436                     | 36" Double Access Door                              | 20 1/2"            | 31 3/4"            | 1″            | 24                 | 35 1/2″            | 3"                | N/A                                  |                         | /A                       |
| CDA2439                     | 39" Double Access Door                              | 20 1/2"            | 34 1/2″            | 1″            | 24″                | 38″                | 3″                | N/A                                  |                         | /A                       |
| CSA2014                     | Single Access Door 20" x 14"                        | 20 1/2"            | 14 1/2″            | 1″            | 22"                | 16″                | 3″                | N/A                                  |                         | /A                       |
| CSA1420                     | Single Access Door 14" x 20"                        | 14 1/2"            | 20 1/2"            | 1″            | 16″                | 22″                | 3″                |                                      | N/A                     |                          |
| CSA2417                     | Single Access Door 24" x 17"                        | 24 1/2"            | 17 1/2"            | 1″            | 26″                | 19″                | 3″                | N/A                                  |                         | /A                       |
| CSA1724                     | Single Access Door 17" x 24"                        | 17 1/2″            | 24 1/2"            | 1″            | 19″                | 26″                | 3″                | N/A                                  |                         | /A                       |
| Drawers                     |   | Heigh              | t Width            | Depth         | Height             | Width              | Depth             | Notes                                |                         | otes                     |
| C2DC                        | 2 Drawer Cabinet                                    | 20 1/2"            | 14 1/2″            | 17 1/2"       | 22"                | 16 1/4″            | 18″               | N/A                                  |                         | /A                       |
| C3DC                        | 3 Drawer Cabinet                                    | 24 1/2"            | 16 3/4"            | 17 1/4"       | 26″                | 18 1/2"            | 18″               | N/A                                  |                         |                          |
| CSSD                        | Single Storage Drawer                               | 13 1/2"            | 31 1/2"            | 20 1/2"       | 15"                | 32 1/2"            | 21 1/4"           | N/A                                  |                         |                          |
| CDPC31                      | 31" Dry Pantry                                      | 20 1/2"            | 26 1/2"            | 23"           | 24"                | 30"                | 24"               | N/A                                  |                         |                          |
| стс                         | Dual Pull Out Trash & Recycle                       | 24"                | 24″                | 18"           | 26 1/4"            | 26 3/4"            | 19"               | N/A N/A                              |                         |                          |
| CSTC                        | Single Pull Out Trash & Recycle                     | 23 7/8"            | 11 3/8"            | 18"           | 26 1/4"            | 14 3/8"            | 18 7/8"           | N/A<br>N/A                           |                         |                          |
| CPOD                        | LP Tank or Trash Drawer                             | 23 //8             | 14 1/4"            | 17 1/2"       | 26 1/4             | 15 1/2"            | 187               | N/A<br>N/A                           |                         |                          |
| СРОВ                        |   | 20 1/2**<br>8 1/4" | 13 1/2"            | 8"            | 10"                | 15 1/2"            | 18"<br>9"         | N/A N/A                              |                         |                          |
|                             | Paper Towel Holder                                  |                    |                    |               |                    |                    | 9"<br>18"         |                                      |                         |                          |
| CSPRK                       | Spice rack  | 25″                | 7 1/2              | 17 1/8"       | 26 1/4"            | 8 3/4"             |                   | N/A                                  |                         |                          |
| CWD                         | Warming Drawer                                      | 9 1/2"             | 28 1/4″            | 23 1/2"       | 10 3/4"            | 29 1/2"            | 26 3/4"           |                                      |                         | /A                       |
| Combo Drawers               |   | Heigh              |                    |               | Height             |                    | Depth             |                                      |                         | otes                     |
| CCD-2DC                     | Double Drawer Combo                                 | 20 1/4″            | 43 3/8"            | 17 1/8″       | 24 1/8″            | 45 1/4″            | 18 3/8″           | N/A                                  |                         | /A                       |
| CCD-2DC31                   | 31" Double Drawer Combo                             | 20 1/2"            | 26 1/2″            | 20 1/8″       | 24″                | 30″                | 21 1/8″           | N/A                                  |                         | /A                       |
| CCD-POD                     | Pull Out Drawer Combo                               | 20 3/8″            | 43 3/8"            | 17 1/2"       | 24 1/8″            | 45 1/4″            | 18″               | N/A                                  |                         | /A                       |
| CCD-WD                      | Warming Drawer Combo                                | 19 1/2"            | 40 5/8"            | 25 1/4"       | 20 3/4"            | 42 1/8″            | 26 1/2"           | Qty 1 Plug Needed - unit is 400 Watt |                         | d - unit is 400 Watt     |
|                             | Refreshment Centers                                 | Heigh              |                    |               | Height             |                    | Depth             |                                      |                         | otes                     |
| CBIR                        | 4.1 Outdoor Refrigerator                            | 34"                | 20 3/4"            | 23″           | 33 3/4"            | 20 1/2"            | 22 3/4"           | Qtv 1 Pli                            |                         | Vented Bottom Front      |
|                             | 5.5 Outdoor Refrigerator                            | 33 1/4"            | 23 3/4"            | 22 3/4"       | 33 3/4             | 23 1/2"            | 22 3/4            |                                      |                         | Vented Bottom Front      |
| C1BIP24                     | 13.5 Gataoor Kerngerator                            | 331/4              |                    | 1"            | 35                 | 22 3/4"            |                   | GigiPh                               |                         |                          |
| C1BIR24                     | CPID Defrigerator Trim Kit                          | 7/11               | 20 7/41            |               | i 33. I            | ZZ 3/4"            | 1″                | N/A                                  |                         |                          |
| CBIR21TK                    | CBIR Refrigerator Trim Kit                          | 34"                | 20 3/4"            |               |                    |                    |                   |                                      |                         | /^                       |
|                             | CBIR Refrigerator Trim Kit<br>Refrigerator Trim Kit | 33 1/4″            | 20 3/4"<br>23 3/4" | 1″            | 34 1/4"            | 25 3/4″            | 1″                |                                      | N                       | /A                       |
| CBIR21TK                    | Refrigerator Trim Kit<br>Drop In Cooler             |                    |                    |               |                    |                    | 1″<br>18″         | Car                                  |                         | /A<br>n either direction |
| CBIR21TK<br>C1BIR24         | Refrigerator Trim Kit                               | 33 1/4″            | 23 3/4"            | 1″            | 34 1/4"            | 25 3/4″            |                   | Car                                  | be turned i             |                          |
| CBIR21TK<br>C1BIR24<br>CDIC | Refrigerator Trim Kit<br>Drop In Cooler             | 33 1/4"<br>12"     | 23 3/4"<br>23 1/4" | 1″<br>17 1/4″ | 34 1/4"<br>15"     | 25 3/4"<br>24 1/2" | 18″               |                                      | be turned i<br>N        | n either direction       |



## PRODUCT GUIDE 2020



**T 800 361 0799** F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

**ADMINISTRATION & WAREHOUSE** 2025 Cunard, Laval (QC) H7S 2N1

**PART & SERVICE** 

service@distinctive-online.com

**ORDER DESK** 

orderdesk@distinctive-online.com

Coyote is a **Distinctive** brand