



FABER
ON AIR. SINCE 1955

PRODUCT GUIDE 2020



2020 NEW MODELS & UPDATES










NEW - VAM (Variable Air Management)








Adjusting CFM's to meet local building codes is easy with the new **Variable Air Management (VAM)** feature on certain Faber models. VAM aids in helping the installer set the speed **permanently** to a lower CFM based on local make up air codes. Our exclusive VAM technology allows you to adjust your hood to the most common **CFM levels: 295, 395 or 600** class performance. VAM is pre-installed in 13 models and with a few simple pushes of the control buttons the hood is programmed and permanently set to the CFM level for your market.

Note: Always check local make up air code requirements.

WALL

	<u>Page #</u>
	Diamante 4
	Dama 4
	Bella 5
	Stilo 5
	Nova Pro 6
	Classica Plus 6
	Tender 7
	Tratto 7

ISLAND / CEILING

	<u>Page #</u>
	Dama Isola 8
	Bella Isola 8
	Tratto Isola 9
	High-Light WH 10
	High-Light SS 10

	<u>Page #</u>
	Stratus WH 11
	Stratus SS 11

ISLAND / CEILING



	<u>Page #</u>
	Inca Pro Plus 12
	Inca SD 13
	Inca HC 13
	In Light 14
	Inca Lux 14
	Inca Smart 15

PRO / UNDER CABINET

	<u>Page #</u>
	Camino Pro 16
	Maestrale 18 17
	Maestrale 10 17

	<u>Page #</u>
	Levante II Plus 18
	Levante II 19
	Levante I 19


INTEGRATED

	<u>Page #</u>
	Cristal 20
	Cristal 24 20

DOWN DRAFT

	<u>Page #</u>
	Scirocco Lux 21
	Scirocco Plus 21

ICONIC

	<u>Page #</u>
	Zoom 22
	Chloe 23
	Cocktail 23
	Cylindra 24
	Cylindra Isola 24

DIAMANTE Wall Canopy Range Hood



MODEL	SIZE COLOR CFM
DIAM30SS	30" Stainless 600 CFM PRO
DIAM36SS	36" Stainless 600 CFM PRO
DIAM48SS	48" Stainless 600 CFM PRO
ACCESSORIES	
HIGHDIAM	High Ceiling Kit (up to 10' 8")
DUCTDIAM	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MESH2	Mesh Grease Filter 30" (replace baffle)
MESH3	Mesh Grease Filter 36" (replace baffle)
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Grease Filters	Dishwasher Safe SS Baffle
Canopy Depth / Height	22" D / 3 3/8" H	Easy Cube Mounting	Yes
Convertible to Recirculating	Yes - WITH DUCTDIAM	Pro Motor W/ Metal Impellers	Yes
Controls	4 Speed LED Digital Electronic Control	30 Minute Delay Auto Shut Off	Yes
Lighting	2 (30") or 3 (36", 48") X 20 (W) Halogen - 2 Level	Silent Kit Sound Dampening	Yes
Ducting Top	6" Round	10 Min. Intensive Speed	Yes
		Fixed Wiring Box	Yes

DAMA Wall Canopy Range Hood



MODEL	SIZE COLOR SET YOUR CFM LEVEL
DAMA30SSV	30" Stainless 295 / 395 / 600 CFM
DAMA36SSV	36" Stainless 295 / 395 / 600 CFM
ACCESSORIES	
HIGH3	High Ceiling Kit (up to 11' 2")
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MESH2	Mesh Grease Filter 30" (replace baffle)
MESH3	Mesh Grease Filter 36" (replace baffle)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box

FEATURES

Min. / Max. Ceiling Height	See Page 29	Ducting Top	6" Round
Canopy Depth / Height	20" D / 6 9/16" H	Grease Filters	Dishwasher Safe SS Baffle
Convertible to Recirculating	Yes - WITH DUCT4	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Electronic W/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 5 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Variable Air Management	Yes (set to 295, 395, 600 CFM)	ADA Compliant	Yes - With Remote Control
Power Cord Included	Yes		

BELLA Wall Canopy Range Hood



MODEL	SIZE COLOR CFM
BELA30SS600-B	30" Stainless 600 CFM PRO
BELA36SS600-B	36" Stainless 600 CFM PRO

FEATURES

Min. / Max. Ceiling Height	See Page 29	Pro Motor W/ Metal Impellers	Yes
Canopy Depth / Height	21 1/4" D / 2 3/8" H	30 Minute Delay Auto Shut Off	Yes
Convertible to Recirculating	Yes - WITH DUCT4	24 Hour Anti-Pollution Mode	Yes
Controls	8 Button LED Digital Electronic	Filter Wash Indicator	Yes
Lighting	2 X 1 (W) LED - 2 Level	6 Min. Intensive Speed	Yes
Ducting Top	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe SS Mesh	ADA Compliant	Yes - With Remote Control
Power Cord Included	Yes		

STILO Wall Canopy Range Hood



MODEL	SIZE COLOR SET YOUR CFM LEVEL
STIL24SSV	24" Stainless 295 / 395 / 600 CFM
STIL30SSV	30" Stainless 295 / 395 / 600 CFM
STIL36SSV	36" Stainless 295 / 395 / 600 CFM
STIL48SSV	48" Stainless 295 / 395 / 600 CFM
STIL30BSV	30" Black SS 295 / 395 / 600 CFM
STIL36BSV	36" Black SS 295 / 395 / 600 CFM

FEATURES

Min. / Max. Ceiling Height	See Page 29	Ducting Top	6" Round
Canopy Depth / Height	18 1/2" D / 2 3/8" H	Grease Filters	Dishwasher Safe Mesh
Convertible to Recirculating	Yes - WITH DUCT4	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Electronic W/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Variable Air Management	Yes (set to 295, 395, 600 CFM)	ADA Compliant	Yes - With Remote Control
Power Cord Included	Yes		

Accessories for Bella and Stilo Wall

Model #	Size Color CFM
HIGH3	High Ceiling Kit Stainless (up to 11')
HIGH3BS	High Ceiling Kit Black Stainless (FOR STILBSV ONLY) / (up to 11')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
CFMRED	CFM Reducer Kit (300 CFM) (FOR BELLA)
CFMRED2	CFM Reducer Kit (400 CFM) (FOR BELLA)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box

NOVA PRO Wall Canopy Range Hood



Vari-Duct System
Ducts out of the top or back of the canopy, the first Faber canopy to use this system!

Model	Size Color SET YOUR CFM LEVEL
NOPR30SSV	30" Stainless 295 / 395 / 600 CFM
NOPR36SSV	36" Stainless 295 / 395 / 600 CFM

ACCESSORIES

HIGH3	High Ceiling Kit (up to 11' 8")
DUCT5	Ductless Conversion Kit
FILTER1LL	Long Lasting Washable Charcoal Filter Kit
FILTER1	Charcoal Filter Kit
MESH2	Mesh Grease Filter 30" (replace baffle)
MESH3	Mesh Grease Filter 36" (replace baffle)
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Grease Filters	Dishwasher Safe SS Baffle
Canopy Depth / Height	21 ^{9/16"} D / 10 ^{3/8"} H	15 Minute Delay Auto Shut Off	Yes
Convertible to Recirculating	Yes - WITH DUCT5	Pro Motor W/ Metal Impellers	Yes
Controls	4 Speed Elec W/ White LED	Remote Control Option	Yes - Purchase Separately
Lighting	2 X 5 (W) LED - 1 Level	ADA Compliant	Yes - With Remote Control
Ducting Top or Rear Vent (Vari-Duct)	Yes - 6" Round	Power Cord Included	Yes
Variable Air Management	Yes (set to 295, 395, 600 CFM)		

CLASSICA PLUS Wall Canopy Range Hood



Model #	Size Color SET YOUR CFM LEVEL
CLPL30SSV	30" Stainless 295 / 395 / 600 CFM
CLPL36SSV	36" Stainless 295 / 395 / 600 CFM

ACCESSORIES

HIGHCLPL	High Ceiling Kit (up to 11' 8")
CHIMCLPL	Lower Chimney Kit (no grids)
DUCTCLPL	Ductless Conversion Kit
FILTER1	Replacement Charcoal Filter
FILTER1LL	Long Lasting Charcoal Filter
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Ducting Top	6" Round
Canopy Depth / Height	18 ^{1/2"} D / 9 ^{13/16"} H	Grease Filters	Dishwasher Safe Mesh
Convertible to Recirculating	Yes - WITH DUCTCLPL	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. w/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Variable Air Management	Yes (set to 295, 395, 600 CFM)	ADA Compliant	Yes - With Remote Control
Power Cord Included	Yes		

TENDER Wall Canopy Range Hood



Model #	Size Color SET YOUR CFM LEVEL
TEND30SSV	30" Stainless 295 / 395 / 600 CFM
TEND36SSV	36" Stainless 295 / 395 / 600 CFM
TEND30BSV	30" Black SS 295 / 395 / 600 CFM
TEND36BSV	36" Black SS 295 / 395 / 600 CFM

ACCESSORIES

HIGHTNDR	High Ceiling Kit Stainless (up to 11' 3")
HIGHTNDRBS	High Ceiling Kit BK Stainless (up to 11' 3")
CHIMTNRD	Lower Chimney Kit (no grids)
DUCTCLPL	Ductless Conversion Kit
FILTER1	Replacement Charcoal Filter
FILTER1LL	Long Lasting Charcoal Filter
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
BAFFLE2	30" Baffle Grease Filters
BAFFLE3	36" Baffle Grease Filters
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Ducting Top	6" Round
Canopy Depth / Height	19 21/32" D / 9 7/16" H	Grease Filters	Dishwasher Safe Mesh
Convertible to Recirculating	Yes - WITH DUCTCLPL	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. w/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Variable Air Management	Yes (set to 295, 395, 600 CFM)	ADA Compliant	Yes - With Remote Control
Power Cord Included	Yes		

TRATTO Wall Glass Range Hood



Model #	Size Color SET YOUR CFM LEVEL
TRAT30SSV	30" Glass & SS 295/395/600 CFM
TRAT36SSV	36" Glass & SS 295/395/600 CFM

ACCESSORIES

HIGH3	High Ceiling Kit (up to 11')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Ducting Top	6" Round
Canopy Depth / Height	18 1/2" D / 1 11/16" H	Grease Filters	Dishwasher Safe Mesh
Convertible to Recirculating	Yes - WITH DUCT4	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. W/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Variable Air Management	Yes (set to 295, 395, 600 CFM)	ADA Compliant	Yes - With Remote Control
		Power Cord Included	Yes

DAMA ISOLA Island Canopy Range Hood



Model #	Size Color SET YOUR CFM LEVEL
---------	-----------------------------------

DAMAI36SSV	36" Stainless 295/395/600 CFM
------------	-----------------------------------

DAMAI42SSV	42" Stainless 295/395/600 CFM
------------	-----------------------------------

ACCESSORIES

HIGH2	High Ceiling Kit (up to 10' 10")
-------	---

DUCT2	Ductless Conversion Kit
-------	-------------------------

FILTER2	Replacement Charcoal Filter
---------	-----------------------------

REMCTRL2	Wireless Remote Control
----------	-------------------------

MESH3	36" OR 42" Mesh Grease Filters
-------	--------------------------------

MUDAMPER6	6" Make Up Air Kit
-----------	--------------------

MUDAMPER8	8" Make Up Air Kit
-----------	--------------------

FEATURES

Min. / Max. Ceiling Height	See Page 29	Ducting Top	6" Round
Canopy Depth / Height	27 1/2" D / 5 11/16" H	Grease Filters	Dishwasher Safe SS Baffle
Convertible to Recirculating	Yes - WITH DUCT2	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. w/ White LED	10 Min. Intensive Speed	Yes
Lighting	4 X 5 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Variable Air Management	Yes (set to 295, 395, 600 CFM)	ADA Compliant	Yes - With Remote Control
Seamless Welded Chimney	Yes	Fixed Wiring Box	Yes

BELLA ISOLA Island Canopy Range Hood



Model #	Size Color CFM
---------	--------------------

BELAI36SS600-B	36" Stainless 600 CFM PRO
----------------	---

BELAI42SS600-B	42" Stainless 600 CFM PRO
----------------	---

BELAI48SS600	48" Stainless 600 CFM PRO
--------------	---

ACCESSORIES

HIGH2	High Ceiling Kit (up to 10' 6")
-------	--

DUCT2	Ductless Conversion Kit
-------	-------------------------

FILTER2	Replacement Charcoal Filter
---------	-----------------------------

CFMRED	CFM Reducer Kit (300 CFM)
--------	---------------------------

CFMRED2	CFM Reducer Kit (400 CFM)
---------	---------------------------

MUDAMPER6	6" Make Up Air Kit
-----------	--------------------

MUDAMPER8	8" Make Up Air Kit
-----------	--------------------

REMCTRL2	Wireless Remote Control
----------	-------------------------

FEATURES

Min. / Max. Ceiling Height	See Page 29	Grease Filters	Dishwasher Safe SS Mesh
Canopy Depth / Height	26 5/8" D / 2 3/8" H	Quick Island Mounting	Yes
Convertible to Recirculating	Yes - WITH DUCT2	Pro Motor W/ Metal Impellers	Yes
Controls	8 Button With LED Display	30 Minute Delay Auto Shut Off	Yes
Lighting	4 X 1 (W) LED - 2 Level	6 Min. Intensive Speed	Yes
24 Hour Anti-Pollution Mode	Yes	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round	ADA Compliant	Yes - With Remote Control
Seamless Welded Chimney	Yes	Fixed Wiring Box	Yes

TRATTO ISOLA Island Canopy Range Hood



Model #	Size Color SET YOUR CFM LEVEL
TRATIS36SSV	36" Glass & Stainless 295/395/600 CFM

ACCESSORIES	
HIGH2	High Ceiling Kit (up to 10' 7")
DUCT2	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
REMCTRL2	Wireless Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
BAFFLE2	Baffle Grease Filters

FEATURES

Min. / Max. Ceiling Height	See Page 29	Grease Filters	Dishwasher Safe Mesh
Canopy Depth / Height	25 1/2" D / 2" H	Seamless Welded Chimney	Yes
Convertible to Recirculating	Yes - WITH DUCT2	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. W/ White LED	10 Min. Intensive Speed	Yes
Lighting	4 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round	ADA Compliant	Yes - With Remote Control
Variable Air Management	Yes (set to 295, 395, 600 CFM)	Fixed Wiring Box	Yes

HIGH-LIGHT Island Range Hood (No Blower, White Matte OR SS)



Model #	Size Color CFM
HILTIS36SSNB	36" Stainless Steel No Blower
HILTIS36WHNB	36" White Matte No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM <u>PRO</u>
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter
FLANGE10	10" Blower Flange (REQUIRED WITH AXP250)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Perimetric Filter System / Silent Kit	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	30 Minute Delay Auto Shut Off	Yes
Ducting	6" Round - 4 Way Venting / 10"	10 Minute Intensive Speed	Yes
Controls	4 Speed LED Digital Touch Control	Remote Control	Yes - Included
Lighting	3 (W) LED Light Panel - 2 Level	ADA Compliant	Yes - With Remote Control
Light Dimmer	Yes	Fixed Wiring Box	Yes

Note: If desired you may use your own external blower, purchased separately, rated 2.8 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation

STRATUS ISOLA Island Range Hood (No Blower, White Glass OR SS)



WHITE GLASS



STAINLESS

Model #	Size Color CFM
STRTIS36WHNB	36" WH Glass No Blower
STRTIS48WHNB	48" WH Glass No Blower
STRTIS36SSNB	36" SS No Blower
STRTIS48SSNB	48" SS No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter
FLANGE10	10" Blower Flange (REQUIRED WITH AXP250)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit

FEATURES


Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	Perimetric Filter System / Silent Kit	Yes
Ducting	6" Round - 4 Way Venting / 10"	30 Minute Delay Auto Shut Off	Yes
Controls	4 Speed LED Digital Touch Control	10 Minute Intensive Speed	Yes
Lighting Stainless	4 X 1 (W) LED - 2 Level	Remote Control	Yes - Included
Lighting White Glass	2 X 3 (W) LED Light Bars - 2 Level	ADA Compliant	Yes - With Remote Control
Light Dimmer	Yes	Fixed Wiring Box	Yes

Note: If desired you may use your own external blower, purchased separately, rated 2.8 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation

Faber Facts - Seamless Island Chimneys



Faber seamless chimneys



Other chimneys with seams

Faber island hoods have upper and lower chimneys with seamless single piece construction for easy installation and a clean look. Other brands use multiple chimney parts with extra seams which adds installation time.

INCA PRO PLUS Pro Liner Range Hood (Choose your CFM - Internal or Remote Mounted Blowers)



* Use your own external blower, purchased separately, rated 4.2 amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the **INLBKIT** to connect to the hood

Model #	Size Color CFM
Pick A Liner Size	
INPL3019SSNB-B	30" W x 19"D No Blower
INPL3619SSNB-B	36" W x 19" D No Blower
INPL4219SSNB-B	42" W x 19" D No Blower
INPL4819SSNB-B	48" W x 19" D No Blower
INPL3622SSNB-B	36" W x 22" D No Blower
INPL4822SSNB-B	48" W x 22" D No Blower
Pick A Blower	
IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
IB1200	Internal Blower 1200 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (INLBKIT REQ'D)
ACCESSORIES	
FILTER1	Charcoal Filter Kit
FILTERLL	Long Lasting Charcoal Filter
INLBKIT	In-Line Blower Connector (REQ'D with AXP250)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit (900 / 1200 CFM)

FEATURES

Cabinet Cut Out	28 ⁵ / ₈ " (W), 34 ³ / ₄ " (W), 40 ³ / ₄ " (W), 46 ³ / ₄ " (W) x 19 ⁷ / ₈ " (D) Or 22 ⁷ / ₈ " (D)	Lighting	2 X 5 (W) LED - 1 Level
Height Inside Cabinet	11"	Ducting Top	6" Round Or 10" Round
Convertible to Recirculating	Yes - FILTER1 / FILTERILL	Grease Filters	Dishwasher Safe Pro SS Baffle
Fixed Wiring Box	Yes	Built In Mounting Hardware	Yes - Easy Snap Mounting Clips
		Controls	Variable Speed Dial

Faber Facts - Easy Snap Installation Clips



EasySnap ready to install



EasySnap tightened

The Easy Snap clip system by Faber is an exclusive technology to make installation easy on cabinet mounted hoods. With the simple turn of a screw the clip "bites" down on the wood inside the cabinet for a quick and easy installation. Available on all Inca models and Cristals.

INCA SD Pro Insert Range Hood



Pairs Well With Other Brands

Vari-Duct System
Ducts out of the top
or back of the insert

Model #	Size Color SET YOUR CFM LEVEL
INSD29SSV	29" Stainless 295/395/600 CFM
INSD35SSV	35" Stainless 295/395/600 CFM
ACCESSORIES	
LINE30ST	30" SS Liner (16 - 17 7/8" D) - <u>use with INSD29</u>
LINE36ST	36" SS Liner (16 - 17 7/8" D) - <u>use with INSD29</u>
LINE36PT	36" SS Liner (16 - 17 7/8" D) - <u>use with INSD35</u>
FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter Kit
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Cabinet Cut Out 29"	27 5/8" W / 13 9/16" D	Grease Filters	Dishwasher Safe Pro SS Baffle
Cabinet Cut Out 35"	33 5/8" W / 13 9/16" D	Built In Mounting	Yes - Easy Snap Clips
Height Inside Cabinet	12 15/16"	15 Minute Delay Shut Off	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	Pro Motor W/ Metal Impellers	Yes
Controls	4 Speed Elec. W/ White LED	Remote Control Option	Yes - Purchase Separately
Lighting	2 X 5 (W) LED - 1 Level	ADA Compliant	Yes - With Remote Control
Duct Top or Direct Rear (Vari-Duct)	6" Round	Power Cord Included	Yes
Variable Air Management	Yes (set to 295, 395, 600 CFM)		

INCA HC Insert Range Hood



Pairs Well With Other Brands

Vari-Duct System
Ducts out of the top
or back of the insert

Model #	Size Color SET YOUR CFM LEVEL
INHC29SSV	29" Stainless 295/395/600 CFM
INHC35SSV	35" Stainless 295/395/600 CFM
ACCESSORIES	
LINE30ST	30" SS Liner (16 - 17 7/8" D) - <u>use with INHC29</u>
LINE36ST	36" SS Liner (16 - 17 7/8" D) - <u>use with INHC29</u>
LINE36PT	36" SS Liner (16 - 17 7/8" D) - <u>use with INHC35</u>
FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter Kit
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Cabinet Cut Out 29"	27 5/8" W / 13 9/16" D	Grease Filters	Dishwasher Safe SS Mesh
Cabinet Cut Out 35"	33 5/8" W / 13 9/16" D	Built In Mounting	Yes - Easy Snap Clips
Height Inside Cabinet	12 15/16"	15 Min. Delay Auto Shut Off	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	10 Min. Intensive Speed	Yes
Controls	4 Speed Elec. W/ White LED	Remote Control Option	Yes - Purchase Separately
Lighting	2 X 5 (W) LED - 1 Level	ADA Compliant	Yes - With Remote Control
Duct Top or Direct Rear (Vari-Duct)	6" Round	Power Cord Included	Yes
Variable Air Management	Yes (set to 295, 395, 600 CFM)		

INCA IN-LIGHT Insert Range Hood



Model #	Size Color SET YOUR CFM LEVEL
INLT28SSV	28" Stainless 295/395/600 CFM
ACCESSORIES	
LINE30ST	30" SS Liner (16 - 17 7/8" depth)
LINE36ST	36" SS Liner (16 - 17 7/8" depth)
FILTER1	Charcoal Filter Kit
FILTER1LL	Charcoal Filter Kit (Washable Long Lasting)
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Cabinet Cut Out	26 9/16" W / 10 1/4" D	Grease Filters	Dishwasher Safe Mesh
Height Inside Cabinet	13 1/16"	Built In Mounting Hardware	Yes - Easy Snap Clips
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	Perimetric Filter System / Silent Kit	Yes
Controls	4 Speed Elec. W/ White LED	15 Minute Delay Auto Shut Off	Yes
Lighting	1 X 3 (W) LED Bar - 1 Level	Flush mounted bottom	Yes
Ducting Top	6" Round	ADA Compliant Remote Control	<u>Yes - Included</u>
Variable Air Management	Yes (set to 295, 395, 600 CFM)	Power Cord Included	Yes

INCA LUX Insert Range Hood



Pairs Well With Other Brands

Model #	Size Color SET YOUR CFM LEVEL
INLX21SSV	21" Stainless 295/395/600 CFM
INLX28SSV	28" Stainless 295/395/600 CFM
INLX35SSV	35" Stainless 295/395/600 CFM
ACCESSORIES	
LINE24ST	24" SS Liner (16 - 17 7/8" D) - <u>use with INLX21</u>
LINE30ST	30" SS Liner (16 - 17 7/8" D) - <u>use with INLX28</u>
LINE36ST	36" SS Liner (16 - 17 7/8" D) - <u>use with INLX28</u>
LINE36PT	36" SS Liner (16 - 17 7/8" D) - <u>use with INLX35</u>
FILTER1	Charcoal Filter Kit
FILTER1LL	Charcoal Filter Kit (Washable Long Lasting)
REMCTRL2	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Cabinet Cut Out 21"/28"	19 1/2" Or 26 9/16" W / 10 1/4" D	Grease Filters	Dishwasher Safe Mesh
Cabinet Cut Out 35"	32 7/8" W / 10 1/4" D	Built In Mounting Hardware	Yes - Easy Snap Clips
Height Inside Cabinet	13"	Perimetric Filter System	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. W/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 5 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round	ADA Compliant	Yes - With Remote Control
Variable Air Management	Yes (set to 295, 395, 600 CFM)	Power Cord Included	Yes

INCA SMART SS Insert Range Hood



Model #	Size Color CFM
INSP28SS240	28" Stainless Steel 240 CFM
INSP28SS400	28" Stainless Steel 400 CFM
INSP28SS600	28" Stainless Steel 600 CFM

STAINLESS STEEL

FEATURES

Cabinet Cut Out	26 5/8" w x 10 1/2" d	Lighting	2 x 4 (w) LED - 1 Level
Body Width / Depth	27 5/8" w X 10 1/4" d	Ducting Top	6" round (SS400 & 600)
Height Inside Cabinet	7 1/16" (28SS240) 12 3/4" (28SS400/600)	Ducting Top	5" round (SS240)
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL - (SS400/600) FILTER4 - (SS240)	Grease Filters	Dishwasher Safe Mesh
Controls	4 speed <u>electronic push</u> w/ multi-colored LED	Built In Mounting Hardware	Yes - Easy Snap Clips
		10 Minute Intensive Speed	Yes
		Power Cord Included	Yes

INCA SMART Insert Range Hood



Model #	Size Color CFM
INSM24GR250-B	24" Painted Gray 250 CFM
INSM28GR250-B	28" Painted Gray 250 CFM
INSM28SS	28" Stainless Steel 250 CFM

ACCESSORIES

LINE24ST	24" SS Liner (16 - 17 7/8" depth)- <u>for INSM24</u>
LINE30ST	30" SS Liner (16 - 17 7/8" depth)
LINE36ST	36" SS Liner (16 - 17 7/8" depth)
FILTER4	Charcoal Filter Kit

GRAY MODEL

FEATURES

Model	Inca Smart SS (28)	Inca Smart Gray (24 , 28)
Cabinet Cut Out	(28") 26 21/32" W / 10 9/32" D	(24") 19 19/32" W / 10 9/32" D / (28") 26 21/32" W / 10 9/32" D
Height Inside Cabinet	6 13/16"	6 13/16"
Convertible to Recirculating	Yes - FILTER4	Yes - FILTER4
Controls	3 Speed <u>Electronic Push</u> W/ LED Backlit	3 Speed <u>Slider</u>
Lighting	2 X 20 (W) Halogen	2 X 28 (W) Halogen (New)
Ducting Top	5" Round	5" Round
Grease Filters	Dishwasher Safe SS Mesh	Dishwasher Safe Mesh
Built In Mounting Hardware	Yes - Easy Snap Mounting Clips	Yes - Easy Snap Mounting Clips
10 Minute Intensive Speed	Yes	N / A
Fixed Wiring Box	Yes	Yes

ACCESSORIES

LINE24ST	24" SS Liner (16 - 17 7/8" depth)- <u>for INSM24</u>	FILTER1	Charcoal Filter Kit (400 / 600 CFM ONLY)
LINE30ST	30" SS Liner (16 - 17 7/8" depth)	FILTER1LL	Long Lasting Charcoal Filter Kit (400 / 600 CFM ONLY)
LINE36ST	36" SS Liner (16 - 17 7/8" depth)	WIREBOX	Fixed Wiring Box (400 / 600 CFM ONLY)
FILTER4	Charcoal Filter Kit (240 CFM ONLY)		

CAMINO PRO PRO Canopy Wall Range Hood



Pairs Well With Other Brands

Model #	Size Color CFM
CAPR36SS600	36" Stainless 600 CFM PRO
CAPR36SS1200	36" Stainless 1200 CFM PRO
CAPR48SS1200	48" Stainless 1200 CFM PRO

ACCESSORIES

Choose your duct cover

CHIM2224	36" Camino Chimney - 8 - 9 foot ceiling
CHIM2248	36" Camino Chimney - 9 - 11 foot ceiling
CHIM3424	48" Camino Chimney - 8 - 9 foot ceiling
CHIM3448	48" Camino Chimney - 9 - 11 foot ceiling
CFMRED	CFM Reducer Kit 300 CFM
CFMRED2	CFM Reducer Kit 400 CFM
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
FILTER1	Replacement Charcoal Filter Kit (2 x 1200 CFM)
FILTER1LL	Long Lasting Charcoal Filter Kit (2 x 1200 CFM)



- New Electronic rotary knob changes LED colors for each speed and blinks for functions

- New Heat Sensor technology! When the hood is off, if the stove temperature is above 130 degrees (F) / 54 (C), the hood comes on automatically!

FEATURES

Min. / Max. Ceiling Height	See Page 29	10" Transition included	Yes
Canopy Depth / Height	24" D / 18" H	Grease Filters	Dishwasher Safe Pro SS Baffle
Controls	4 Speed Electronic Rotary Knob	Pro Motor W/ Metal Impellers	Yes
Lighting	2 (36") Or 4 (48") X 5.5 (W) LED - 2 Level	Self Start Heat Sensor	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	10 Minute Delay Auto Shut Off	Yes
Ducting Top or Rear Vent (Vari-Duct) 600 CFM *	6" Round	10 Min. Intensive Speed	Yes
Ducting Top 1200 CFM *	(2) - 6" 1200 CFM OR (1) 10" Round	Fixed Wiring Box	Yes

*** VARI-DUCT REAR VENTING ONLY AVAILABLE ON CAMINO PRO 36" 600 CFM**

MAESTRALE 18" High Wall Range Hood



Pairs Well With Other Brands

Model #	Size Color CFM
MAES3018SS600-B	30" Stainless 600 CFM PRO
MAES3618SS600-B	36" Stainless 600 CFM PRO
MAES3618SS1200-B	36" Stainless 1200 CFM PRO
MAES4218SS1200-B	42" Stainless 1200 CFM PRO
MAES4818SS1200-B	48" Stainless 1200 CFM PRO

FEATURES

Canopy Depth / Height	25" D / 18" H	Grease Filters	Dishwasher Safe SS Baffle
Controls	3 Speed Slider With LED Indicator	Pro Motor W/ Metal Impellers	Yes
Lighting	3 (30 - 42") Or 4 (48") X 5 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top or Rear Vent (Vari-Duct)	6" Round Or (2) - 6" Round On 1200 CFM Models		

MAESTRALE 10" High Wall Range Hood



Pairs Well With Other Brands

Model #	Size Color CFM
MAES3010SS600-B	30" Stainless 600 CFM PRO
MAES3610SS600-B	36" Stainless 600 CFM PRO
MAES4210SS600-B	42" Stainless 600 CFM PRO

FEATURES

Canopy Depth / Height	23" D / 10" H	Ducting Top or Rear Vent (Vari-Duct)	Yes - 6" Round
Controls	3 Speed Slider With LED Indicator	Grease Filters	Dishwasher Safe SS Baffle
Lighting	3 X 5 (W) LED - 1 Level	Pro Motor W/ Metal Impellers	Yes
Power Cord Included	Yes		

ACCESSORIES FOR MAES10 / MAES18

Model #	Size Color CFM
TELEMAES	Telescopic Chimney Kit (12" - 23" H)
FULL30	Full Width Cover 30 SS (12" H)
FULL36	Full Width Cover 36 SS (12" H)
FULL42	Full Width Cover 42 SS (12" H)
FULL48	Full Width Cover 48 SS (MAES4818SS)
** MESH2	Mesh Grease Filter 30"/48" (replace baffle)
MESH3	Mesh Grease Filter 36" (replace baffle)
* TRNSPRO	10" Duct Transition Kit (1200 CFM hood)
CFMRED	CFM Reducer Kit 300 CFM
CFMRED2	CFM Reducer Kit 400 CFM
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
DUCTGRT30	Ductless Vent Grate Recirc Kit 30 (ADDS 4" HEIGHT)
DUCTGRT36	Ductless Vent Grate Recirc Kit 36 (ADDS 4" HEIGHT)
FILTER1	Replacement Charcoal Filter Kit (2 x 1200 CFM)
FILTER1LL	Long Lasting Charcoal Filter Kit (2 x 1200 CFM)

* Optional for 1200 CFM models, transitions two 6" round duct openings into one 10" round opening

**** 48" hood requires Two MESH2 kits**

LEVANTE II PLUS Under Cabinet Range Hood (**Ducted ONLY**)



Vari-Duct System
Ducts out of the top
or back of the hood

Model #	Size Color CFM
LEVL30SS400	30" Stainless 400 CFM
LEVL36SS400	36" Stainless 400 CFM

ACCESSORIES	
REMCTRL2	Wireless Remote Contro

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Grease Filters	Dishwasher Safe SS Mesh
Convertible to Recirculating	No - DUCTED ONLY	15 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Elec. W/ White LED	10 Min. Intensive Speed	Yes
Lighting	2 X 5 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	7" Round / 3 1/4" X 10" Rectangle	ADA Compliant	Yes - With Remote Control
Ducting Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle	Fixed Wiring Box	Yes

LEVANTE II Under cabinet Range Hood



Vari-Duct System
Ducts out of the top
or back of the hood

Model #	Size Color CFM
LEVT30SS400-B	30" Stainless 400 CFM
LEVT36SS400-B	36" Stainless 400 CFM

ACCESSORIES

FILTER5	Charcoal Filter Kit
REMCTRL2	Wireless Remote Control

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Ducting Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle
Convertible to Recirculating	Yes - FILTER5	Grease Filters	Dishwasher Safe SS Mesh
Controls	4 Speed Elec. W/ White LED	15 Minute Delay Auto Shut Off	Yes
Lighting	2 X 35 (W) Halogen - 2 Level	10 Min. Intensive Speed	Yes
Ducting Top	7" Round / 3 1/4" X 10" Rectangle	Remote Control Option	Yes - Purchase Separately
ADA Compliant	Yes - With Remote Control	Fixed Wiring Box	Yes

LEVANTE I Under Cabinet Range Hood



Vari-Duct System
Ducts out of the top
or back of the hood

Model #	Size Color CFM
LEVA24WH300-B	24" White 300 CFM
LEVA24SS300-B	24" Stainless 300 CFM
LEVA30WH300-B	30" White 300 CFM
LEVA30BK300-B	30" Black 300 CFM
LEVA30SS300-B	30" Stainless 300 CFM
LEVA36WH300-B	36" White 300 CFM
LEVA36BK300-B	36" Black 300 CFM
LEVA36SS300-B	36" Stainless 300 CFM

ACCESSORIES

FILTER5	Charcoal Filter Kit
----------------	---------------------

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Lighting	2 X 35 (W) Halogen
Convertible to Recirculating	Yes - FILTER5	Ducting Top	7" Round / 3 1/4" X 10" Rectangle
Controls	3 Speed Push	Ducting Direct Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle
Grease Filters	Dishwasher Safe Mesh	Fixed Wiring Box	Yes

CRISTAL Slide Out Range Hood



Pairs Well With Other Brands

Vari-Duct System
Ducts out of the top
or back of the hood

Model #	Size Color CFM
CRIS30SS600	30" Stainless 600 CFM
CRIS36SS600	36" Stainless 600 CFM
CRIS30SS400	30" Stainless 400 CFM
CRIS36SS400	36" Stainless 400 CFM
CRIS30SS300	30" Stainless 300 CFM
CRIS36SS300	36" Stainless 300 CFM


ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter Kit
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
CRTRIM30WH	30" White Front Trim Strip
CRTRIM30BK	30" Black Front Trim Strip
CRTRIM30BS	30" Black SS Front Trim Strip
CRTRIM36WH	36" White Front Trim Strip
CRTRIM36BK	36" Black Front Trim Strip
CRTRIM36BS	36" Black SS Front Trim Strip
WIREBOX	Fixed Wiring Box

FEATURES

Cabinet Cut Out	25 1/8" Or 31 1/8" (W) X 10" (D)	Power Cord Included	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	Grease Filters	Dishwasher Safe Mesh
Controls	3 Speed Slider	Auto On / Off	Yes - Fan / Lights Turn On When Pulled
Lighting	2 X 5 (W) LED - 1 Level	Integrate Front Panel	Yes - Use Own Custom Wood Front
Ducting Top or Rear (Vari-Duct)	Yes - 6" Round	Built In Mounting Hardware	Yes - Easy snap Mounting Clips

CRISTAL 24 Slide Out Range Hood



Pairs Well With Other Brands

Model #	Size Color CFM
CRIS24SS300	24" Stainless 300 CFM


ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter
WIREBOX	Fixed Wiring Box

FEATURES

Cabinet Cut Out	19 3/4" (W) X 10 3/8" (D)	Power Cord Included	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	Grease Filters	Dishwasher Safe Mesh
Controls	3 Speed Slider	Auto On / Off	Yes - Fan / Lights Turn On When Pulled Out
Lighting	2 X 5 (W) LED - 1 Level	Integrate Front Panel	Yes - Use Your Own Custom Wood Front
Ducting Top	6" Round	Built In Mounting Hardware	Yes - Easy snap Mounting Clips

SCIROCCO LUX Downdraft Range Hood (15" tall rise / 4" Deep)



Pairs Well With Other Brands

Model #	Size Color CFM
SCLX3015BKNB-B	30 Black Glass w/ SS 15" (no blower)
SCLX3615BKNB-B	36 Black Glass w/ SS 15" (no blower)
SCLX3015SSNB-B	30 Gray Glass w/ SS 15" (no blower)
SCLX3615SSNB-B	36 Gray Glass w/ SS 15" (no blower)
IBDD600-B	Internal Blower 600 CFM <u>PRO</u>
RB900	Remote Blower 900 CFM (NEED WIREBOXSCLX)
RB1200	Remote Blower 1200 CFM (NEED WIREBOXSCLX)
AXP250	In-line Blower 735 CFM (NEED WIREBOXSCLX & FLANGE10)

FEATURES

Controls	Electronic Soft Touch Controls	Perimetric Filter System	Yes
Lighting	Led Light Bar - 2 Level	24 Hour Anti-Pollution Mode	Yes
Ducting	6" Round (Internal) Or 10" Round (Remote)	30 Minute Delay Auto Shut Off	Yes
Convertible to Recirculating	Yes - DUCTSCIR	Grease Filter Wash Indicator	Yes
Multiple Ducting Options	Internal - Left, Right, Down, Forward, Back Remote - Forward Or Back	10 Minute Intensive Speed	Yes
Reversible Motor Box	Yes	Remote Control Option	Yes - Purchase Separately
Grease Filters / Auto Shut Off	Dishwasher Safe Mesh / Yes	ADA Compliant	Yes - With Remote Control
Power Cord	Yes		

SCIROCCO PLUS Downdraft Range Hood (14" tall rise / 2 1/2" Deep)



Pairs Well With Other Brands

Model #	Size Color CFM
SCIR3014SSNB-B	30 SS 14" (no blower)
SCIR3614SSNB-B	36 SS 14" (no blower)
IBDD600-B	Internal Blower 600 CFM <u>PRO</u>
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

FEATURES

Controls	Variable Speed Slider With On/Off Button	Multiple Safety Features	Yes
Ducting	6" Round (Internal) Or 10" Round (Remote)	Reversible Motor Box	Yes
Convertible to Recirculating	Yes - DUCTSCIR	Grease Filters	Dishwasher Safe SS Mesh
Multiple Ducting Options	Internal - Left, Right, Down, Forward, Back / Remote - Forward Or Back	Auto Shut Off	Yes
Fixed Wiring Box	Yes		

ACCESSORIES - SCIROCCO LUX & SCIROCCO PLUS

Model #	Size Color CFM
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
* MUDAMPER10	10" Make Up Air Kit
DUCTSCIR	Ductless Conversion Kit
FILTERSCIR	Replacement Long Lasting Charcoal Filter
REMCTRL2	Wireless Remote Control (SCLX ONLY)
** WIREBOXSCLX	Wire Box for remote blower / In-Line Blower
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
FLANGE10	(REQUIRED FOR AXP250)

ZOOM Up and Down Motion Range Hood



Zoom cylinder only,
ZOOMIS16SS400-B shown



Zoom with 6 LED Light Fixture
ZOOMIL16SS400

Model # Size | Color | CFM

- * **ZOOMIL16SS400** 16" | Stainless | 400 CFM | with Ceiling Lights
- * **ZOOMIS16SS400-B** 16" | Stainless | 400 CFM | Cylinder Only

ACCESSORIES

FILTER1	Replacement Charcoal Filter Kit
FILTERILL	Long Lasting Charcoal Filter Kit
VANILLA-SH	Vanilla Glass Shade (use w/ ZOOMIL16SS400)
OCEANA-SH	Oceana Stainless Shade (use w/ ZOOMIL16SS400)



Vanilla Shade with
ZOOMIL16SS400
(Zoom + Light Fixture shown)



Oceana Shade (**2 pictured**) with
ZOOMIL16SS400
(Zoom + Light Fixture shown)

*** Choose the Zoom Island Hood (ZOOMIS16SS400-B) by itself OR Zoom Island Hood plus Ceiling Light Fixture (ZOOMIL16SS400). Vanilla OR Oceana shades kits pair with the (ZOOMIL16SS400).**

FEATURES

Min. / Max. Ceiling Height (IL)	8' min - 9' max	Grease Filters	Dishwasher Safe Mesh
Min. / Max. Ceiling Height (IS)	7' min - 9' max	Up / Down Technology	Yes
Maximum Zoom Movement	34"	Perimetric Filter System / Silent Kit	Yes
Convertible to Recirculating	Yes - Charcoal Kit included	24 Hour Anti-Pollution Mode	Yes
Controls	5 Speed LED Digital Control	30 Minute Delay Auto Shut Off	Yes
Lighting (Zoom Hood)	4 X 1 (W) LED - 1 Level	10 Minute Intensive Speed	Yes
Lighting (Ceiling Fixture)	6 X 1 (W) LED - 1 Level	Remote Control	Yes - Included
Ducting	<u>NA - Recirculating Only</u>	ADA Compliant	Yes - With Remote Control
Fixed Wiring Box	<u>Yes</u>		

CHLOE Wall Range Hood



Side View with rear vent bracket (included)

Model #	Size Color CFM
CHLO28BK600	28" Painted Black 600 CFM
CHLO36BK600	36" Painted Black 600 CFM

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter Kit
CHIMCHBK	Black Chimney Kit (14 15/16" - 25 9/16" H)
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMCTRL2	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	Grease Filters	Dishwasher Safe Mesh
Canopy Depth / Height	13 3/4" D / 12 5/8" H	Perimetric Filter System / Silent Kit	Yes
Controls	4 Speed LED Digital Control	Filter Wash Alarm	Yes
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	10 Minute Intensive Speed	Yes
Lighting	1 X 3 (W) LED Light Bar - 2 Level	Remote Control Option	Yes - Purchase Separately
Dimmer	Yes	ADA Compliant	Yes - With Remote Control
Ducting Top / Direct Rear Vent (Vari-Duct)	Yes - 6" Round	Fixed Wiring Box	Yes
Rear Mounting Bracket	Included		

COCKTAIL Wall Range Hood



Model #	Size Color CFM
CTAL31BK300-B	31" Black Glass 300 CFM
CTAL36BK300-B	36" Black Glass 300 CFM

ACCESSORIES

CHIM1	Chimney Kit (20 15/16" - 38 15/16" extension)
FILTER1	Charcoal Filter Kit
FILTER1LL	Long Lasting Charcoal Filter

FEATURES

Product Height	19 11/16"	Grease Filters	Dishwasher Safe Mesh (Front And Bottom)
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL	30 Minute Delay Auto Shut Off	Yes
Controls	4 Speed Led Digital Touch Control	10 Minute Intensive Speed	Yes
Lighting	2 X 1 (W) LED - 2 Level	ADA Compliant	No
Ducting (Vari-Duct)	6" Round - Top Or Back Venting		
Power Cord	Yes		

CYLINDRA Cylinder Wall Range Hood



Model #	Size Color CFM
CYLN15SS600	15" Stainless 600 CFM <u>PRO</u>

ACCESSORIES

FILTER2	Charcoal Filter Kit
GLSCYLN	Glass Kit (36" X 20")
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMCTRL2	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	24 Hour Anti-Pollution Mode	Yes
Convertible to Recirculating	Yes - FILTER2	30 Minute Delay Auto Shut Off	Yes
Controls	4 Speed LED Digital Control	Grease Filter Wash Indicator	Yes
Lighting	2 Level LED lights	10 Minute Intensive Speed	Yes
Ducting Top & Direct Rear Venting	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe Mesh	ADA Compliant	Yes - With Remote Control
Pro Motor W/ Metal Impellers	Yes	Fixed Wiring Box	Yes
Perimetric Filter System / Silent Kit	Yes		

CYLINDRA ISOLA Cylinder Island Range Hood



Model #	Size Color CFM
CYLNIS15SS600	15" Stainless 600 CFM <u>PRO</u>

ACCESSORIES

FILTER2	Charcoal Filter Kit
GLSCYLNIS	Glass Kit (36" X 25")
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMCTRL2	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See Page 29	24 Hour Anti-Pollution Mode	Yes
Convertible to Recirculating	Yes - FILTER2	30 Minute Delay Auto Shut Off	Yes
Controls	4 Speed LED Digital Control	Grease Filter Wash Indicator	Yes
Lighting	2 Level LED lights	10 Minute Intensive Speed	Yes
Ducting Top	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe Mesh	ADA Compliant	Yes - With Remote Control
Pro Motor W/ Metal Impellers	Yes	Fixed Wiring Box	Yes
Perimetric Filter System / Silent Kit	Yes		


Faber Facts - Faber Model Number System

Model Example	Model				Island?		Width		Depth or Height		Color		CFM Class				VAM	Model Year
MAES3618SS1200-B	M	A	E	S			3	6	1	8	S	S	1	2	0	0		-B
GLASIS36SS600-B	G	L	A	S	I	S	3	6			S	S	6	0	0			-B
NOPR30SSV	N	O	P	R			3	0			S	S					V	
Blower Needed													N	B				
Island					I	S												
Stainless Steel											S	S						
White											W	H						
Grey											G	R						
Black											B	K						
Black Stainless											B	S						

Faber Facts - Faber Technologies


FILTER1LL - Long Lasting Charcoal Filter

- A Faber first! Wash and recharge charcoal filters up to 8 times
- Lasts up to 4 years vs. the normal charcoal filter that lasts 6 months



Vari-Duct - Adds Ducting Flexibility to Your Installation!

- Look for the "Vari-Duct" phrase in the price book
- Duct up (vertical) or rotate the blower to the back (horizontal)
- Reduce ducting when on an outside wall and improves performance



Faber Facts - Remote Control



REMCTRL2 - Remote Control (NEW MODEL)

- Newly designed wireless RF remote control
- Slim design and magnetic backing to attach to the hood
- ADA compliant remote control
- Can be used with 25 models (Zoom, Inca In-Light, Stratus, High-Light remote is included)

FABER FACTS - ACCESSORY GUIDE (PAGE 1)

Model #	Item Description	Includes	Models Compatible with
BAFFLE2	30" Baffle Grease Filter	(2) Stainless Baffle Filters	Tender, Tratto Isola
BAFFLE3	36" Baffle Grease Filter	(3) Stainless Baffle Filters	Tender
CFMRED	Cfm Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrle 10, Maestrle 18, Scirocco Plus, Scirocco Lux
CFMRED2	Cfm Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrle 10, Maestrle 18, Ostro, Scirocco Plus, Scirocco Lux
CHIM1	SS Chimney Kit	Chimney And Hardware	Cocktail
CHIM2224	SS Chimney Kit 36" - 8 - 9 feet	Chimney And Hardware	Camino Pro 36 ONLY
CHIM2248	SS Chimney Kit 36" - 9 - 11 feet	Chimney And Hardware	Camino Pro 36 ONLY
CHIM3424	SS Chimney Kit 48" - 8 - 9 feet	Chimney And Hardware	Camino Pro 48 ONLY
CHIM3448	SS Chimney Kit 48" - 9 - 11 feet	Chimney And Hardware	Camino Pro 48 ONLY
CHIMCHBK	Black Chimney Kit	Chimney And Hardware	Chloe BK
CHIMCLPL	Lower Chimney No Grids	Chimney	Classica Plus
CHIMTNR	Lower Chimney No Grids	Chimney	Tender
CRTRIM30BK	30" Black Front Trim	Front Trim	Cristal 30 Only
CRTRIM30WH	30" White Front Trim	Front Trim	Cristal 30 Only
CRTRIM30BS	30" Black Stainless Front Trim	Front Trim	Cristal 30 Only
CRTRIM36BK	36" Black Front Trim	Front Trim	Cristal 36 Only
CRTRIM36WH	36" White Front Trim	Front Trim	Cristal 36 Only
CRTRIM36BS	36" Black Stainless Front Trim	Front Trim	Cristal 36 Only
DUCT1	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	
DUCT2	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	Bella Isola, Dama Isola, Tratto Isola
DUCT4	Ductless Kit	Charcoal, Diverter	Bella, Dama, Stilo, Tratto
DUCT5	Ductless Kit	Charcoal, Diverter	Nova Pro
DUCTCLAS	Ductless Kit	Charcoal, Diverter	
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus, Tender
DUCTDIAM	Ductless Kit	Chimney, Diverter, Grids, Charcoal	Diamante
DUCTGRT30	Ductless Kit	Ss Box With Grills, Charcoal	Maestrle 10, Maestrle 18, Ostro
DUCTGRT36	Ductless Kit	Ss Box With Grills, Charcoal	Maestrle 10, Maestrle 18, Ostro
DUCTCLAS	Ductless Kit	Charcoal, Diverter	
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus, Tender
DUCTDIAM	Ductless Kit	Chimney, Diverter, Grids, Charcoal	Diamante

FABER FACTS - ACCESSORY GUIDE (PAGE 2)

Model #	Item Description	Includes	Models Compatible with
DUCTSCIR	Ductless Kit	Transition Box, Kick Plate, Charcoal	Scirocco Lux, Scirocco Plus
FILTER1	Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica, Classica Plus, Cocktail, Cristal, Cristal 24, Inca HC, Inca SD, In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER1LL	Long Lasting Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica, Classica Plus, Cocktail, Cristal, Cristal 24, Inca HC, Inca SD, In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER2	Charcoal Filter	Charcoal	Bella, Bella Isola, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Stilo, Tratto, Tratto Isola
FILTER4	Charcoal Filter	Charcoal	Inca Smart GR / SS 240 cfm
FILTER5	Charcoal Filter	Charcoal	Levante II
FILTERSCIR	Charcoal Filter	Charcoal	Scirocco Lux, Scirocco Plus
FLANGE10	Duct Plate	10" Duct plate	High-Light, Scirocco Plus, Scirocco Lux, Stratus
FULL30	30" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL36	36" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL42	42" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18
FULL48	48" Full Width Chimney	Chimney And Hardware	Maestrale 18
GLSCYLN			
GLSCYLNIS			
HIGH2	High Ceiling Chimney Kit	1 Tall Upper Chimney And Internal Structure	Bella Isola, Dama Isola, Tratto Isola
HIGH3	High Ceiling Chimney Kit	2 Tall Chimneys	Bella, Dama, Nova Pro, Stilo, Tratto
HIGH3BS	High Ceiling Chimney Kit	2 Tall Chimneys	Stilo BSV Only
HIGHCLAS	High Ceiling Chimney Kit	1 Tall Upper Chimney	Classica
HIGHCLPL	High Ceiling Chimney Kit	2 Tall Chimneys	Classica Plus
HIGHDIAM	High Ceiling Chimney Kit	1 Tall Upper Chimney	Diamante
HIGHTNDR	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender
HIGHTNDRBS	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender BSV Only
INLBKIT	In-Line Blower Kit	10" Duct Plate With Wiring Box	Inca Pro Plus
LINE24ST	Standard Liner 24"	Liner With Hardware	Inca Lux 21 Only, Inca Smart 21 Only
LINE30ST	Standard Liner 30"	Liner With Hardware	Inca HC 29 Only, In Light, Inca Lux 28 Only, Inca SD 29, Inca Smart 28
LINE36ST	Standard Liner 36"	Liner With Hardware	Inca HC 29 Only, In Light, Inca Lux 28 Only, Inca SD 29, Inca Smart 28
LINE36PT	Pro Liner 36"	Liner With Hardware	Inca HC 35 Only, Inca Lux 35 Only, Inca SD 35 Only
MESH2	Mesh Filter Kit 30"	(2) Mesh Filters	Dama, Diamante, Maestrale 10, Maestrale 18, Nova Pro, Ostro
MESH3	Mesh Filter Kit 36"	(3) Mesh Filters	Dama, Dama Isola, Diamante, Maestrale 10, Maestrale 18, Nova Pro, Ostro

FABER FACTS - ACCESSORY GUIDE (PAGE 3)

Model #	Item Description	Includes	Models Compatible with
MUDAMPER6	6" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, High-Light, Inca HC, In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto, Tratto Isola
MUDAMPER8	8" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, High-Light, Inca HC, In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto, Tratto Isola
MUDAMPER10	10" Make Up Air Damper	Damper, Switch And Transformer	High-Light, Inca Pro Plus, Maestrale 18, Scirocco Lux, Scirocco Plus, Stratus, Camino Pro
OCEANA-SH	Oceana stainless steel shade	Shade	Zoom IL Only
REMCTRL2	Wireless Remote Control	Remote Control	Bella, Bella Isola, Chloe, Classica Plus, Cylindra, Cylindra Isola, Dama, Dama Isola, Inca HC, Inca Lux, Inca SD, Levante II, Levante II Plus, Nova Pro, Scirocco Lux, Stilo, Tender, Tratto, Tratto Isola
TELEMAES	Telescopic Chimney Kit	2 Chimneys With Hardware	Maestrale 10, Maestrale 18, Ostro
TRNSPRO	10" Ducting Transition	Galvanized Metal Transition	Maestrale 18
VANILLA-SH	Vanilla glass shade	Shade	Zoom IL Only
WIREBOX	Fixed Wiring Box	Wiring Box With Hood Cabling	Bella, Classica Plus, Cristal 24, Cristal, Dama, Inca HC, Inca Lux, In Light, Inca SD, Inca Smart, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stilo, Tender, Tratto
WIREBOXSCLX	Fixed Wire Box (Rb Only)	Wiring Box With Hood Cabling	Scirocco Lux

FABER FACTS - CEILING MINIMUM / MAXIMUM HEIGHTS

	<u>Ducted</u>	<u>Ducted</u>	<u>Recirculating</u>	<u>Recirculating</u>	<u>High Ceiling</u>	<u>High Ceiling</u>
	<u>Minimum</u>	<u>Maximum</u>	<u>Minimum</u>	<u>Maximum</u>	<u>Minimum</u>	<u>Maximum</u>
	24" OFF	30" OFF	24" OFF	30" OFF	24" OFF	30" OFF
WALL CHIMNEY						
Bella	7' 9 11/16"	9' 2 1/8"	7' 9 11/16"	9' 2 1/8"	8' 9 3/8"	11' 5/8"
Chloe*	7' 2 3/8"	8' 8 3/16"	7' 2 3/8"	8' 8 3/16"	N/A	N/A
Camino 24" tall *	7' 7"	8' 11 7/8"	7' 7"	8' 11 7/8"	N/A	N/A
Camino 48 " tall *	8' 1"	10' 11 7/8"	8' 1"	10' 11 7/8"	N/A	N/A
Classica Plus	7' 5 9/16"	9' 5 1/4"	7' 9 11/16"	9' 5 1/4"	8' 11 11/16"	11' 8 1/16"
Cylindra	7' 11 1/16"	8' 5 1/16"	7' 11 1/16"	8' 5 1/16"	N/A	N/A
Dama	7' 2 5/16"	9' 1/16"	7' 7 1/16"	9' 1/16"	9' 1 9/16"	11' 2 5/8"
Diamante	7' 5 3/4"	8' 9 3/4"	7' 11 3/8"	8' 10 1/2"	9' 4 3/8"	10' 8 5/8"
Nova Pro	7' 5"	8' 11 3/8"	7' 5"	8' 11 3/8"	9' 3/8"	11' 8 7/8"
Stilo	7' 8 11/16"	9' 3/4"	7' 8 11/16"	9' 3/4"	8' 9 3/8"	11' 3/16"
Tender	7' 7 1/2"	9' 10 3/4"	8' 2 3/16"	9' 10 3/4"	9' 6 11/16"	11' 3 11/16"
Tratto	7' 8 1/8"	9' 3/16"	7' 8 1/8"	9' 3/16"	8' 8 11/16"	11' 3/16"
ISLAND CHIMNEY						
Bella Isola	7' 5 3/8"	8' 11 3/8"	7' 9 3/4"	8' 11 3/8"	9' 8 7/8"	10' 6 13/16"
Cylindra Isola	7' 6 5/16"	8' 11 13/16"	7' 10 1/4"	8' 11 13/16"	N/A	N/A
Dama Isola	7' 8 1/4"	9' 3"	8' 5/8"	9' 3"	10' 3/16"	10' 10 1/8"
Stilo Isola	7' 5 3/8"	8' 11 3/8"	7' 9 3/4"	8' 11 3/8"	9' 8 7/8"	10' 6 13/16"
Tratto Isola	7' 5 3/4"	8' 11 3/4"	7' 10 1/8"	8' 11 3/4"	9' 9 1/4"	10' 7 3/16"

NOTE: all minimums at 24" off the stove, maximums at 30" off the stove

NOTE: *Chloe & Camino includes Chimney Duct Cover Accessory (sold separate)

NOTE: Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.

NOTE: For planning purposes only, see install instructions for final heights

NOTES

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

NOTES

[illegible]

NOTES

[illegible]

PRODUCT GUIDE 2020



T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

HEAD OFFICE / WAREHOUSE
2025 Cunard, Laval (QC) H7S 2N1

PARTS & SERVICE
service@distinctive-online.com

ORDER DESK
orderdesk@distinctive-online.com