



 **FABER**
ON AIR. SINCE 1955

PRODUCT GUIDE **2021**

Updated June 2021

TABLE OF CONTENTS

WALL

DIAMANTE	8
DAMA	8
BELLA	9
STILO	9
NOVA PRO	10
CLASSICA PLUS	10
TENDER	11
TRATTO	11

INSERT

INCA PRO PLUS	20
INCA SD	21
INCA HC	21
NEW INCA IN-LIGHT	22
INCA LUX	23
INCA SMART <small>UPDATED</small>	24
INCA SMART GR <small>UPDATED</small>	25

ISLAND & CEILING

DAMA ISOLA	14
BELLA ISOLA	14
TRATTO ISOLA	15
GLASSY ISOLA	15
HIGH-LIGHT WH	16
HIGH-LIGHT SS	16
STRATUS WH	17
STRATUS SS	17

PRO & UNDER CABINET

CAMINO PRO	28
MAESTRALE 18	29
MAESTRALE 10	30
LEVANTE II PLUS	32
LEVANTE II	32
NEW LEVANTE G	33
OSTRO	33

INTEGRATED

CRISTAL 36

CRISTAL 24 36

DOWN DRAFT

SCIROCCO LUX 40

SCIROCCO PLUS 41

ICONIC

ZOOM 44

CHLOE 45

CYLINDRA 46
UPDATED

CYLINDRA ISOLA 46
UPDATED

GUIDES

ACCESSORY GUIDE 48

CEILING HEIGHTS 51



2021 NEW MODELS & UPDATES

NEW
SIZES

INCA IN-LIGHT


- 21" and 35" new sizes
- VAM - 600, 395, 295 CFM
- LED light bar
- Flush mounted and rounded edges
- Perimetric panel
- See page 22



NEW

LEVANTE G

- 24" and 30"
- Ducted / Recirculating vents on the front
- Top or direct rear venting outside
- 300 CFM
- Soft touch electronic push button controls
- See page 33



VAM (VARIABLE AIR MANAGEMENT)

Adjusting CFMS to meet local building codes is easy with the Variable Air Management (VAM) feature on certain Faber models. VAM aids in helping the installer set the speed permanently to a lower CFM based on local make up air codes. Our exclusive VAM technology allows you to adjust your hood to the most common CFM levels: 295, 395 or 600 class performance. VAM is pre-installed in many Faber models and with a few simple pushes of the control buttons the hood is programmed and permanently set to the CFM level for your market.

Note: Always check local make up air code requirements.



WALL RANGE HOODS





PYRAMID SHAPE

DIAMANTE

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

DIAM30SS	30"	Stainless	600 CFM PRO
DIAM36SS	36"	Stainless	600 CFM PRO
DIAM48SS	48"	Stainless	600 CFM PRO

ACCESSORIES

HIGHDIAM	High Ceiling Kit (up to 10' 8")
DUCTDIAM	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See page 51	Grease Filters	Dishwasher Safe SS Baffle
Canopy Depth / Height	22" D / 3 3/8" H	Delay Auto Shut Off	30 Minutes
Convertible to Ductless	Yes - WITH DUCTDIAM	Intensive Speed	10 Minutes
Controls	4 Speed LED Digital Electronic Control	ADA Compliant	No
Lighting	2 (30") or 3 (36", 48") X 20 (W) Halogen - 2 Level	Easy Cube Mounting	Yes
Ducting Top	6" Round	Pro Motor W/ Metal Impellers	Yes
		Fixed Wiring Box	Yes



PYRAMID SHAPE

DAMA

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

DAMA30SSV	30"	Stainless	295/395/600 CFM
DAMA36SSV	36"	Stainless	295/395/600 CFM

ACCESSORIES

HIGH3	High Ceiling Kit (up to 11' 2")
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minutes
Canopy Depth / Height	20" D / 6 9/16" H	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - WITH DUCT4	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 5 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe SS Baffle		



BELLA

MODEL	SIZE	COLOR	MOTOR CLASS
BELA30SS600-B	30"	Stainless	600 CFM PRO
BELA36SS600-B	36"	Stainless	600 CFM PRO
ACCESSORIES			
HIGH3	High Ceiling Kit Stainless (up to 11')		
DUCT4	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
CFMRED	CFM Reducer Kit (300 CFM)		
CFMRED2	CFM Reducer Kit (400 CFM)		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		

T SHAPE

FEATURES			
Min. / Max. Ceiling Height	See page 51	Intensive Speed	6 Minute
Canopy Depth / Height	21 ¼" D / 2 ¾" H	ADA Compliant	Yes - With Remote Control
Convertible To Ductless	Yes - WITH DUCT4	Power Cord Included	Yes
Controls	8 Button LED Digital Electronic	Remote Control Option	Yes - Purchase Separately
Lighting	2 X 1 (W) LED - 2 Level	24 Hour Anti-Pollution Mode	Yes
Ducting Top	6" Round	Filter Wash Indicator	Yes
Grease Filters	Dishwasher Safe SS Mesh	Pro Motor W/ Metal Impellers	Yes
Delay Auto Shut Off	30 Minutes		



STILO

MODEL	SIZE	COLOR	MOTOR CLASS
STIL24SSV	24"	Stainless	295/395/600 CFM
STIL30SSV	30"	Stainless	295/395/600 CFM
STIL36SSV	36"	Stainless	295/395/600 CFM
STIL48SSV	48"	Stainless	295/395/600 CFM
STIL30BSV	30"	Black SS	295/395/600 CFM
STIL36BSV	36"	Black SS	295/395/600 CFM
ACCESSORIES			
HIGH3	High Ceiling Kit Stainless (up to 11')		
HIGH3BS	High Ceiling Kit Black Stainless STILBSV Only - Up to 11"		
DUCT4	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
CFMRED	CFM Reducer Kit (300 CFM)		
CFMRED2	CFM Reducer Kit (400 CFM)		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		

T SHAPE

FEATURES			
Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minute
Canopy Depth / Height	18 ½" D / 2 ¾" H	Intensive Speed	10 Minute
Convertible to Ductless	Yes - WITH DUCT4	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe Mesh		



CANOPY

NOVA PRO

MODEL	SIZE	COLOR	MOTOR CLASS
NOPR30SSV	30"	Stainless	295/395/600 CFM
NOPR36SSV	36"	Stainless	295/395/600 CFM
ACCESSORIES			
HIGH3	High Ceiling Kit (up to 11' 8")		
DUCT5	Ductless Conversion Kit		
FILTER1LL2	Long Lasting Replacement Charcoal Filter		
FILTER1	Replacement Charcoal Filter		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minutes
Canopy Depth / Height	21 $\frac{1}{16}$ " D / 10 $\frac{3}{8}$ " H	ADA Compliant	Yes - With Remote Control
Convertible to Ductless	Yes - With DUCT5	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Controls	4 Speed Electronic W/ White LED	Power Cord Included	Yes
Lighting	2 X 5 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top or Rear Vent (Vari-Duct)	Yes - 6" Round	Pro Motor W/ Metal Impellers	Yes
Grease Filters	Dishwasher Safe SS Baffle		



CANOPY

CLASSIC PLUS

MODEL	SIZE	COLOR	MOTOR CLASS
CLPL30SSV	30"	Stainless	295/395/600 CFM
CLPL36SSV	36"	Stainless	295/395/600 CFM
ACCESSORIES			
HIGHCLPL	High Ceiling Kit (up to 11' 8")		
CHIMCLPL	Lower Chimney Kit (no grids)		
DUCTCLPL	Ductless Conversion Kit		
FILTER1	Replacement Charcoal Filter		
FILTER1LL2	Long Lasting Charcoal Filter		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minutes
Canopy Depth / Height	18 $\frac{1}{2}$ " D / 9 $\frac{13}{16}$ " H	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - With DUCTCLPL	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe Mesh		



CANOPY

TENDER

MODEL	SIZE	COLOR	MOTOR CLASS
TEND30SSV	30"	Stainless	295/395/600 CFM
TEND36SSV	36"	Stainless	295/395/600 CFM
TEND30BSV	30"	Black SS	295/395/600 CFM
TEND36BSV	36"	Black SS	295/395/600 CFM
ACCESSORIES			
HIGHTNDR	High Ceiling Kit Stainless (up to 11' 3")		
HIGHTNDRBS	High Ceiling Kit BK Stainless (up to 11' 3")		
CHIMTNR	Lower Chimney Kit (no grids)		
DUCTCLPL	Ductless Conversion Kit		
FILTER1	Replacement Charcoal Filter		
FILTER1LL2	Long Lasting Charcoal Filter		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
BAFFLE2	30" Baffle Grease Filters		
BAFFLE3	36" Baffle Grease Filters		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Min. / Max. Ceiling Height	See page 51	Intensive Speed	10 Minutes
Canopy Depth / Height	19 2 ¹ / ₂ " D / 9 1 ¹ / ₆ " H	ADA Compliant	Yes - With Remote Control
Convertible To Ductless	Yes - WITH DUCTCLPL	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Controls	4 Speed Electronic W/ White LED	Power Cord Included	Yes
Lighting	2 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round		
Grease Filters	Dishwasher Safe Mesh		
Delay Auto Shut Off	15 Minutes		



GLASS

TRATTO

MODEL	SIZE	COLOR	MOTOR CLASS
TRAT30SSV	30"	Glass & SS	295/395/600 CFM
TRAT36SSV	36"	Glass & SS	295/395/600 CFM
ACCESSORIES			
HIGH3	High Ceiling Kit (up to 11')		
DUCT4	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minutes
Canopy Depth / Height	18 1 ¹ / ₂ " D / 1 1 ¹ / ₆ " H	Intensive Speed	10 Minutes
Convertible To Ductless	Yes - With DUCT4	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Yes - Purchase Separately
Grease Filters	Dishwasher Safe Mesh		

ISLAND CANOPY & CEILING RANGE HOODS





ISLAND

DAMA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
DAMAI36SSV	36"	Stainless	295/395/600 CFM
DAMAI42SSV	42"	Stainless	295/395/600 CFM
ACCESSORIES			
HIGH2	High Ceiling Kit (up to 10' 10")		
DUCT2	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
REMORIG	Wireless Remote Control		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minutes
Canopy Depth / Height	27 1/2" D / 5 1/16" H	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - With DUCT2	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Power Cord Included	Yes
Lighting	4 X 5 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round	Fixed Wiring Box	Yes
Grease Filters	Dishwasher Safe SS Baffle	Seamless Welded Chimney	Yes



ISLAND

BELLA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
BELAI36SS600-B	36"	Stainless	600 CFM PRO
BELAI42SS600-B	42"	Stainless	600 CFM PRO
BELAI48SS600	48"	Stainless	600 CFM PRO
ACCESSORIES			
HIGH2	High Ceiling Kit (up to 10' 6")		
DUCT2	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
CFMRED	CFM Reducer Kit (300 CFM)		
CFMRED2	CFM Reducer Kit (400 CFM)		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		
REMORIG	Wireless Remote Control		

FEATURES

Min. / Max. Ceiling Height	See page 51	Intensive Speed	6 Minutes
Canopy Depth / Height	26 5/8" D / 2 3/8" H	ADA Compliant	Yes - With Remote Control
Convertible to Ductless	Yes - With DUCT2	Remote Control Option	Yes - Purchase Separately
Controls	8 Button With LED Display	Fixed Wiring Box	Yes
Lighting	4 X 1 (W) LED - 2 Level	Seamless Welded Chimney	Yes
Ducting Top	6" Round	Quick Island Mounting	Yes
Grease Filters	Dishwasher Safe SS Mesh	Pro Motor W/Metal Impellers	Yes
Delay Auto Shut Off	30 Minutes	24 Hour Anti-Pollution Mode	Yes



ISLAND

TRATTO ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
TRATIS36SSV	36"	Glass & Stainless	295/395/600 CFM

ACCESSORIES

HIGH2	High Ceiling Kit (up to 10' 7")
DUCT2	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
REMORIG	Wireless Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
BAFFLE2	Baffle Grease Filters

FEATURES

Min. / Max. Ceiling Height	See page 51	Intensive Speed	10 Minutes
Canopy Depth / Height	25 ½" D / 2" H	ADA Compliant	Yes - With Remote Control
Convertible To Ductless	Yes - With DUCT2	Remote Control Option	Yes - Purchase Separately
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	4 X 1 (W) LED - 1 Level	Seamless Welded Chimney	Yes
Ducting Top	6" Round	Fixed Wiring Box	Yes
Grease Filters	Dishwasher Safe Mesh		
Delay Auto Shut Off	15 Minutes		



ISLAND

GLASSY ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
GLASIS36SSV	36"	Glass & Stainless	295/395/600 CFM

ACCESSORIES

HIGH2	High Ceiling Kit (up to 10' 6")
DUCT2	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
REMORIG	Wireless Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
BAFFLE2	Baffle Grease Filters

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	15 Minute
Canopy Depth / Height	27 ⅞" D / 1 ⅞" H	Intensive Speed	10 Minute
Convertible to Ductless	Yes - With DUCT2	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	4 X 1 (W) LED - 1 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round	Seamless Welded Chimney	Yes
Grease Filters	Dishwasher Safe Mesh		



CEILING

HIGH-LIGHT

MODEL	SIZE	COLOR	MOTOR CLASS
HILTI36SSNB	36"	Stainless Steel	No Blower
HILTI36WHNB	36"	White Matte	No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
FLANGE10	10" Blower Flange (Required with AXP250)
NEW! FLANGE3	10" round to 3 1/4" x 10" Flange
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit

Note: If desired you may use your own external blower, purchased separately, rated 2.7 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES

Min. / Max. Ceiling Height	See page 51	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - With FILTER1 / FILTER1LL2	ADA Compliant	Yes - With Remote Control
Controls	4 Speed LED Digital Touch Control	Power Cord Included	Yes
Lighting	3 (W) LED Light Panel - 2 Level	Remote Control	Yes - Included
Light Dimmer	Yes	Fixed Wiring Box	Yes
Ducting	6" Round - 4 Way Venting / 10"	Perimetric Filter System/ Silent Kit	Yes
Delay Auto Shut Off	30 Minutes		

STRATUS ISOLA



WHITE GLASS



STAINLESS

CEILING

MODEL	SIZE	COLOR	MOTOR CLASS
STRTIS36WHNB	36"	White Glass	No Blower
STRTIS48WHNB	48"	White Glass	No Blower
STRTIS36SSNB	36"	Stainless Steel	No Blower
STRTIS48SSNB	48"	Stainless Steel	No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (FLANGE10 REQUIRED)

ACCESSORIES


FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
FLANGE10	10" Blower Flange (Required with AXP250)
NEW! FLANGE3	10" round to 3 1/4" x 10" Flange
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit

Note: If desired you may use your own external blower, purchased separately, rated 2.8 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES

Min. / Max. Ceiling Height	See page 51	Delay Auto Shut Off	30 Minutes
Convertible to Ductless	Yes - FILTER1 / FILTER1LL2	Intensive Speed	10 Minutes
Controls	4 Speed LED Digital Touch Control	ADA Compliant	Yes - With Remote Control
Ducting	6" Round - 4 Way Venting / 10"	Remote Control	Yes - Included
Lighting Stainless	4 X 1 (W) LED - 2 Level	Fixed Wiring Box	Yes
Lighting White Glass	2 X 3 (W) LED Light Bars - 2 Level	Perimetric Filter System/ Silent Kit	Yes
Light Dimmer	Yes		

INSERT RANGE HOODS







PRO LINER

*Use your own external blower, purchased separately, rated 4.2amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the INLBKIT to connect to the hood.

INCA PRO PLUS

MODEL	SIZE	MOTOR CLASS
-------	------	-------------

PICK A LINER

INPL3019SSNB-B	30" W x 19"	No Blower
INPL3619SSNB-B	36" W x 19"	No Blower
INPL4219SSNB-B	42" W x 19"	No Blower
INPL4819SSNB-B	48" W x 19"	No Blower
INPL3622SSNB-B	36" W x 22"	No Blower
INPL4822SSNB-B	48" W x 22"	No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
IB1200	Internal Blower 1200 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM
AXP250	In-Line Blower 735 CFM (INLBKIT REQ'D)

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
INLBKIT	In-Line Blower Connector (Required with AXP250)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit (900 / 1200 CFM)

FEATURES

Cabinet Cut Out	Width : 28 5/8", 34 3/4", 40 3/4" 46 3/4"	Grease Filters	Dishwasher Safe Pro SS Baffle
	Depth: 19 7/8" or 22 7/8"	ADA Compliant	With A Separate Wall Switch
Height Inside Cabinet	11"	Fixed Wiring Box	Yes
Convertible to Recirculating	Yes - With FILTER1 / FILTER1LL2	Installation Mounting Hardware	Easy Snap Mounting Clips
Controls	Variable Speed Dial		
Lighting	2 x 5 (W) LED - 1 Level		
Ducting Top	6" Round or 10" Round		

FABER FACTS

EASY INSTALLATION CLIPS

The Easy Snap clip system by Faber is an exclusive technology to make installation easy on cabinet mounted hoods. With the simple turn of a screw the clip "bites" down on the wood inside the cabinet for a quick and easy installation.


Available on all Inca models and Cristals.



Easy Snap ready to install



Easy Snap tightened



NO LOGO ON HOOD

PRO INSERT

INCA SD

MODEL	SIZE	COLOR	MOTOR CLASS
INSD29SSV	29"	Stainless	295/395/600 CFM
INSD35SSV	35"	Stainless	295/395/600 CFM
ACCESSORIES			
LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INSD29		
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INSD29		
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INSD35		
FILTER1	Charcoal Filter Kit		
FILTER1LL2	Long Lasting Charcoal Filter Kit		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Cabinet Cut Out 29"	27 5/8" W / 13 1/16" D	Grease Filters	Dishwasher Safe SS Mesh
Cabinet Cut Out 35"	33 5/8" W / 13 1/16" D	Delay Shut Off	15 Minute
Height Inside Cabinet	12 15/16"	ADA Compliant	Yes - With Remote Control
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Power Cord Included	Yes
Controls	4 Speed Electronic	Remote Control Option	Yes
Lighting	W/White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
	2 x 5 (W) LED - 1 Level	Installation Mounting Hardware	Easy Snap Mounting Clips
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Pro Motor W/ Metal Impellers	Yes

INCA HC

MODEL	SIZE	COLOR	MOTOR CLASS
INHC29SSV	29"	Stainless	295 / 395 / 600 CFM
INHC35SSV	35"	Stainless	295 / 395 / 600 CFM
ACCESSORIES			
LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INHC29		
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INHC29		
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INHC35		
FILTER1	Charcoal Filter Kit		
FILTER1LL2	Long Lasting Charcoal Filter Kit		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		



NO LOGO ON HOOD

INSERT

FEATURES

Cabinet Cut Out 29"	27 5/8" W / 13 1/16" D	Grease Filters	Dishwasher Safe SS Mesh
Cabinet Cut Out 35"	33 5/8" W / 13 1/16" D	Delay Shut Off	15 Minute
Height Inside Cabinet	12 15/16"	Intensive Speed	10 Minute
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic	Power Cord Included	Yes
Lighting	W/White LED	Remote Control Option	Yes
	2 x 5 (W) LED - 1 Level	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Installation Mounting Hardware	Easy Snap Mounting Clips



INSERT

INCA IN-LIGHT

MODEL	SIZE	COLOR	MOTOR CLASS
INLT21SSV	21"	Stainless	295/395/600 CFM
INLT28SSV	28"	Stainless	295/395/600 CFM
INLT35SSV	35"	Stainless	295/395/600 CFM

ACCESSORIES

LINE24ST	24" SS Liner (16 - 17 7/8" D) - Use with INLT21
LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INLT28
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INLT28
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INLT35
FILTER1	Charcoal Filter Kit
FILTER1LL2	Charcoal Filter Kit (Washable Long Lasting)
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
NEW! LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)
NEW! LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)

LINSPT301228 & LINSPT361228 For Use with INLT28

FEATURES

Cabinet Cut Out 21" /28"	19 1/2" or 26 9/16" W x 10 1/4" D	Intensive Speed	10 Minute
Cabinet Cut Out 35"	32 7/8" W x 10 1/4" D	ADA Compliant	Yes With Remote Control
Height Inside Cabinet	13 1/16"	Power Cord Included	Yes
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Remote Control Option	Yes - Included
Controls	4 Speed Electronic W/White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	1 x 3 (W) LED Bar - 1 Level	Installation Mounting Hardware	Easy Snap Mounting Clips
Ducting Top	6" Round	Perimetric Filter System	Yes
Grease Filters	Dishwasher Safe Mesh		
Delay Shut Off	15 Minute		



INSERT

INCA LUX

MODEL	SIZE	COLOR	MOTOR CLASS
INLX21SSV	21"	Stainless	295/395/600 CFM
INLX28SSV	28"	Stainless	295/395/600 CFM
INLX35SSV	35"	Stainless	295/395/600 CFM
ACCESSORIES			
LINE24ST	24" SS Liner (16 - 17 7/8" D) - Use with INLX21		
LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INLX28		
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INLX28		
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INLX35		
FILTER1	Charcoal Filter Kit		
FILTER1LL2	Charcoal Filter Kit		
REMORIG	Wireless Remote Control		
WIREBOX	Fixed Wiring Box		
MUDAMPER	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		
LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)		
LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)		
LINSPT301228 & LINSPT361228 For Use with INLX28			

FEATURES

Cabinet Cut Out 21" /28"	19 1/2" or 26 3/8" W x 10 1/4" D	Intensive Speed	10 Minute
Cabinet Cut Out 35"	32 7/8" W x 10 1/4" D	ADA Compliant	Yes - With Remote Control
Height Inside Cabinet	13"	Power Cord Included	Yes
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Remote Control Option	Yes
Controls	4 Speed Electronic W/White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 x 5 (W) LED Bar - 1 Level	Installation Mounting Hardware	Easy Snap Mounting Clips
Ducting Top	6" Round	Perimetric Filter System	Yes
Grease Filters	Dishwasher Safe Mesh		
Delay Shut Off	15 Minute		



PERIMETRIC FILTER SYSTEM

What's the most effective air extraction technology? It's PERIMETER ASPIRATION, and it's a exclusive FABER technology, of course. Forcing air to speed up through a narrow gap around the perimeter of the panel, purifying the air, reducing noise and improving efficiency.



INSERT

INCA SMART SS

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

INSP28SS240	28"	Stainless Steel	240 CFM
INSP28SS400	28"	Stainless Steel	400 CFM
INSP28SS600	28"	Stainless Steel	600 CFM

ACCESSORIES

LINE30ST	30" SS Liner (16 - 17 7/8" D)
LINE36ST	36" SS Liner (16 - 17 7/8" D)
FILTER4	Charcoal Filter Kit (240 CFM Only)
FILTER1	Charcoal Filter Kit (400/600 CFM Only)
FILTER1LL2	Long Lasting Charcoal Filter Kit (400/600 CFM ONLY)
WIREBOX	Fixed Wiring Box (400/600 CFM Only)
NEW! LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)
NEW! LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)

FEATURES

Cabinet Cut Out	26 5/8" W 10 1/2" D	Lighting	2 x 4 (W) LED - 1 Level
Body Width/Depth	25 5/8" W X 10 1/4" D	Duct Top	6" Round (SS400 & 600)
Height Inside Cabinet	7 1/16" (28SS240)	Duct Top	5" Round (SS240)
	12 3/4" (28SS400/600)	Grease Filters	Dishwasher Safe Mesh
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2 (SS400/600) FILTER4 (SS240)	Intensive Speed	10 Minutes
Controls	4 Speed Electronic Push With Multi-Colored LED	ADA Compliant	No
		Power Cord included	Yes
		Installation Mounting Hardware	Easy Snap Mounting Clips



INCA SMART GR

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

INSM21GR240	21"	Painted Gray	240 CFM
INSM28GR240	28"	Painted Gray	240 CFM

ACCESSORIES

LINE24ST	24" SS Liner (116 - 17 7/8") Use with INSM21
LINE30ST	30" SS Liner (16 - 17 7/8")
LINE36ST	36" SS Liner (16 - 17 7/8")
FILTER4	Charcoal Filter Kit (240 CFM Only)
FILTER1	Charcoal Filter Kit (400/600 CFM Only)
FILTER1LL2	Long Lasting Charcoal Filter Kit (400/600 CFM Only)
WIREBOX	Fixed Wiring Box (400/600 CFM Only)
NEW! LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)
NEW! LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)

LINSPT301228 & LINSPT361228 For Use with INSP28GR

INSERT

FEATURES

Cabinet Cut Out 21"	19 5/16" W x 10 1/2" D	Lighting	2 x 4 (W) LED - 1 Level
Cabinet Cut Out 28"	26 5/16" W x 10 1/2" D	Duct Top	5" Round
Body Width/Depth	20 5/16" or 27 5/8" W x 10 1/4" D	Grease Filters	Dishwasher Safe Mesh
Height Inside Cabinet	7 1/16"	Intensive Speed	10 Minutes
Convertible to Recirculating	Yes - With FILTER4	ADA Compliant	With a Separate Wall Switch
Controls	3 Speed Slider	Power Cord included	Yes
		Installation Mounting Hardware	Easy Snap Mounting Clips

PRO & UNDER CABINET RANGE HOODS







PRO CANOPY

CAMINO PRO

MODEL	SIZE	COLOR	MOTOR CLASS
CAPR36SS600	36"	Stainless	600 CFM PRO
CAPR36SS1200	36"	Stainless	1200 CFM PRO
CAPR48SS1200	48"	Stainless	1200 CFM PRO

CHOOSE YOUR DUCT COVER

CHIM2224	36" Camino Chimney 8' - 9' Ceiling
CHIM2248	36" Camino Chimney 9' - 11' Ceiling
CHIM3424	48" Camino Chimney 8' - 9' Ceiling
CHIM3448	48" Camino Chimney 9' - 11' Ceiling

ACCESSORIES

CFMRED	CFM Reducer Kit 300 CFM
CFMRED2	CFM Reducer Kit 400 CFM
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
FILTER1	Replacement Charcoal Filter Kit (2 x 1200 CFM)
FILTER1LL2	Long Lasting Charcoal Filter Kit (2 x 1200 CFM)

FEATURES

Min./Max. Ceiling Height	See page 51	Grease Filters	Dishwasher Safe Pro SS Baffle
Canopy Depth/Height	24" D / 18" H	Delay Shut Off	10 Minute
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL2	Intensive Speed	10 Minute
Controls	4 Speed Electronic Rotary Knob	ADA Compliant	No
Lighting	2 (36") or 4 (48") X 5 ½" (W) LED - 2 Level	Fixed Wiring Box	Yes
Ducting Top or Rear Vent (Vari-Duct) 600CFM*	6" Round	Pro Motor W/ Metal Impellers	Yes
Ducting Top 1200 CFM*	2 (6")1200 CFM or 1 (10") Round	Self Start Heat Sensor Transition	Yes 10" Included

*Vari-Duct rear venting only available on Camino Pro 36" 600 CFM

NEW HEAT SENSOR TECHNOLOGY

Electronic rotary knob changes LED colors for each speed and blinks for functions.

When the hood is off, if the stove temperature is above 130 degrees (F) / 54 (C), the hood comes on automatically!



MAESTRALE 18

MODEL	SIZE	COLOR	MOTOR CLASS
MAES3018SS600-B	30"	Stainless	600 CFM PRO
MAES3618SS600-B	36"	Stainless	600 CFM PRO
MAES3618SS1200-B	36"	Stainless	1200 CFM PRO
MAES4218SS1200-B	42"	Stainless	1200 CFM PRO
MAES4818SS1200-B	48"	Stainless	1200 CFM PRO

ACCESSORIES

TELEMAES	Telescopic Chimney Kit (12" - 23" H)
FULL30	Full Width Cover 30 SS (12" H)
FULL36	Full Width Cover 36 SS (12" H)
FULL42	Full Width Cover 42 SS (12" H)
FULL48	Full Width Cover 48 SS (MAES4818SS)
TRNSPRO*	10" Duct Transition Kit (1200 CFM hood)
CFMRED	CFM Reducer Kit 300 CFM
CFMRED2*	CFM Reducer Kit 400 CFM
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
DUCTGRT30	Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height)
DUCTGRT36	Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height)
FILTER1	Replacement Charcoal Filter Kit (2 x 1200 CFM)
FILTER1LL2	Long Lasting Charcoal Filter Kit (2 x 1200 CFM)



NO LOGO ON HOOD

WALL

FEATURES

Canopy Depth / Height	25" D / 18" H	Grease Filters	Dishwasher Safe SS Baffle
Controls	3 Speed Slider W/ LED Indicator	ADA Compliant	Yes - With a Separate Wall Switch
Lighting	3 (30-42") or 4 (48") X 5 (W) LED 1 Level	Power Cord Included	Yes
Ducting Top or Rear Vent (Vari-Duct)	6" Round or 2 (6") Round (1200 CFM models)	Pro Motor W/ Metal Impellers	Yes

*Optional for 1200 CFM models, transitions two 6" round duct openings into one 10" round opening.



WALL

MAESTRALE 10

MODEL	SIZE	COLOR	MOTOR CLASS
MAES3010SS600-B	30"	Stainless	600 CFM PRO
MAES3610SS600-B	36"	Stainless	600 CFM PRO
MAES4210SS600-B	42"	Stainless	600 CFM PRO

ACCESSORIES

TELEMAES	Telescopic Chimney Kit (12" - 23" H)
FULL30	Full Width Cover 30 SS (12" H)
FULL36	Full Width Cover 36 SS (12" H)
FULL42	Full Width Cover 42 SS (12" H)
FULL48	Full Width Cover 48 SS (MAES4818SS)
TRNSPRO*	10" Duct Transition Kit (1200 CFM hood)
CFMRED	CFM Reducer Kit 300 CFM
CFMRED2*	CFM Reducer Kit 400 CFM
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
DUCTGRT30	Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height)
DUCTGRT36	Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height)
FILTER1	Replacement Charcoal Filter Kit (2 x 1200 CFM)
FILTER1LL2	Long Lasting Charcoal Filter Kit (2 x 1200 CFM)

FEATURES

Canopy Depth / Height	23" D / 10" H	ADA Compliant	Yes - With a Separate Wall Switch
Controls	3 Speed Slider W/ LED Indicator	Power Cord Included	Yes
Lighting	3 X 5 (W) LED - 1 Level	Pro Motor W/Metal Impellers	Yes
Ducting Top or Rear Vent (Vari-Duct)	6" Round		
Grease Filters	Dishwasher Safe SS Baffle		

LEVANTE FAMILY OF HOODS




LEVANTE FEATURE TABLE (ALL STAINLESS STEEL)

MODEL NAME	MODEL	WIDTH	MOTOR CLASS	DUCTED / DUCTLESS	LIGHTS	GREASE FILTER	CONTROL	ADA REMOTE CONTROL OPTIONS
Levante I	LEVN24SS300 LEVN30SS300 LEVN36SS300	24" 30" 36"	300 CFM 300 CFM 300 CFM	Ducted ONLY	Halogen 1 Level	Mesh	4 Speed touch	No
Levante G	LEVG24SS300 LEVG30SS300	24" 30"	300 CFM 300 CFM	Ducted OR Ductless	Halogen 1 Level	Mesh	4 speed touch	No
Levante II	LEVT30SS400-B LEVT36SS400-B	30" 36"	400 CFM 400 CFM	Ducted OR Ductless	Halogen 2 Level	SS Mesh	4 speed touch with delay	Yes With REMORIG
Levante II Plus	LEVL30SS400 LEVL36SS400	30" 36"	400 CFM 400 CFM	Ducted ONLY	LED 1 Level	SS Mesh	4 speed touch with delay	Yes With REMORIG



4 Speed Touch



4 Speed Touch With Delay



REMORIG



LEVANTE II PLUS

MODEL	SIZE	COLOR	MOTOR CLASS
LEVL30SS400	30"	Stainless	400 CFM
LEVL36SS400	36"	Stainless	400 CFM
ACCESSORIES			
REMORIG	Wireless Remote Control		

UNDER CABINET

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Intensive Speed	10 Minute
Controls	4 Speed Electric W/ White LED	Remote Control Option	Yes - Purchase Separately
Lighting	2 X 5 (W) LED - 1 Level	ADA Compliant	Yes - With Remote Control
Ducting Top	7" Round / 3 1/4" X 10" Rectangle	Power Cord Included	Yes
Ducting Top or Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle	Fixed Wiring Box	Yes
		Convertible to Ductless	No
Grease Filters	Dishwasher Safe SS Mesh		
Delay Auto Shut Off	15 Minute		



LEVANTE II

MODEL	SIZE	COLOR	MOTOR CLASS
LEVT30SS400-B	30"	Stainless	400 CFM PRO
LEVT36SS400-B	36"	Stainless	400 CFM PRO
ACCESSORIES			
FILTER5	Charcoal Filter Kit		
REMORIG	Wireless Remote Control		

UNDER CABINET

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Intensive Speed	10 Minute
Controls	4 Speed Electric W/ White LED	Remote Control Option	Yes - Purchase Separately
Lighting	2 X 35 (W) Halogen - 2 Level	ADA Compliant	Yes - With Remote Control
Ducting Top	7" Round / 3 1/4" X 10" Rectangle	Power Cord Included	Yes
Ducting Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle	Fixed Wiring Box	Yes
		Convertible to Ductless	Yes
Grease Filters	Dishwasher Safe SS Mesh		
Delay Auto Off	15 Minute		



NEW LEVANTE G/I

MODEL	SIZE	COLOR	MOTOR CLASS
LEVG24SS300	24" Ducted or Ductless	Stainless	300 CFM
LEVG30SS300	30" Ducted or Ductless	Stainless	300 CFM
LEVN24SS300	24" Ducted ONLY	Stainless	300 CFM
LEVN30SS300	30" Ducted ONLY	Stainless	300 CFM
LEVN36SS300	36" Ducted ONLY	Stainless	300 CFM

ACCESSORIES

FILTER5	Charcoal Filter Kit
----------------	---------------------

UNDER CABINET

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Ducting Rear Vent (Vari-Duct)	31/4" X 10" Rectangle
Convertible to Ductless	Yes - LEVG Models Only	Grease Filters	Dishwasher Safe Mesh
Controls	4 Speed Push Button	Intensive Speed	10 Minute
Lighting	2 X 35 (W) Halogen - 1 Level	ADA Compliant	No
Ducting Top	7" Round / 3 1/4" X 10" Rectangle	Fixed Wiring Box	Yes

IMPORTANT NOTE: The NEW LEVG has grills for ductless installation on the front of the front slope of the hood. The LEVN does NOT have grills on the front slope.



NEW OSTRO

MODEL	SIZE	COLOR	MOTOR CLASS
OSTR30SS400	30"	Stainless	400 CFM
OSTR36SS400	36"	Stainless	400 CFM

ACCESSORIES

TELEMAES	Telescopic Chimney Kit (12" - 23" H)
FULL30	Full Width Cover 30 SS (12" H)
FULL36	Full Width Cover 36 SS (12" H)
CFMRED2	CFM Reducer Kit 400 to 300 CFM
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
DUCTGRT30	Ductless Vent Grate Recirc Kit 30" (ADDS 4" HEIGHT)
DUCTGRT36	Ductless Vent Grate Recirc Kit 36" (ADDS 4" HEIGHT)
FILTER1	Replacement Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit

UNDER CABINET

FEATURES

Canopy Depth / Height	23" D / 10" H	Grease Filters	Dishwasher Safe SS Baffle
Controls	4 Speed Push Button	ADA Compliant	No
Lighting	2 X 35 W Halogen - 1 Level	Power Cord Included	Yes
Ducting Top or Rear Vent (Vari-Duct)	6" Round	LED Option	Yes
	7" Round / 3 1/4" X 10" Rectangle		

INTEGRATED RANGE HOODS





NO LOGO ON HOOD

SLIDE OUT

CRISTAL

MODEL	SIZE	COLOR	MOTOR CLASS
CRIS30SS600	30"	Stainless	600 CFM
CRIS36SS600	36"	Stainless	600 CFM
CRIS30SS400	30"	Stainless	400 CFM
CRIS36SS400	36"	Stainless	400 CFM
CRIS30SS300	30"	Stainless	300 CFM
CRIS36SS300	36"	Stainless	300 CFM

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
CRTRIM30WH	30" White Front Trim Strip
CRTRIM30BK	30" Black Front Trim Strip
CRTRIM30BS	30" Black SS Front Trim Strip
CRTRIM36WH	36" White Front Trim Strip
CRTRIM36BK	36" Black Front Trim Strip
CRTRIM36BS	36" Black SS Front Trim Strip
WIREBOX	Fixed Wiring Box

FEATURES

Cabinet Cut Out	25 1/8" or 31 1/8" (W) X 10" (D)	ADA Compliant	Yes With Separate Wall Switch
Convertible to Recirculating Controls	Yes - FILTER1 / FILTER1LL2	Power Cord Included	Yes
Lighting	3 Speed Slider	Installation Mounting Hardware	Easy Snap Mounting Clips
Ducting Top or Rear Vent (Vari-Duct)	2 X 5 (W) LED - 1 Level	Auto On / Off	Yes - Fan/Lights Turned On When Pulled
Grease Filters	6" Round	Front Panel Integration	Use Own Custom Wood Front



NO LOGO ON HOOD

SLIDE OUT

CRISTAL 24

MODEL	SIZE	COLOR	MOTOR CLASS
CRIS24SS300	24"	Stainless	300 CFM

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
WIREBOX	Fixed Wiring Box

FEATURES

Cabinet Cut Out	19 3/4" (W) X 10 3/8" (D)	ADA Compliant	Yes With Separate Wall Switch
Convertible to Recirculating Controls	Yes - FILTER1/FILTER1LL2	Power Cord Included	Yes
Lighting	3 Speed Slider	Installation Mounting Hardware	Easy Snap Mounting Clips
Ducting Top	2 X 5 (W) LED - 1 Level	Auto On / Off	Yes - Fan/Lights Turned On When Pulled
Grease Filters	6" Round	Front Panel Integration	Use Own Custom Wood Front



DOWN DRAFT RANGE HOODS







DOWNDRAFT

SCIROCCO LUX

15" TALL RISE / 4" DEEP

MODEL	SIZE	COLOR	MOTOR CLASS
SCLX3015BKNB-B	30"	Blk Glass w/SS	No Blower
SCLX3615BKNB-B	36"	Blk Glass w/SS	No Blower
SCLX3015SSNB-B	30"	Grey Glass w/SS	No Blower
SCLX3615SSNB-B	36"	Grey Glass w/SS	No Blower

BLOWERS

IBDD600-B	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM (Requires WIREBOXCLX)
RB1200	Remote Blower 1200 CFM (Requires WIREBOXCLX)
AXP250	In-line Blower 735 CFM (Requires WIREBOXSCLX & FLANGE10)

ACCESSORIES

MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
DUCTSCIR	Ductless Conversion Kit
FILTERSCIR	Replacement Long Lasting Charcoal Filter
REMORIG	Wireless Remote Control
WIREBOXSCLX	Wire Box for Remote & In-Line Blowers
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
FLANGE10	Required for AXP250
NEW! FLANGE 3	10" Round to 3 1/4" x 10" Flange

FEATURES

Convertible to Ductless	Yes With DUCTSCIR	Intensive Speed	10 Minute
Controls	Electronic Soft Touch Controls	24 Hour Anti-Pollution Mode	Yes
Lighting	Led Light Bar - 2 Level	ADA Compliant	Yes - With Remote Control
Ducting	6" Round (Internal) or 10" Round (Remote)	Power Cord Included	Yes
Multiple Ducting Options	Internal - Left, Right, Down, Forward, Back Remote - Forward or Back	Remote Control Option	Yes - Purchased Separately
Grease Filters	Dishwasher Safe Mesh	Reversible Motor Box	Yes
Delay Auto Shut Off	30 Minute	Perimetric Filter System	Yes
		Front Panel Integration	Use Own Custom Wood Front



NO LOGO ON HOOD

SCIROCCO PLUS

14" TALL RISE / 2 1/2" DEEP

MODEL	SIZE	COLOR	MOTOR CLASS
SCIR3014SSNB-B	30"	Stainless Steel	No Blower
SCIR3614SSNB-B	36"	Stainless Steel	No Blower

BLOWERS

IBDD600-B	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM (Requires WIREBOXCLX)
RB1200	Remote Blower 1200 CFM (Requires WIREBOXCLX)
AXP250	In-line Blower 735 CFM (Requires FLANGE10)

ACCESSORIES

MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
DUCTSCIR	Ductless Conversion Kit
FILTERSCIR	Replacement Long Lasting Charcoal Filter
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
FLANGE10	Required for AXP250
NEW! FLANGE 3	10" Round to 3 1/4" x 10" Flange

DOWNDRAFT

FEATURES

Convertible to Ductless Controls	Yes With DUCTSCIR Variable Speed Slider With On/Off Button	Multiple Safety Options	Yes
Ducting	6" Round (Internal) or 10" Round (Remote)	Grease Filters	Dishwasher Safe SS Mesh
Multiple Ducting Options	Internal - Left, Right, Down, Forward, Back Remote - Forward Or Back	Reversible Motor Box	Yes
		Auto Shut Off	Yes

MUDAMPER10 for use with 900 / 1200 CFM motors

WIREBOXSCLX - Required for SCLX with external blowers



ICONIC RANGE HOODS





ZOOM UP AND DOWN MOTION RANGE HOOD

Vanilla Shade with
ZOOMIL16SS400
(Zoom + Light Fixture shown)



Oceana Shade (2 pictured) with
ZOOMIL16SS400
(Zoom + Light Fixture shown)



Zoom with 6 LED Light Fixture
ZOOMIL16SS400

Choose the Zoom Island
Hood (ZOOMIS16SS400-B)
by itself or Zoom Island Hood
plus Ceiling Light Fixture
(ZOOMIL16SS400).

Vanilla or Oceana shades
kits pair with the
(ZOOMIL16SS400).



ICONIC

ZOOM

MODEL	SIZE	COLOR	MOTOR CLASS
ZOOMIL16SS400	16"	Stainless	400 CFM - With Ceiling Lights
ZOOMIS16SS400-B	16"	Stainless	400 CFM - Cylinder Only

ACCESSORIES

FILTER1	Replacement Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
VANILLA-SH	Vanilla Glass Shade Use With ZOOMIL16SS400)
OCEANA-SH	Oceana Stainless Shade Use With ZOOMIL16SS400

Zoom cylinder only (ZOOMIS16SS400-B shown)

FEATURES

Min./Max. Ceiling Height (IL)	8' min - 9' max	Grease Filters	Dishwasher Safe Mesh
Min./Max. Ceiling Height (IS)	7' min - 9' max	Delay Auto Shut Off	30 Minute
Maximum Zoom Movement	34"	Intensive Speed	10 Minute
Up/Down Technology	Yes	24 Hour Anti-Pollution Mode	Yes
Convertible To Recirculating	Yes - Charcoal Kit Included	ADA Compliant	Yes - With Remote Control
Controls	5 Speed LED Digital Control	Perimetric Filter System / Silent Kit	Yes
Lighting (Zoom Hood)	4 x 1 (W) LED - 1 Level	Remote Control	Yes - Included
Lighting (Ceiling Fixture)	6 x 1 (W) LED - 1 Level	Fixed Wiring Box	Yes
Ducting	N/A - Recirculating Only		



ICONIC

CHLOE

MODEL	SIZE	COLOR	MOTOR CLASS
CHLO28BK600	28"	Painted Black	600 CFM
CHLO36BK600	36"	Painted Black	600 CFM

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
CHIMCHBK	Black Chimney Kit (14 1/8" - 29 1/8" H)
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMORIG	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See page 51	Intensive Speed	10 Minutes
Canopy Depth / Height	13 3/4" D / 12 5/8" H	ADA Compliant	Yes - With Remote Control
Convertible To Ductless	Yes With FILTER1/FILTER1LL2	Filter Wash Alarm	Yes
Controls	4 Speed LED Digital Control	Remote Control Option	Yes - Purchase Separately
Lighting	1 x 3 (W) LED Light Bar 2 Level	Perimetric Filter System/ Silent Kit	Yes
Dimmer	Yes	Rear Mounting Bracket	Included
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Fixed Wiring Box	Yes
Grease Filters	Dishwasher Safe Mesh		



CYLINDER

CYLINDRA

MODEL	SIZE	COLOR	MOTOR CLASS
CYLN15SS600	15"	Stainless	600 CFM PRO
ACCESSORIES			
FILTER2	Charcoal Filter Kit		
CFMRED	CFM Reducer Kit (300 CFM)		
CFMRED2	CFM Reducer Kit (400 CFM)		
REMORIG	Remote Control		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES

Min. / Max. Ceiling Height	See page 51	Intensive Speed	10 Minute
Convertible to Recirculating	Yes With FILTER2	24 Hour Anti-Pollution Mode	Yes
Controls	4 Speed LED Digital Control	ADA Compliant	Yes With Remote Control
Lighting	2 x 1 (W) LED - 2 Level	Remote Control Option	Yes - Purchase Separately
Ducting Top	6" Round	Pro Motor W/ Metal Impellers	Yes
Vari-Duct	Yes	Perimetric Filter System / Silent Kit	Yes
Grease Filters	Dishwasher Safe Mesh	Fixed Wiring Box	Yes
Grease Filter Wash Indicator	Yes		
Delay Auto Shut Off	30 Minute		



ISLAND

CYLINDRA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
CYLNIS15SS600	15"	Stainless	600 CFM PRO
ACCESSORIES			
FILTER2	Charcoal Filter Kit		
CFMRED	CFM Reducer Kit (300 CFM)		
CFMRED2	CFM Reducer Kit (400 CFM)		
REMORIG	Remote Control		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

FEATURES


Min./Max. Ceiling Height	See page 51	24 Hour Anti-Pollution Mode	Yes
Convertible to Recirculating	Yes With FILTER2	ADA Compliant	Yes - With Remote Control
Controls	4 Speed LED Digital Control	Remote Control Option	Yes - Purchase Separately
Lighting	2 x 1 (W) LED - 2 Level	Pro Motor W/ Metal Impellers	Yes
Ducting Top	6" Round	Perimetric Filter System/ Silent Kit	Yes
Grease Filters	Dishwasher Safe Mesh	Fixed Wiring Box	Yes
Grease Filter Wash Indicator	Yes		
Delay Auto Shut Off	30 Minute		
Intensive Speed	10 Minute		

FABER MODEL NUMBER SYSTEM

Model Example	Model				Island		Width		Depth or Height		Color		CFM Class				VAM	Model Year
MAES3618SS1200-B	M	A	E	S			3	6	1	8	S	S	1	2	0	0		-B
GLASIS36SS600-B	G	L	A	S	I	S	3	6			S	S	6	0	0			-B
NOPR30SSV	N	O	P	R			3	0			S	S					V	
Blower Needed													N	B				
Island					I	S												
Stainless Steel											S	S						
White											W	H						
Gray											G	R						
Black											B	K						
Black Stainless											B	S						

FABER FACTS

FABER TECHNOLOGIES



FILTER1LL2

LONG LASTING CHARCOAL FILTER

- A Faber first! Wash and recharge charcoal filters up to 8 times
- Lasts up to 4 years vs. the normal charcoal filter that lasts 6 months



Vari-Duct

ADDS DUCTING FLEXIBILITY TO YOUR INSTALLATION!

- Look for the "Vari-Duct" phrase in the price book
- Duct up (vertical) or rotate the blower to the back (horizontal)
- Reduce ducting when on an outside wall and improves performance

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
BAFFLE2	30" Baffle Grease Filter	(2) Stainless Baffle Filters	Glassy Isola, Tender, Tratto Isola
BAFFLE3	36" Baffle Grease Filter	(3) Stainless Baffle Filters	Tender
CFMRED	Cfm Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Scirocco Plus, Scirocco Lux,
CFMRED2	Cfm Reducer Kit	Reducer	Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Glassy, Maestrale 10, Maestrale 18, Ostro, Scirocco Plus, Scirocco Lux,
CHIM2224	SS Chimney Kit 36" - 8 - 9'	Chimney And Hardware	Camino Pro 36 ONLY
CHIM2248	SS Chimney Kit 36" - 9 - 11'	Chimney And Hardware	Camino Pro 36 ONLY
CHIM3424	SS Chimney Kit 48" - 8 - 9'	Chimney And Hardware	Camino Pro 48 ONLY
CHIM3448	SS Chimney Kit 48" - 9 - 11'	Chimney And Hardware	Camino Pro 48 ONLY
CHIMCHBK	Black Chimney Kit	Chimney And Hardware	Chloe BK
CHIMCLPL	Lower Chimney No Grids	Chimney	Classica Plus
CHIMTNDR	Lower Chimney No Grids	Chimney	Tender
CRTRIM30BK	30" Black Front Trim	Front Trim	Cristal 30 Only
CRTRIM30WH	30" White Front Trim	Front Trim	Cristal 30 Only
CRTRIM30BS	30" Black Stainless Front Trim	Front Trim	Cristal 30 Only
CRTRIM36BK	36" Black Front Trim	Front Trim	Cristal 36 Only
CRTRIM36WH	36" White Front Trim	Front Trim	Cristal 36 Only
CRTRIM36BS	36" Black Stainless Front Trim	Front Trim	Cristal 36 Only
DUCT2	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	Bella Isola, Dama Isola, Glassy Isola, Tratto Isola
DUCT4	Ductless Kit	Charcoal, Diverter	Bella, Dama, Glassy, Stilo, Tratto
DUCT5	Ductless Kit	Charcoal, Diverter	Nova Pro
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus, Tender
DUCTDIAM	Ductless Kit	Chimney, Diverter, Grids, Charcoal	Diamante
DUCTGRT30	Ductless Kit	Ss Box With Grills, Charcoal	Maestrale 10, Maestrale 18, Ostro
DUCTGRT36	Ductless Kit	Ss Box With Grills, Charcoal	Maestrale 10, Maestrale 18, Ostro
DUCTSCIR	Ductless Kit	Transition Box, Kick Plate, Charcoal	Scirocco Lux, Scirocco Plus
FILTER1	Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Cristal 24, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
FILTER1LL2	Long Lasting Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Cristal 24, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom
FILTER2	Charcoal Filter	Charcoal	Bella, Bella Isola, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy, Glassy Isola, Stilo, Tratto, Tratto Isola
FILTER4	Charcoal Filter	Charcoal	Inca Smart GR / SS 240 cfm
FILTER5	Charcoal Filter	Charcoal	Levante G, Levante 2
FILTERSCIR	Charcoal Filter	Charcoal	Scirocco Lux, Scirocco Plus
FLANGE3	3 1/4 x 10" transition	10" Round to 3 1/4" x 10" Rectangle Flange	High-Light, Scirocco Lux, Scirocco Plus, Stratus
FLANGE10	Duct Plate	10" Duct plate	High-Light, Scirocco Lux, Scirocco Plus, Stratus
FULL30	30" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL36	36" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18, Ostro
FULL42	42" Full Width Chimney	Chimney And Hardware	Maestrale 10, Maestrale 18
FULL48	48" Full Width Chimney	Chimney And Hardware	Maestrale 18
HIGH2	High Ceiling Chimney Kit	1 Tall Upper Chimney And Internal Structure	Bella Isola, Dama Isola, Glassy Isola, Tratto Isola
HIGH3	High Ceiling Chimney Kit	2 Tall Chimneys	Bella, Dama, Glassy, Nova Pro, Stilo, Tratto
HIGH3BS	High Ceiling Chimney Kit	2 Tall Chimneys	Stilo BSV Only
HIGHCLPL	High Ceiling Chimney Kit	2 Tall Chimneys	Classica Plus
HIGHDIAM	High Ceiling Chimney Kit	1 Tall Upper Chimney	Diamante
HIGHTNDR	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender
HIGHTNDRBS	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender BSV Only
INLBKIT	In-Line Blower Kit	10" Duct Plate With Wiring Box	Inca Pro Plus
LINE24ST	Standard Liner 24"	Liner With Hardware	Inca In Light 21 , Inca Lux 21 , Inca Smart 21
LINE30ST	Standard Liner 30"	Liner With Hardware	Inca HC 29 , Inca In Light 28, Inca Lux 28 ,Inca SD 29, Inca Smart 28
LINE36ST	Standard Liner 36"	Liner With Hardware	Inca HC 29 ,Inca In Light 28, Inca Lux 28 , Inca SD 29, Inca Smart 28
LINE36PT	Pro Liner 36"	Liner With Hardware	Inca HC 35 ,Inca In Light 35, Inca Lux 35 , Inca SD 35
LINSPT301228	Self Supporting Liner 30 x 12	30" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28 , Inca In Light 28, Inca Lux 28
LINSPT361228	Self Supporting Liner 30 x 12	36" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28 , Inca In Light 28, Inca Lux 28

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
MUDAMPER6	6" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto, Tratto Isola,
MUDAMPER8	8" Make Up Air Damper	Damper, Switch And Transformer	Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto, Tratto Isola,
MUDAMPER10	10" Make Up Air Damper	Damper, Switch And Transformer	High-Light, Inca Pro Plus, Maestrale 18, Scirocco Lux, Scirocco Plus, Stratus, Camino Pro
OCEANA-SH	Oceana Stainless Steel Shade	Shade	Zoom IL Only
REMORIG	Wireless Remote Control	Remote Control	Bella, Bella Isola, Chloe, Classica Plus, Cylindra, Cylindra Isola, Dama, Dama Isola, Glassy, Glassy Isola, Inca HC, Inca Lux, Inca SD, Levante II, Levante II Plus, Nova Pro, Scirocco Lux, Stilo, Tender, Tratto, Tratto Isola
TELEMAES	Telescopic Chimney Kit	2 Chimneys With Hardware	Maestrale 10, Maestrale 18, Ostro
TRNSPRO	10" Ducting Transition	Galvanized Metal Transition	Maestrale 18
VANILLA-SH	Vanilla Glass Shade	Shade	Zoom IL Only
WIREBOX	Fixed Wiring Box	Wiring Box With Hood Cabling	Bella, Classica Plus, Cristal 24, Cristal, Dama, Glassy, Inca HC, Inca Lux, Inca In Light, Inca SD, Inca Smart, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stilo, Tender, Tratto
WIREBOXSCLX	Fixed Wire Box (Rb Only)	Wiring Box With Hood Cabling	Scirocco Lux

CEILING MINIMUM / MAXIMUM HEIGHTS

	Ducted Minimum 24" OFF	Ducted Maximum 30" OFF	Recirculating Minimum 24" OFF	Recirculating Maximum 30" OFF	High Ceiling Minimum 24" OFF	High Ceiling Maximum 30" OFF
--	------------------------------	------------------------------	-------------------------------------	-------------------------------------	------------------------------------	------------------------------------

WALL CHIMNEY

Bella	7' 9 1/16"	9' 2 1/8"	7' 9 1/16"	9' 2 1/8"	8' 9 3/8"	11' 5/8"
Chloe*	7' 2 3/8"	8' 8 3/16"	7' 2 3/8"	8' 8 3/16"	N/A	N/A
Camino 24" tall *	7' 7"	8' 11 7/8"	7' 7"	8' 11 7/8"	N/A	N/A
Camino 48" tall *	8' 1"	10' 11 7/8"	8' 1"	10' 11 7/8"	N/A	N/A
Classica Plus	7' 5 9/16"	9' 5 1/4"	7' 9 1/16"	9' 5 1/4"	8' 11 1/16"	11' 8 1/16"
Cylindra	7' 11 1/16"	8' 5 1/16"	7' 11 1/16"	8' 5 1/16"	N/A	N/A
Dama	7' 2 5/16"	9' 1/16"	7' 7 1/16"	9' 1/16"	9' 1 9/16"	11' 2 5/8"
Diamante	7' 5 3/4"	8' 9 3/4"	7' 11 3/8"	8' 10 1/2"	9' 4 3/8"	10' 8 5/8"
Glassy	7' 8"	9' 1/16"	7' 8"	9' 1/16"	8' 8 1/16"	10' 11 1/2"
Nova Pro	7' 5"	8' 11 3/8"	7' 5"	8' 11 3/8"	9' 3/8"	11' 8 7/8"
Stilo	7' 8 1/16"	9' 3/4"	7' 8 1/16"	9' 3/4"	8' 9 3/8"	11' 3/16"
Tender	7' 7 1/2"	9' 10 3/4"	8' 2 3/16"	9' 10 3/4"	9' 6 1/16"	11' 3 11/16"
Tratto	7' 8 1/8"	9' 3/16"	7' 8 1/8"	9' 3/16"	8' 8 1/16"	11' 3/16"

ISLAND CHIMNEY

Bella Isola	7' 5 3/8"	8' 11 3/8"	7' 9 3/4"	8' 11 3/8"	9' 8 7/8"	10' 6 13/16"
Cylindra Isola	7' 6 5/16"	8' 11 13/16"	7' 10 1/4"	8' 11 13/16"	N/A	N/A
Dama Isola	7' 8 1/4"	9' 3"	8' 5/8"	9' 3"	10' 3/16"	10' 10 1/8"
Glassy Isola	7' 4 5/8"	8' 10 5/8"	7' 9"	8' 10 5/8"	9' 8 1/8"	10' 6 1/16"
Tratto Isola	7' 5 3/4"	8' 11 3/4"	7' 10 1/8"	8' 11 3/4"	9' 9 1/4"	10' 7 3/16"

	Ducted Minimum 35" OFF	Ducted Maximum 72" OFF	Recirculating Minimum 35" OFF	Recirculating Maximum 72" OFF	High Ceiling Minimum N/A	High Ceiling Maximum N/A
--	------------------------------	------------------------------	-------------------------------------	-------------------------------------	--------------------------------	--------------------------------

CEILING HOOD

High-Light Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A
Stratus Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A

- All minimums at 24" off the stove, maximums at 30" off the stove
- *Chloe & Camino includes Chimney Duct Cover Accessory (sold separately)
- Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.
- For planning purposes only, see install instructions for final heights

PRODUCT GUIDE 2021



T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

EASTERN CANADA

Head Office & Warehouse
2025 Cunard Street
Laval, QC H7S 2N1

PARTS & SERVICE

service@distinctive-online.com
1-800-561-7265

ORDER DESK

orderdesk@distinctive-online.com