



PRODUCT GUIDE 2021

Updated November 1, 2021

Coyote is a **Distinctive** brand

PRODUCT GUIDE 2021





Coyote Outdoor Living understands the importance of delivering durable products that last a lifetime. All of our grills are built with premium grade 304 stainless steel throughout and have features such as double-walled stainless steel hoods, cast stainless steel burners and zinc nickel alloy knobs. Our specially designed firebox combined with our professional burner system delivers a perfect, even cooking experience every time.

Coyote Outdoor Living products are designed with a strict attention to consistency and aesthetics. Having a tremendous range of products to allow for the most custom of outdoor spaces loses appeal if the products fail to tie the space together with a consistent design aesthetic.



All of our grills feature:

- Complete 304 stainless steel construction, including:
 - Cast Pro-Style stainless steel Infinity Burners™, grates and component parts
 - Double walled, stainless steel hood
 - Continuous weld on the grill box with seamless edges
- Interior grill lighting
- Stainless steel Heat Control Grids™ "C-Series"
- Ceramic briquette Heat Control Grids™ "S-Series"
- Limited lifetime warranty on burners and stainless steel exterior
- Independent burner ignition system





Table of contents

C-Series Grills 4-5
S-Series Grills
Flat Top Grill
Pellet Grills 8
Charcoal & Hybrid Grills
Smoker 10
Portable Grills 11
Specialty Burners & Side Burners 12
Storage 13-14
Refrigeration & Refreshments 15-16
Ventilation Hoods & Liners17
Product & Installation Specifications 18-19
Warranty





C-Series Grills



C1C28



C1C28-FS + C1CSB

(i) EDVOTE (iii)

C2C34

1

C1C28 - 28" BUILT-IN & ON CART GRILL

C1C28NG28" Grill Built-in; NGC1C28LP-FS28" Grill on Cart; LP (Pull out for 20 lb propane tank)C1C28NG-ES28" Grill on Cart; NG (Pull out for 20 lb propane tank)		C1C28LP	28" Grill Built-in; LP
		C1C28NG	28" Grill Built-in; NG
C1C28NG-ES 28" Grill on Cart: NG (Pull out for 20 lb propage tank)	C1C28NG-FS 28" Grill on Cart; NG (Pull out for 20 lb propane tank)	C1C28LP-FS	28" Grill on Cart; LP (Pull out for 20 lb propane tank)
		C1C28NG-FS	28" Grill on Cart; NG (Pull out for 20 lb propane tank)

• 640 sq. in. cooking area

• Up to 40,000 BTU

- Stainless steel heat control grids
 - 304 stainless steel

• Stainless steel heat control grids

• 304 stainless steel

ACCESSORIES

C2C34 - 34" BUILT-IN GRILL

C2C34LP C2C34NG	34" Grill Built-in; 34" Grill Built-in;	,
Three high perfor	mance Coyote Infinity	Interior grill lighting

- Burners™
- 780 sq. in. cooking area
- Up to 60,000 BTU

ACCESSORIES

CSIGRATE12	Signature Laser Cut Grates, 3 pk	C2NG2LP	C-Series & S-Series Conversion Kit NG
CCHTRAY12	Charcoal Tray, 1 pc		to LP
C1GRDL	Heavy Duty Drop-In Griddle	CLPREG	LP Regulator
CSBX	Smoker Box	CNGREG	Natural Gas Regulator
C1C34CT	34" Cart	CINLNREG	In-Line Convertible LP/NG Regulator
CCVR3-BI	34" Grill Cover (Grill Head Only)	CWG34	Wind Guard for 34"
CCVR3-CT	34" Grill Cover (Grill on Cart)	CBRIQ34	34" Ceramic Control Grid (3 pc set)
C1CSBLP	Single Side Burner for Carts; LP	CJAKTCC3	Insulated Jacket for 34"
C1CSBNG	Single Side Burner for Carts; NG	CROTC3	Rotisserie Kit for 34"
C2LP2NG	C-Series & S-Series Conversion Kit LP		
	to NG		





C-Series Grills



0 0-0

C2C36 + C1S36CT

۲

C2C36 - 36" BUILT-IN GRILL

C2C36LP	28" Grill Built-in;	LP	
C2C36NG	28" Grill Built-in;	NG	
• Four hig	h performance Coyote Infinity Burne	ers™ • Interio	r grill lighting
• 875 sq. i	n. cooking area	Stainle	ess steel heat control grids
• Up to 80	,000 BTU	• 304 st	ainless steel
CSIGRATE12	Signature Laser Cut Grates, 3 pk	CLPREG	LP Regulator
CSIGRATE12 CCHTRAY12	Signature Laser Cut Grates, 3 pk Charcoal Tray, 1 pc	CLPREG CNGREG	LP Regulator Natural Gas Regulator
CCVR36-BI	36" Grill Cover (Grill Head Only)	CINLNREG	In-Line Convertible LP/NG Regulato
CCVR36-CT	36" Grill Cover (Grill on Cart)	CJAKTCS36	Insulated Jacket for 36"
C1S36CT	36" Cart	CROT36	Rotisserie Kit for 36"
C1CSBLP	Single Side Burner for Carts; LP	C2BRIQ36	36" Heat Control Grid (4 pc set)
C1CSBNG	Single Side Burner for Carts; NG	CSBX	Smoker Box
C2LP2NG	C-Series & S-Series Conversion Kit LP	C1GRDL	Heavy Duty Drop-In Griddle
	to NG	COYVENT	Stainless Steel Island Vent
C2NG2LP	C-Series & S-Series Conversion Kit NG	CWG36	Wind Guard for 36"



C2C42 - 42" BUILT-IN GRILL

C2C42LP	42" Grill Built-in; LP
C2C42NG	42" Grill Built-in; NG

- Five high performance Coyote Infinity Burners™ Interior grill lighting ٠
- 1275 sq. in. cooking area •
- Up to 100,000 BTU •

- . Stainless steel heat control grids
- 304 stainless steel •

ACCESSORIES

CSIGRATE15	Signature Laser Cut Grates, 3 pk	CLPREG	LP Regulator
CCHTRAY15	Charcoal Tray, 1 pc	CNGREG	Natural Gas Regulator
C1S42CT	42" Cart	CINLNREG	In-Line Convertible LP/NG Regulator
CCVR42-BI	42" Grill Cover (Grill Head Only)	CJAKTCS42	Insulated Jacket for 42"
CCVR42-CT	42" Grill Cover (Grill on Cart)	CROT42	Rotisserie Kit for 42"
C1CSBLP	Single Side Burner for Carts; LP	C2BRIQ42	42" Heat Control Grid (5 pc set)
C1CSBNG C2LP2NG C2NG2LP	Single Side Burner for Carts; NG C-Series & S-Series Conversion Kit LP to NG C-Series & S-Series Conversion Kit NG to LP	CSBX C1GRDL COYVENT CWG42	Smoker Box Heavy Duty Drop-In Griddle Stainless Steel Island Vent Wind Guard for 42"





S-Series Grills



C2SL30LP



C2SL30LP-FS



C2SL36LP

C2SL30 - 30" BUILT-IN & ON CART GRILL

30" Grill Built-in LP
30" Grill Built-in NG
30" Grill on Cart LP
30" Grill on Cart NG

- Two high performance Coyote Infinity Burners™
- One infrared rear burner
- One Coyote RapidSear™ infrared burner
- 700 sq. in. cooking area ٠
- Ceramic Briquette Heat Control Grids
- LED illuminated knobs

ACCESSORIES

CCHTRAY12	Charcoal Tray, 1 pc
CCVR30-BI	30" Grill Cover (Grill Head Only)
CCVR30-CT	30" Grill Cover (Grill plus Cart)
C1CSBLP	Single Side Burner for Carts; LP
C1CSBNG	Single Side Burner for Carts; NG
C2LP2NG	C-Series & S-Series Conversion
	Kit LP to NG
C2NG2LP	C-Series & S-Series Conversion
	Kit NG to LP

- Rotisserie kit and smoker box included
- Up to 70,000 BTU
- Interior grill lighting
- Stainless steel heat control grids •
- 304 stainless steel
- Integrated wind guard ٠

CLPREG	LP Regulator
CNGREG	Natural Gas Regulator
CINLNREG	In-Line Convertible LP/NG Regulator
CWG30	Wind Guard for 30"
CJAKTCS30	Insulated Jacket for 30"
CSIGRATE15	Signature Laser Cut Grates, 3 pk
C1GRDL	Heavy Duty Drop-In Griddle
COYVENT	Stainless Steel Island Vent

C2SL36 - 36" BUILT-IN GRILL

C2SL36LP	36" Grill Built-in; LP
C2SL36NG	36" Grill Built-in; NG

- Three high performance Coyote Infinity Burners™ •
- One infrared rear burner
- One Coyote RapidSear™ infrared burner
- 875 sq. in. cooking area
- Ceramic Briquette Heat Control Grids .
- LED illuminated knobs

- Rotisserie kit and smoker box included
- Up to 90,000 BTU
- Interior grill lighting
- Stainless steel heat control grids
- 304 stainless steel
- Integrated wind guard

ACCESSORIES





S-Series Grills



C2SL - 42" BUILT-IN GRILL

0	C2SL42LF C2SL42N			
		h performance Coyote Infinity Burners™		erie kit and smoker box included
C2SL42LP	 One infra One Coy 1275 sq. Ceramic 	ared rear burner ote RapidSear™ infrared burner in. cooking area Briquette Heat Control Grids ninated knobs	 Up to 1 Interior Stainle 304 state 	10,000 BTU r grill lighting ss steel heat control grids ainless steel ated wind guard
	C2LP2NG C2NG2LP CLPREG CNGREG CINLNREG CWG42 CJAKTCS42	C-Series & S-Series Conversion Kit LP to NG C-Series & S-Series Conversion Kit NG to LP LP Regulator Natural Gas Regulator In-Line Convertible LP/NG Regulator Wind Guard for 42" Insulated Jacket for 42"	CROT42 CSIGRATE15 CCHTRAY15 CSBX CIGRDL COYVENT	Rotisserie Kit for 42" (included with grill) Signature Laser Cut Grates, 3 pk Charcoal Tray, 1 pc. Smoker Box Heavy Duty Drop-In Griddle Stainless Steel Island Vent

Flat Top Grill



NEW!

C1FTG30 - 30" FLAT TOP GRILL

C1FTG30 C1FTG30			-	
 Two indizones 	vidually and accurately controlled hea	t•	Up to 1 total)	7,000 BTU per burner (2 burners
 Heavy gauge food grade cooking surface allows for even heating and easy cleaning 		 Complete 304 stainless steel construction Includes stainless steel cover for cooking surface 		
 LED light safety feature indicates when gas supply is on or off 				
11.5				able grease trap easily accessible Ie as a built-in or free-standing
ACCESSOR	ES			
C1FTCART C1FTLP2NG C1FTNG2LP	Freestanding cart (sold separately) C1FTG30 Conversion Kit LP to NG C1FTG30 Conversion Kit NG to LP	CCVF	RFT-BI RFT-CT CTCS30	Custom-fit vinyl cover (head only) Custom-fit vinyl cover (head plus cart Insulated Jacket for 30"





Pellet Grills



C1P28

C1P28



C1P28 - 28" BUILT-IN & ON CART PELLET GRILL

28" Pellet Grill

 Intuitive digital touch control 	• Led light for temperature probes
• Dual fan, auger & drip tray	Laser cut grates
• Smart drop™ pellet feed	Built-in timer & wind guard
 Front loading pellet hopper 	• 3 food temperature probes included
Spring assist hood	Electric power ignition (120V; 5A; 60HZ)
 Double-walled canopy with gasket 	Individual smoke & sear grate included
• Versa-Rack™ for multiple cooking surfaces	Hopper capacity of 12 lbs
• 304 Stainless steel	• Temperature range of 175°F - 650°F
Interior grill lighting	• Total Cooking Surface = 800 sq. in.

CCVR28P-BI28" Pellet Grill Built-In CoverCCVR2-CT28" Grill Cover (Grill on Cart)CSSD2828" Single Storage Drawer

CJAKTC1P28 28" Pellet Grill Insulated Jacket



C1P36



C1P36-FS

C1P36 - 36" BUILT-IN & ON CART PELLET GRILL

	C1P36 C1P36-FS	36" Pellet Grill 36" Pellet Grill on (Cart	
	Intuitive digital touch	control	•	Led light for temperature probes
•	Dual fan, auger & drip	tray	•	Laser cut grates
•	Smart drop™ pellet fee	ed technology	•	Built-in timer & wind guard
•	Front loading pellet hopper		•	3 food temperature probes included
•	Spring assist hood		•	Electric power ignition (120V; 5A; 60HZ)

- Double-walled canopy with gasket
- Versa-Rack™ for multiple cooking surfaces
- 304 Stainless steel
- Interior grill lighting

ACCESSORIES

CCVR36P-BI36" Pellet Grill Built-In CoverCCVR36-CT36" Grill Cover (Grill plus Cart)CSSD36CSSD3636" Single Storage Drawer

- Individual smoke & sear grate included
- Hopper capacity of 12 lbs
- Temperature range of 175°F 650°F
- Total Cooking Surface = 1056 sq. in.

CJAKTC1P36 36" Pellet Grill Insulated Jacket





Charcoal & Hybrid Grills



C1HY50 - 50" HYBRID GRILL

C1HY50LP C1HY50NG

Charcoal Grill

•

• Adjustable fuel tray

Over 600 sq. in. of grilling surface

For use with charcoal or wood chips

• Adjustable dampers for controlling air flow

28" Grill Built-in; LP 28" Grill Built-in; NG

C1HY50

Gas Grill

- 2 high performance Coyote iBurners™
- Over 600 sq. in. of grilling surface •
- Up to 40,000 BTU •
- Interior lights

ACCESSORIES

CCVR50-BI	CH50 Grill Cover (Grill Head Only)	CBRIQ50	50" Ceramic Flavorizer (2 pc set)
CCVR50-CT	CH50 Grill Cover (Grill plus Cart)	CSBX	Smoker Box
C1HY50CT	50" Cart	COYVENT	Stainless Steel Island Vent
C136LP2NG	C1HY50 Conv Kit LP to NG	CLPREG	LP Regulator
C136NG2LP	C1HY50 Conv Kit NG to LP	CNGREG	Natural Gas Regulator
C1GRDL	Heavy Duty Drop-In Griddle	CINLNREG	In-Line Convertible LP/NG Regulator
CLMP	20lb Hardwood Lump Charcoal		



C1CH36

C1CH36 - 36" DROP-IN CHARCOAL GRILL

C1CH36

Coyote 36" Charcoal Grill

- Adjustable fuel tray
- Fuel tray rests on drawer that pulls out for easy Adjustable dampers for controlling air flow . access to charcoal
- · For use with charcoal or wood chips
- Over 875 sq. in. of grilling surface

ACCESSORIES

CCVR36-BI	36" Grill Cover (Grill Head Only)	CSBX	Smoker Box
CCVR36-CT	36" Grill Cover (Grill plus Cart)	CROT36	Rotisserie Kit for C1CH36
C1CH36CT	36" Charcoal Cart	CWG36	Wind Guard for 36"
C1GRDL	Heavy Duty Drop-In Griddle	COYVENT	Stainless Steel Island Vent
CLMP	20lb Hardwood Lump Charcoal		





Adjustable venting to maintain precise

Grid Grippers

Asado Insert Sleeve

20lb Hardwood Lump Charcoal

ASADO-ACC Asado Accessory Bundle

cooking temperatures

Smoke, sear, grill option

ASADO-CVR Asado Cover

Smoker



C1CHCS - ASADO SMOKER

C1CHCS C1CHCS-FS Asado Smoker Built-in Asado Smoker Free-Standing

•

•

ASADO-GG

C1SLV

CLMP

• Standard Coyote Signature Smoking Grate™ for perfect heat diffusion

Asado Smoker Cart

Asado Heat Deflector

Universal cart for C1PB, C1CHCS, CRC

• Heat-resistant ceramic construction

Pizza Stone

Chicken Throne

• 254 sq. in. of cooking area

ACCESSORIES

C1CHCS-CT

ASADO-PS

ASADO-HD


C2UNCT

C1CHCS-FS

ASADO-CT

17

C1CHCS + C2UNCT







Portable Grills

	C1EL -	ELECTRIC GRILL
COYOTE	C1EL120SI	M Electric Port
	Electric (120V - 1300W - 11A - 60 Hz)

C1EL120SM



C1ELCT21 Pedestal Cart for Electric Grill C2ELISL

156 sq. in. cooking area

304 stainless steel

ACCESSORIES

5,000 hour heating element

550° F maximum temperature

C1EL120SM + C1ELCT21

6		соуота
8	1) versioner, ()	$\overline{\mathbf{O}}$

C1PORTLP

C1PORT - PORTABLE GRILL

C1PORTLP

Liquid Propane Portable Grill

Electric Portable Grill - 120V

•

•

•

٠

•

- 200 sq.in. cooking area
- 316 marine grade stainless steel
- Signature grate cooking surface
- Can be used with 20lb propane tank or a small propane canister (adapter included)
- Ceramic Heat Control Grid

ACCESSORIES

CCVRPG-CT Portable Grill Cover

- One Infinity Burner Capable of up to 20,000
 BTU's
- 700 ° F maximum temperature
- Removable drip tray for easy cleaning

Cover & 2 Piece Tool Set Included

Electric Grill Island

60 minute safety timer with surge protector

Removable frame for built-in application

Teflon coated cooking surface

Ceramic flavorizer


• Dimensions: 13-1/2" (H) x 25" (W) x 16" (D)





Specialty Burners and Side Burners

C1PB - 24" POWER BURNER





C1PBLP+ C2UNCT



C1SB



C1DB

SINGLE & DUAL BURNERS

C1SBLP	Single Side Burner; LP
C1SBNG	Single Side Burner; NG
C1DBLP	Double Side Burner; LP
C1DBNG	Double Side Burner; NG
C1CSBLP	Single Side Burner for Carts; LP
C1CSBNG	Single Side Burner for Carts; NG
• Single Burner: One 15,	000 BTU Brass burner • Stainless steel lid included

• Dual Burner: Two 15,000 BTU Brass burner

ACCESSORIES

CCVRSB-BI Single Side Burner Cover CCVRDB-BI Double Side Burner Cover CJAKTCISB Insulated Jacket for CISB

• 304 stainless steel

CJAKTC1DB Insulated Jacket for C1DB COYVENT Stainless Steel Island Vent





Storage



CSA2417



CDA2426

•

ACCESS DOORS

CSA1420	Single Access Door 14" x 20"
CSA1724	Single Access Door 17" x 24"
CSA2014	Single Access Door 20" x 14"
CSA2417	Single Access Door 24" x 17"
CDA2426	Double Access Door 24"X26"
CDA2431	Double Access Door 24" X 31"
CDA2436	Double Access Door 24" X 36"
CDA2439	Double Access Door 24" X 39"

- Single & double hinged doors for built-in island ٠ applications
- Rigid construction to ensure long term durability
- Completely constructed with 304 stainless • Open interior for island/wall access capability steel Beveled trim
- Professional style Coyote stainless steel handle
- Commercial quality hinges for smooth operation



CDPC31

C2DC

DRAWERS/STORAGE

C2DC	2 Drawer Cabinet
C3DC	3 Drawer Cabinet
CSSD	Single Storage Drawer
CDPC31	31" Dry Pantry Storage

All cabinets are made of rigid, premium stainless steel with a consistent beveled trim and professional handles.



SPECIALTY DRAWERS

СТС	Pull Out Trash and Recycle
CSTC	Single Pull Out Trash and Recycle
CPOD	Pull Out Drawer (Trash Can/LP Tank)
CPTH	Paper Towel Holder
CSPRK	Spice Rack



All cabinets are made of rigid, premium stainless steel with a consistent beveled trim and professional handles.



COMBINATION STORAGE SOLUTIONS

Combo Door and Drawer

All cabinets are made of rigid, premium stainless steel with a consistent beveled trim and professional handles.

Pull Out Drawer plus Double Access Doors

Two Drawer Cabinet plus Double Access Doors

Warming Drawer plus Pullout Drawer and Access Door



Storage



CCD-POD



CCD-2DC





CWD

WARMING DRAWER

CCD-POD

CCD-2DC

CCD-WD

CCD-2DC31

CWD	30" Warming Dra	awe	r
Premium stainles	ss steel construction	•	External on/off light with hidden controls
• Internal, 400 wa element	tt, variable electric heating	•	Full extension drawer on rollers for smooth operation
• Up to 140 degre	es of heating capability	•	Outdoor certified

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

14





Refrigeration & Refreshments



REFRIGERATION

Contractor in the local division in the loca	CBIR-R	21" Built-in Refrig	g; Right Hinge
	CBIR-L	21" Built-in Refrig	
	C1BIR24-R	24" Built-in Refri	g; Right Hinge
	C1BIR24-L	24" Built-in Refri	
BIR24			
~~~	Standard lock (on C1B	IR24)	Graphite interior (C1BIR24)
	• Outdoor rated, freesta	nding refrigerator	Interior light and adjustable digital thermosta
	Automatic defrost		Front vented for built-in application
	Stainless steel cabinet     interior	construction; graphite	Hidden hinge with left or right swing
	• Capacity: CBIR - 4.1 cu	ıbic feet	
	C1BIR24 - 5.	E cubic foot	
	CIDIN24 - J.	S CUDIC IEEL	
	ACCESSORIES	S CUDIC TEEL	
			C1BIR24TK 24" Refrigerator Trim Kit
	ACCESSORIES		C1BIR24TK 24" Refrigerator Trim Kit
	ACCESSORIES	tor Trim Kit	
	ACCESSORIES CBIR21TK 21" Refrigera CRC - 30" REI	tor Trim Kit	CENTER
	ACCESSORIES CBIR21TK 21" Refrigera	tor Trim Kit	CENTER
Lar	ACCESSORIES CBIR21TK 21" Refrigera CRC - 30" REI	tor Trim Kit FRESHMENT 30" Refreshment	CENTER
	ACCESSORIES CBIR21TK 21" Refrigera CRC - 30" REI	tor Trim Kit FRESHMENT 30" Refreshment rel construction	CENTER t Center • Convenient shelf in front of sink
CH :	ACCESSORIES CBIR21TK 21" Refrigera CRC - 30" REI CRC • Premium stainless ste	tor Trim Kit FRESHMENT 30" Refreshment rel construction er with drain	<b>CENTER</b> t Center



#### CRC + C2UNCT



### **CDIC - 25" DROP-IN COOLER**

С	DIC 25" Drop In Co	oler		
•	Drops into countertop for easy access	• Dra	ain hole with plug included	
	Fully insulated	• Ca	anacity of 21 cubic feet	

Fully insulated

Capacity of 2.1 cubic feet .





## **Refrigeration & Refreshments**



### **CPOC - 27" PULL OUT ICE CHEST**

- 27" Pull Out Ice Chest
- 27" Pull Out Ice Chest •
- Full extension drawer with commercial quality rails
- Fully insulated •

- Drain hole with plug included
- Capacity of 3.8 cubic feet •
- Removable condiment trays



### SINKS

CPOC

C1SINK1618	16" Sink - Universal Mount (no faucet)
C1SINKF21	21" Sink w/ Faucet, Drain & Soap Dispenser
Universal Mount	Drain Included

- Universal Mount 304 Stainless Steel .

C1SINK1618





## **Ventilation Hoods & Liners**



### CHIMNEY HOODS (BODY ONLY)

C1HOOD36 C1HOOD42 C1HOOD48 36" W x 30" D Chimney Hood 42" W x 30" D Chimney Hood 48" W x 30" D Chimney Hood

- Easy to clean Baffle Filters
- Deep 30" design for outdoor use
- Bright halogen lighting

C1BLOW1200 1200 CFM Blower

height)

• Variable speed control with lighted On/Off

Low Flue (for ceilings 8' - 8'6" in height)

Medium Flue (for ceilings 8'6" - 9'8" in

#### ACCESSORIES

C1FLUE8

C1FLUE10

- C1FLUE12
  - High Flue (for ceilings 9'8" 12' in height)

C1HOOD42 + C1FLUE10 + C1BLOW1200



### **INSERTS**

C1LINER36	36" W x 30" D Insert
C1LINER42	42" W x 30" D Insert
C1LINER48	48" W x 30" D Insert

- Easy to clean Baffle Filters
- Deep 30" design for outdoor use
- Bright halogen lighting
- Variable speed control with lighted On/Off

#### ACCESSORIES

C1BLOW1200 1200 CFM Blower

• Heat sentry for greater reliability

• Heat sentry for greater reliability

Removable grease drip rail

304 stainless steel

- Removable grease drip rail
- 304 stainless steel





## **Product & Installation Specifications**

Model	Product Description	Cut	out Dimens	ions	Overall Dimensions		Total BTU	Electrical Require- ments		
	Grills	Height	Width	Depth	Height	Width	Depth	LP	NG	120 VAC
C1C28	28" Grill w/ Hood Lights	10 1/4"	25"	20 1/2"	23"	28"	25 1/2"	40000	40000	Qty 1
C2C34	34" Grill w/ Hood Lights	10 1/4″	31″	20 1/2"	23″	34'	25 1/2"	60,000	60,000	Qty 1
C2C36	36" Grill w/ Hood Lights	10 1/4"	32 1/2"	20 1/2"	23″	35 1/2"	25 1/2"	80,000	80,000	Qty 1
C2C42	42" Grill w/ Hood Lights	10 1/4″	39 1/2″	20 1/2"	23″	42 1/2"	25 1/2"	100,000	100,000	Qty 1
C1S36	36" Grill w/ Hood Lights	10 1/4"	32 1/2"	20 1/2"	23″	35 1/2"	25 1/2"	90,000	90,000	Qty 1
C2SL30	30" Grill w/ Hood & LED Lights	10 1/4″	27"	20 1/2"	23″	30″	25 1/2"	70,000	70,000	Qty 1
C2SL36	36" Grill w/ Hood & LED Lights	10 1/4″	32 1/2"	20 1/2"	23″	35 1/2"	25 1/2"	90,000	90,000	Qty 1
C2SL42	42" Grill w/ Hood & LED Lights	10 1/4"	39 1/2"	20 1/2"	23″	42 1/2"	25 1/2"	110,000	110,000	Qty 1
C1HY50	50" Hybrid Grill w/ Hood Lights	12 1/2"	47 3/4"	20 1/2"	25 1/4″	50″	25 1/2"	40,000	40,000	Qty 1
C1CH36	36" Charcoal Grill	12 1/2"	32 1/2"	20 1/2"	25 1/4"	35 1/2"	25 1/2"	N,	/Α	Qty 1
C1CHCS	Asado Smoker	17″	22 1/2"	22 1/2"	34"	22 1/4″	22 1/4"	N,	/Α	None
C1EL120SM	Electric Grill Manual Control	3 3/8"	16″	15″	11 3/8″	18 1/8″	16 1/14″	N,	/Α	Qty 1
C1PORTLP	Portable Grill		N/A		13 1/2"	25″	16″	20,000	N/A	None
C1P28	28" Pellet Grill	16-1/2"	26-1/4"	23"	31″	28″	27"	8,000 BT	U Per/Hr	Qty 1
C1P36	36" Pellet Grill	16-1/2"	34 1/4"	23″	31″	36″	27"	8,000 BT	U Per/Hr	Qty 1
C1FTG30	30" Flat Top Grill	10-1/4"	27 1/4″	20-1/2″	13-1/2″	30″	25-1/2"	34,000	34,000	Qty 1
	Side Burners	Height	Width	Depth	Height	Width	Depth	LP	NG	
C1SB	Coyote Single Side Burner	10 1/4″	10 1/8″	13 5/8″	13″	11 3/8″	17″	15,000	15,000	None
C1DB	Coyote Dual Side Burner	10 1/4"	11 7/8″	20 1/4″	13″	13 1/8″	23 1/4"	30,000	30,000	None
C1PB	Coyote Power Burner	10 1/4"	21″	21″	13″	24″	24 1/4"	60,000	60,000	None
	Insulated Jackets	Height	Width	Depth	Height	Width	Depth		Notes	
CJAKTCC2	Insulated Jacket for 28" Grills	11″	28 1/4″	22 1/8″	11"	30 1/8″	23"	For Co	mbustible Co	nstruction
CJAKTCC3	Insulated Jacket for 34" Grills	11″	34 1/4"	22 1/8″	11″	36 1/8″	23"	For Co	mbustible Co	nstruction
CJAKTCS30	Insulated Jacket for 30" Grills	11″	30 3/4"	22 1/8″	11″	32 3/8″	23″	For Co	mbustible Co	nstruction
CJAKTCS36	Insulated Jacket for 36" Grills	11″	35 3/4"	22 1/8″	11″	37 5/8"	23″	For Co	mbustible Co	nstruction
CJAKTCS42	Insulated Jacket for 42" Grills	11″	42 1/4"	22 1/8″	11″	44 1/8"	23″	For Co	mbustible Co	nstruction
CJAKTC1P28	Insulated Jacket for 28" Pellet Grill	17 1/4″	27 1/4″	22 1/2"	17 3/4"	30″	24 3/4"	For Co	mbustible Co	nstruction
CJAKTC1P36	Insulated Jacket for 36" Pellet Grill	17 1/4″	35 1/4	22 1/2"	17 3/4"	37 3/4"	24 3/4"	For Co	mbustible Co	nstruction
CJAKTC1SB	Insulated Jacket for C1SB	11″	13 3/4"	16″	11″	15 1/4″	16 3/4″	For Co	mbustible Co	nstruction
CJAKTC1DB	Insulated Jacket for C1DB	11″	15 1/2″	22 1/4"	11″	17″	23"	For Co	mbustible Co	nstruction
CJAKTC1PB	Insulated Jacket for C1PB	11″	22 1/8″	21 7/8″	11″	24 7/8″	22 3/4"	For Co	mbustible Co	nstruction
	Access Doors	Height	Width	Depth	Height	Width	Depth		Notes	
CDA2426	26" Double Access Door	20 1/2"	20 3/4″	1″	24"	24 1/4″	3"		N/A	
CDA2431	31" Double Access Door	20 1/2"	26 1/2″	1″	24″	30″	3″	N/A		
CDA2436	36" Double Access Door	20 1/2"	31 3/4"	1″	24″	35 1/2"	3″		N/A	
CDA2439	39" Double Access Door	20 1/2"	34 1/2"	1″	24″	38″	3″		N/A	
CSA2014	Single Access Door 20" x 14"	20 1/2"	14 1/2″	1″	22"	16″	3″		N/A	
CSA1420	Single Access Door 14" x 20"	14 1/2"	20 1/2"	1″	16″	22"	3″		N/A	
CSA2417	Single Access Door 24" x 17"	24 1/2"	17 1/2″	1″	26″	19″	3″		N/A	
CSA1724	Single Access Door 17" x 24"	17 1/2"	24 1/2"	1″	19″	26″	3"		N/A	





## **Product & Installation Specifications**

Model	Product Description	Cut	out Dimens	ions	Overall Dimensions			Elect Total BTU Ratings Requ mer	
	Drawers	Height	Width	Depth	Height	Width	Depth	Notes	
C2DC	2 Drawer Cabinet	20 1/2″	14 1/2″	17 1/2″	22″	16 1/4"	18″	N/A	
C3DC	3 Drawer Cabinet	24 1/2"	16 3/4″	17 1/4″	26″	18 1/2″	18″	N/A	
CSSD	Single Storage Drawer	13 1/2″	31 1/2"	20 1/2"	15″	32 1/2"	21 1/4″	N/A	
CDPC31	31" Dry Pantry	20 1/2"	26 1/2"	23″	24″	30″	24″	N/A	
СТС	Dual Pull Out Trash & Recycle	24″	24"	18″	26 1/4″	26 3/4"	19"	N/A	
CSTC	Single Pull Out Trash & Recycle	23 7/8″	11 3/8″	18″	26 1/4″	14 3/8″	18 7/8″	N/A	
CPOD	LP Tank or Trash Drawer	20 1/2"	14 1/4″	17 1/2″	22″	15 1/2″	18″	N/A	
СРТН	Paper Towel Holder	8 1/4"	13 1/2″	8″	10″	15″	9″	N/A	
CSPRK	Spice Rack	25″	7 1/2″	17 1/8″	26 1/4″	8 3/4"	18″	N/A	
CWD	Warming Drawer	9 1/2"	28 1/4″	23 1/2"	10 3/4"	29 1/2″	26 3/4"	N/A	
CSSD28	28" Storage Drawer	12 1/4"	25 1/4″	25 1/2"	16"	28"	26 1/2"	N/A	
CSSD36	36" Storage Drawer	12 1/4"	33 1/4"	25 1/2"	16"	36"	26 1/2"	N/A	
	Combo Drawers	Height	Width	Depth	Height	Width	Depth	Notes	
CCD-2DC	Double Drawer Combo	20 1/4″	43 3/8"	17 1/8″	24 1/8″	45 1/4″	18 3/8″	N/A	
CCD-2DC31	31" Double Drawer Combo	20 1/2"	26 1/2″	20 1/8″	24″	30″	21 1/8″	N/A	
CCD-POD	Pull Out Drawer Combo	20 3/8″	43 3/8"	17 1/2"	24 1/8″	45 1/4″	18″	N/A	
CCD-WD	Warming Drawer Combo	19 1/2″	40 5/8″	25 1/4″	20 3/4"	42 1/8″	26 1/2"	Qty 1 Plug Needed - unit	is 450 Watt
Refrig	eration & Refreshment Centers	Height	Width	Depth	Height	Width	Depth	Notes	
CBIR	4.1 Outdoor Refrigerator	34″	20 3/4"	23″	33 3/4"	20 1/2"	22 3/4"	Qty 1 Plug Needed - Ver Front	ited Bottom
C1BIR24	5.5 Outdoor Refrigerator	33 1/4"	23 3/4"	22 3/4"	33"	23 1/2"	22 1/2"	Qty 1 Plug Needed - Ver Front	ited Bottom
CBIR21TK	CBIR Refrigerator Trim Kit	34″	20 3/4″	1″	35″	22 3/4"	1″	N/A	
C1BIR24TK	C1BIR24 Refrigerator Trim Kit	33 1/4"	23 3/4"	1″	34 1/4"	25 3/4″	1″	N/A	
CDIC	Drop In Cooler	12″	23 1/4"	17 1/4″	15″	24 1/2"	18″	Can be turned in eithe	r direction
CPOC	Pull Out Ice Chest	17 1/2″	23 3/4"	24 3/4"	20 1/2"	26 3/4"	25 1/2"	N/A	
C1SINK1618	Sink - Universal Mount	13″	14 3/4"	17 1/8″	13″	15 3/4"	17 3/4″	Includes drain but n	o faucet
CRC	Refreshment Center	10″	29 1/4"	22 3/4"	10 3/4"	30 1/4″	29″	Drain Hose Inclu	ded





### Warranty

Coyote Outdoor Living, Inc. issues this limited warranty to the original purchaser at the original site of delivery with proof of purchase and specifically warrants that the Outdoor Gas grill when subject to normal residential use, will be free from defects in workmanship and materials for the periods specified below. This limited warranty is not transferable and specifically excludes any grill used in a commercial setting, where anyone other than the original purchaser (homeowner) would be using and maintaining the grill. This limited warranty specifically excludes all issues that may arise from surface corrosion, scratches, and discoloration during regular use. This limited warranty does **NOT COVER LABOR OR LABOR RELATED CHARGES** and there will be shipping and handling charges for the delivery of part(s).

COMPONENT	WARRANTY PERIOD
Cooking Grids (no rust or burn through)	5 years (limited)
Flavorizer Bars (no rust or burn through	2 years (limited
Electric/Plastic Components	2 years (limited)
Ignition systems/Valves	1 year (limited)
Stainless steel frame/housing	Limited Lifetime
Stainless Steel Burners (no rust or burn through)	Limited Lifetime

Coyote Outdoor Living, Inc.'s obligation under this limited warranty is limited solely to repair or replacement, at our option, of the pertinent component during the warranty period, and the extent of any liability of Coyote Outdoor Living, Inc. under this warranty is limited to repair or replacement. This limited warranty does not cover normal wear of parts or damage resulting from any of the following: negligent use or misuse of the product, use of an improper fuel/gas supply, use contrary to operating instructions, or alteration by any person other than a factory service center. The above warranty periods are not extended by any repair or replacement.

Please see Coyote Outdoor Living website at www.coyoteoutdoor.com for full warranty terms and conditions. This information is subject to change without notice. See website for most current information.





## Notes

 · · · · · · · · · · · · · · · · · · ·
 · · · · · · · · · · · · · · · · · · ·





## Notes

· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
 ······································
· · · · · · · · · · · · · · · · · · ·
 ·····

22





## Notes




# PRODUCT GUIDE 2021



**T 800 361 0799** F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

### EASTERN CANADA

Head Office & Warehouse 2025 Cunard Street Laval, QC H7S 2N1

### WESTERN CANADA

Showroom Unit 120 - 11120 Horseshoe Way Richmond, BC V7A 5H7

#### PARTS & SERVICE

service@distinctive-online.com 800 561 7265

#### **ORDER DESK**

orderdesk@distinctive-online.com

Coyote is a **Distinctive** brand