



PRODUCT GUIDE **2022**

UPDATED JANUARY 2022

ABOUT FORNO			3
COOKING APPLIANCES			4
	DUAL FUEL RANGES	FFSGS6125-30	5
		FFSGS6125-36	6
		FFSGS6125-48	7
	GAS RANGES	FFSGS6239-30	8
		FFSGS6239-36	9
		FFSGS6239-48	10
		FFSGS6244-36	11
		FFSGS6244-48	12
		FFSGS6275-30	13
		FFSGS6291-36	14
		FFSGS6291-48	15
	INDUCTION COOKTOPS	FCTIN0539-36	16
		FCTIN0545-30	17
VENTILATION APPLIANCES			18
	RANGE HOODS	FRHWM5084-30	19
		FRHWM5084-36	19
		FRHWM5029-30	20
		FRHWM5029-36	20
		FRHWM5029-48	20
		FRHWM5074-22	21
		FOTR3079-24	21
COOLING APPLIANCES			22
	REFRIGERATORS	FFFFD1933-28RS	23
		FFFFD1933-28LS	23
	WINE COOLER	FWCDR6661-30S	24
		FWCDR6628-24S	24
WARRANTY			25

QUALITY, AFFORDABILITY, PERFORMANCE... REDEFINE YOUR LUXURY KITCHEN APPLIANCE EXPERIENCE.

Forno is a revolutionary upscale kitchen collection merging classic Italian concepts with true professional performance and design.

Our philosophy will always stay true to one single principle:
Lower the cost of living by providing high-quality affordable
luxury without sacrificing performance and durability.

From world-renowned artisans to timeless culinary classics, Italian culture
has forever changed the way modern society views their kitchen...

Forno takes the pinnacle of Italian creativity and combines this trait with true
American commercial designs. The results are an innovative culinary
renaissance like no other...



COOKING APPLIANCES

Experience true Italian ethos physically embodied in classic American commercial designs. Our engineers have perfected the art of affordable luxury without sacrificing long-term performance or durability.



PRODUCT

MODEL

WIDTH

FINISH



FREE-STANDING PRO-STYLE DUAL FUEL RANGE

FFSGS6125-30

30"

304 STAINLESS STEEL

GAS COOKING SURFACE SPECIFICATIONS

- 5 Italian Defendi Sealed Burners
- Center Dual Burner 20,000 / Simmer 1,000
- Front Left: 15,000 BTU
- Front Right: 15,000 BTU
- Rear Left: 9,000 BTU
- Rear Right: 9,000 BTU
- Automatic Ignition
- Wok Ring Accessory
- Black Enameled Cooktop
- Cast Iron Grates Heavy Duty
- Night Light Red LED Automatic Magic Eyes
- Illuminated Zinc Knobs



ELECTRIC OVEN SPECIFICATIONS

- Oven Capacity: 4.32 cu. ft
- Power: Inside Broil 1000 W / Outside 1800 W / Bake 2000 W / True Convection Fan 1500 W
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Blue Enameled Oven Interior
- 2 Halogen Oven Lights
- 2 Telescopic Electroplated Racks (5mm & 7mm)

PRODUCT DIMENSIONS

- (W x D x H) (in): 30" x 28" x 38" To 40"
- Range Legs are adjustable by up to 2"
- WEIGHT: 231 lbs

TECHNICAL DETAILS

- LP Kit Included
- 240 Volt 60Hz
- Circuit Breaker 30 Amps



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE-STANDING PRO-STYLE DUAL FUEL RANGE

FFSGS6125-36

36"

304 STAINLESS STEEL

GAS COOKING SURFACE SPECIFICATIONS

- 6 Italian Defendi Sealed Burners
- Front Right Dual Burner 20,000 / Simmer 1,000 BTU
- Front Center: 15,000 BTU
- Front Left: 15,000 BTU
- Rear Left: 9,000 BTU
- Rear Center: 9,000 BTU
- Rear Right: 15,000 BTU
- Automatic Ignition
- Wok Ring Accessory
- Black Enameled Cooktop
- Cast Iron Grates Heavy Duty
- Night Light Red LED Automatic Magic Eyes
- Illuminated Zinc Knobs

ELECTRIC OVEN SPECIFICATIONS

- Oven Capacity: 5.36 cu. ft
- Power: Inside Broil 1000 W / Outside 1800 W / Bake 2000 W / True Convection Fan 1500 W
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Blue Enameled Oven Interior
- 2 Halogen Oven Lights
- 2 Telescopic Electroplated Racks (5mm & 7mm)

PRODUCT DIMENSIONS

- (W x D x H) (in): 36" x 28" x 38" To 40"
- Range Legs are adjustable by up to 2"
- WEIGHT: 263 lbs

TECHNICAL DETAILS

- LP Kit Included
- 240 Volt 60Hz
- Circuit Breaker 30 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE-STANDING PRO-STYLE DUAL FUEL RANGE

FFSGS6125-48

48"

304 STAINLESS STEEL

GAS COOKING SURFACE SPECIFICATIONS

- 8 Italian Defendi Sealed Burners
- Front Right Dual Burner 20,000 / Simmer 1,000 BTU
- Front Left-Center : 15,000 BTU
- Front Right-Center: 15,000 BTU
- Front Left: 15,000 BTU
- Rear Left: 9,000 BTU
- Rear Left Center: 9,000 BTU
- Rear Right Center: 9,000 BTU
- Rear Right: 15,000 BTU
- Automatic Ignition
- Wok Ring Accessory
- BBQ Reversible Cook Plate Accessory
- Black Enameled Cooktop
- Cast Iron Grates Heavy Duty
- Night Light Red LED Automatic Magic Eyes
- Illuminated Zinc Knobs

ELECTRIC OVEN SPECIFICATIONS

- Oven Capacity: 4.32 cu. ft. (30" oven); 2.26 cu. ft. (18" oven)
- Power for 30" oven: Inside Broil 1000 W / Outside 1800 W / Bake 2000 W / True Convection Fan 1500 W
- Power for 18" oven: Inside Broil 1700 W / Outside 1800 W / Bake 1700 W
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Blue Enameled Oven Interior
- 3 Halogen Oven Lights (2 in 30" oven, 1 in 18" oven)
- 4 Telescopic Electroplated Racks, 5mm & 7mm (2 in 30" oven, 2 in 18" oven)

PRODUCT DIMENSIONS

- (W x D x H) (in): 48" x 28" x 38" To 40"
- Range Legs are adjustable by up to 2"
- WEIGHT: 366 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 240 Volt 60Hz
- Circuit Breaker 40 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6239-30

30"

304 STAINLESS STEEL

GAS COOKING SURFACE SPECIFICATIONS

- 5 Italian Defendi Sealed Burners
- Front left: 15,000 btu
- Front right: 15,000 btu
- Rear left: 9,000 btu
- Rear right: 9,000 btu
- Center dual burner 20,000 / simmer 1,000 btu
- Automatic ignition
- Wok ring accessory
- Black enameled cooktop
- Cast iron grates heavy duty
- Night Light Red LED Automatic Magic Eyes
- Illuminated zinc knobs

GAS OVEN SPECIFICATIONS

- Oven Capacity: 4.32 cu. Ft
- Power: Broil Top 10,000, Bottom 22,000 BTU
- U Tube Auto-Ignition
- Convection Fan
- Pro-Style Handle
- Blue Enameled Oven Interior
- 2 Halogen Oven Lights
- 2 Telescopic Electroplated Racks (5mm & 7mm)
- Thermostat
- Regulator
- Safety Valves

PRODUCT DIMENSIONS

- (W x D x H) (in): 30" x 28" x 38" To 40" (Range Legs are adjustable by up to 2")
- WEIGHT: 231 lbs.

TECHNICAL DETAILS

- LP kit included
- 120 Volt 60 Hz
- Circuit breaker 15 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6239-36

36"

304 STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- 6 Italian Defendi sealed burners
- Front right dual burner 20,000 / simmer 1,000 btu
- Front center: 15,000 btu
- Front left: 15,000 btu
- Rear left: 9,000 btu
- Rear center: 9,000 btu
- Rear right: 15,000 btu
- Automatic ignition
- Wok ring accessory
- Black enameled cooktop
- Cast iron grates heavy duty
- Night Light Red LED Automatic Magic Eyes
- Illuminated zinc knobs

GAS OVEN SPECIFICATIONS

- Oven Capacity: 5.36 cu. Ft
- Power: Broil Top 10,000, Bottom 22,000 BTU
- U Tube Auto-Ignition
- Convection Fan
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Blue Enameled Oven Interior
- 2 Halogen Oven Lights
- 2 Telescopic Electroplated Racks (5mm & 7mm)
- Thermostat
- Regulator
- Safety Valves

PRODUCT DIMENSIONS

- (W x D x H) (in): 36" x 28" x 38" To 40" (Range Legs are adjustable by up to 2")
- WEIGHT: 263 lbs.

TECHNICAL DETAILS

- LP kit included
- 120 Volt 60 Hz
- Circuit breaker 15 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6239-48

48"

304 STAINLESS STEEL

GAS COOKING SURFACE SPECIFICATIONS

- 8 Italian Defendi sealed burners
- Front right dual burner 20,000 / simmer 1,000 btu
- Front left-center: 15,000 btu
- Front right-center: 15,000 btu
- Front left: 15,000 btu
- Rear left: 9,000 btu
- Rear left center: 9,000 btu
- Rear right center: 9,000 btu
- Rear right: 15,000 btu
- Automatic ignition
- Wok ring accessory
- BBQ Reversible Cook Plate Accessory
- Black enameled cooktop
- Cast iron grates heavy duty
- Night Light Red LED Automatic Magic Eyes
- Illuminated zinc knobs

GAS OVEN SPECIFICATIONS

- 30" Oven Capacity: 4.32 cu.ft.
- Power: Broil Top 10,000, Bottom 22,000 BTU
- 18" Oven Capacity: 2.26 cu.ft.
- U Tube Auto-Ignition (in 30" oven)
- Convection Fan (in 30" oven)
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Blue Enameled Oven Interior
- 3 Halogen Oven Lights (2 in 30" oven, 1 in 18" oven)
- 4 Telescopic Electroplated Racks, 5mm & 7mm (2 in 30" oven, 2 in 18" oven)
- Thermostat
- Regulator
- Safety Valves

PRODUCT DIMENSIONS

- (W x D x H) (in): 48" x 28" x 38" To 40" (Range Legs are adjustable by up to 2")
- WEIGHT: 366 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 120 Volt 60 Hz
- Circuit Breaker 15 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6244-36

36"

430 STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- 6 Italian Defendi sealed burners
- Front right dual burner: 20,000 BTU / simmer 1,000 BTU
- Front center: 15,000 BTU
- Front left: 15,000 BTU
- Rear left: 9,000 BTU
- Rear center: 9,000 BTU
- Rear right: 15,000 BTU
- Automatic ignition
- Black enameled cooktop
- Cast iron grates heavy duty

GAS OVEN SPECIFICATIONS

- Oven Capacity: 5.36 cu. Ft
- Power: Broil Top 10,000 BTU, Bottom 22,000 BTU
- U Tube Auto-Ignition
- Convection Fan
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Black Enameled Oven Interior
- 2 Halogen Oven Lights
- 2 Electroplated Racks (4 mm & 7.5 mm)
- Thermostat
- Regulator
- Safety Valves

PRODUCT DIMENSIONS

- (W x D x H) (in): 36" x 28" x 38" To 39" (Range Legs are adjustable by up to 1")
- WEIGHT: 263 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 120 Volt 60 Hz
- Circuit Breaker 15 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6244-48

48"

430 STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- 8 Italian Defendi sealed burners
- Front right dual burner: 20,000 BTU / simmer 1,000 BTU
- Front left-center: 15,000 BTU
- Front right-center: 15,000 BTU
- Front left: 15,000 BTU
- Rear left: 9,000 BTU
- Rear left center: 9,000 BTU
- Rear right center: 9,000 BTU
- Rear right: 15,000 BTU
- Automatic ignition
- BBQ Reversible Cook Plate Accessory
- Black enameled cooktop
- Cast iron grates heavy duty

GAS OVEN SPECIFICATIONS

- 30" Oven Capacity: 4.32 cu.ft.
- Power: Broil Top 10,000, Bottom 22,000 BTU
- U Tube Auto-Ignition (in 30" oven)
- Convection Fan (in 30" oven)
- 18" Oven Capacity: 2.26 cu.ft.
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Black Enameled Oven Interior
- 3 Halogen Oven Lights (2 in 30" oven, 1 in 18" oven)
- 4 Electroplated Racks, 4 mm & 7.5 mm (2 in 30" oven, 2 in 18" oven)
- Thermostat
- Regulator
- Safety Valves

PRODUCT DIMENSIONS

- (W x D x H) (in): 48" x 28" x 38" To 39" (Range Legs are adjustable by up to 1")
- WEIGHT: 366 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 120 Volt 60 Hz
- Circuit Breaker 15 Amps



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6275-30

30"

430 STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- 5 Italian Defendi Sealed Burners
- Front left: 16,000 BTU
- Front right: 16,000 BTU
- Rear left: 9,500 BTU
- Rear right: 9,500 BTU
- Center dual burner: 19,000 BTU
- Automatic ignition
- Black enameled cooktop
- Cast iron grates heavy duty

GAS OVEN SPECIFICATIONS

- Oven Capacity: 4.23 cu. Ft
- Power: Broil Top 10,000 BTU, Bottom 16,000 BTU
- Convection Fan
- "Tank" Handle
- Oven Door Glass 4 Layers
- Black Enameled Oven Interior
- 2 Halogen Oven Lights
- Thermostat
- Regulator

PRODUCT DIMENSIONS

- (W x D x H) (in): 30" x 27.56" x 38.58" To 40.58" (Range Legs are adjustable by up to 2")
- WEIGHT: 190.7 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 110V/120 Volt, 60 Hz
- Circuit Breaker 15 Amps

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6291-36

36"

304 STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- 6 Italian Defendi sealed burners
- Front right dual burner: 20,000 BTU / simmer 1,000 BTU
- Front center: 15,000 BTU
- Front left: 15,000 BTU
- Rear left: 9,000 BTU
- Rear center: 9,000 BTU
- Rear right: 15,000 BTU
- Automatic ignition
- Black enameled cooktop
- Cast iron grates heavy duty

GAS OVEN SPECIFICATIONS

- Oven Capacity: 5.36 cu. ft
- Power: Broil Top 10,000 BTU, Bottom 22,000 BTU
- U Tube Manual-Ignition
- Convection Fan
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Black Enameled Oven Interior
- 2 Halogen Oven Lights
- 2 Electroplated Racks (4 mm & 7.5 mm)
- Thermostat
- Regulator

PRODUCT DIMENSIONS

- (W x D x H) (in): 36" x 28" x 38" To 39" (Range Legs are adjustable by up to 1")
- WEIGHT: 263 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 120 Volt 60 Hz
- Circuit Breaker 15 Amps

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



FREE STANDING PRO-STYLE GAS RANGE

FFSGS6291-48

48"

304 STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- 8 Italian Defendi sealed burners
- Front right dual burner: 20,000 BTU / simmer 1,000 BTU
- Front left-center: 15,000 BTU
- Front right-center: 15,000 BTU
- Front left: 15,000 BTU
- Rear left: 9,000 BTU
- Rear left center: 9,000 BTU
- Rear right center: 9,000 BTU
- Rear right: 15,000 BTU
- Automatic ignition
- BBQ Reversible Cook Plate Accessory
- Black enameled cooktop
- Cast iron grates heavy duty

GAS OVEN SPECIFICATIONS

- 30" Oven Capacity: 4.32 cu.ft.
- Power: Broil Top 10,000, Bottom 22,000 BTU
- U Tube Manual-Ignition (in 30" oven)
- Convection Fan (in 30" oven)
- 18" Oven Capacity: 2.26 cu.ft.; 14,000 BTU
- Pro-Style Handle
- Oven Door Glass 3 Layers
- Black Enameled Oven Interior
- 3 Halogen Oven Lights (2 in 30" oven, 1 in 18" oven)
- 4 Electroplated Racks, 4 mm & 7.5 mm (2 in 30" oven, 2 in 18" oven)
- Thermostat
- Regulator

PRODUCT DIMENSIONS

- (W x D x H) (in): 48" x 28" x 38" To 39" (Range Legs are adjustable by up to 1")
- WEIGHT: 366 lbs.

TECHNICAL DETAILS

- LP Kit Included
- 120 Volt 60 Hz
- Circuit Breaker 15 Amps





Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



36" INDUCTION COOKTOP

FCTIN0539-36

36"

BLACK GLASS

FEATURED PRODUCT SPECIFICATIONS

- 5 induction heating zones
- Touch control
- Boost, lock, timer, stop/go
- Boost and timer on all zones (is up to 10 minutes)
- 9 power level adjustments
- 1-99 minute timer
- Each element has an independent countdown timer
- Residual heat indicator
- Multi-stages of power levels
- Automatic safety switch off
- Exact timer
- Power boost with 3,700 W boil water in 90 seconds
- Power: 240 V 9,600 W / 41 Amp / 60 Hz
- 1 x 1,800 W / 7"
- 1 x 1,800 W / 7"
- 1 x 2,400 W / 11"
- 1 x 1,400 W / 6"
- 1 x 2,200 W / 9"

PRODUCT DIMENSIONS




- Product dimension (W x D x H) (in): 36" x 21" x 2 5/32"

PRODUCT

MODEL

WIDTH

FINISH



30" INDUCTION COOKTOP

FCTIN0545-30

30"

BLACK GLASS

FEATURED PRODUCT SPECIFICATIONS

- 4 induction heating zones
- Touch control
- Boost, Lock, Timer, Stop/Go
- Boost and Timer on all zones
- Boost is up to 10 minutes
- 9 power levels adjustment
- 1-99 minute timer
- Each Element has an Independent Countdown Timer
- Automatic safety switch off
- Residual heat indicator
- Unpolish glass
- Residual Heat Indicator Multi-Stages of Power Levels
- 240V/7400W
- 1x 2700W / 10"
- 1x 2500W / 8"
- 1x 2000W / 7"
- 1x 1800W / 6"

PRODUCT DIMENSIONS

- Product dimension (W x D x H) (in): 30" x 21.26" x 2.17"



VENTILATION APPLIANCES

Premium hoods always exceed in power and performance. They offer bold professional designs while integrating modern concept and trends. We decided to offer all these premium features, but exclude the premium price point.

PRODUCT

MODEL

WIDTH

FINISH



CHIMNEY STYLE WALL MOUNT RANGE HOOD

FRHWM5084-30 30" STAINLESS STEEL

FRHWM5084-36 36" STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- Material: 430 stainless steel
- 450 CFM
- Motor speeds: 4
- Sound range: 0.4-6 sones
- Button type: touch screen and remote control
- Light type: GU10 LED (x2)
- Includes duct cover up to 9' ceiling
- Ducting: combo – top 6" round – back 3 1/4" x 10" square
- Filter type: baffle
- Recirculating mode: yes
- Charcoal filter available: yes (model # FSD-CF01)

PRODUCT DIMENSIONS

- Product dimension 30" (W x D x H) (in): 29.53" x 19.09" x 10.24"
- Product dimension 36" (W x D x H) (in): 35.43" x 19.09" x 10.24"

PRODUCT

MODEL

WIDTH

FINISH

FRHWM5029-30



WALL MOUNTED RANGE HOOD WITH SHELF/BACK SPLASH

FRHWM5029-30 30" STAINLESS STEEL

FRHWM5029-36 36" STAINLESS STEEL

FRHWM5029-48 48" STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- Material: 430 stainless steel
- 30" - 600 CFM (single motor)
- 36" & 48" - 1,200 CFM (double motor)
- Electronic touch controls
- LED strip light
- 2 Utensils hangers
- Stainless steel baffle filter
- Stainless steel shelf & back splash
- Single red-light warmer (30")
- Dual red-light warmer (36"-48")

PRODUCT DIMENSIONS

- Product dimension 30" (W x D x H) (in): 29.7" x 22" x 22.6"
- Product dimension 36" (W x D x H) (in): 35.8" x 25" x 22.6"
- Product dimension 48" (W x D x H) (in): 48.6" x 25" x 22.6"

FRHWM5029-36



FRHWM5029-48



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT

MODEL

WIDTH

FINISH



WALL MOUNT RANGE HOOD INSERT

FRHWM5074-22 22" STAINLESS

FEATURED PRODUCT SPECIFICATIONS

- Slim built-in size
- Stainless steel panel with painted body
- 220 CFM
- 2 x GU10 halogen lamp
- Aluminum filters
- 3 Speed push button

PRODUCT DIMENSIONS

- (W x D x H) (in): 22-7/16" x 11-1/4" x 7-1/4"



OVER-THE-RANGE MICROWAVE RANGE HOOD

FOTR3079-24 24" BLACK with STAINLESS TRIM

FEATURED PRODUCT SPECIFICATIONS

- Glass touch control w/ Stainless Steel Trim
- Sensor cook
- Seven Sensor Cooking Menu for Daily Meal
- Vent fan: 300 CFM
- LED cooktop light
- Turntable on/off
- Child safety lock
- Diamond back evenness

PRODUCT DIMENSIONS

- (W x D x H) (in): 22.44"x 11.25" x 7.25"

COOLING APPLIANCES



PRODUCT

MODEL

WIDTH

FINISH



PRO-STYLE REFRIGERATOR / FRIDGE-FREEZER DUAL COMBINATION

FFFFD1933-28RS 28" RIGHT HINGE

FFFFD1933-28LS 28" LEFT HINGE

ACCESSORIES

FFFFD1933-28GTK 60" GRILL KIT FOR DOUBLE

FFFFD1933-28GTKS 28" GRILL KIT FOR SINGLE

FFFFD1933-28BSK 28" 4 GLASS SHELVES AND 1 PLASTIC DRAWER KIT FOR REFRIGERATOR

FFFFD1933-28GSK 28" 4 GRILL SHELVES AND 1 GRILL BASKET KIT FOR FREEZER

FEATURED PRODUCT SPECIFICATIONS

- No frost design
- Electronic control with LED display
- Conversion between cooling and freezing
- Both zones are interchangeable and can be adjusted to freezer or refrigerator
- Interior LED light design
- Adjustable legs
- High-temperature alarm
- Easy rolling wheels

PRODUCT CAPACITY

- Total net capacity: 27.6 cu. ft.
- Freezer net capacity: 13.8 cu. ft.
- Fridge net capacity: 13.8 cu. ft.

PRODUCT DIMENSIONS

- Product dimension (W x D x H) (in): 60" x 31.5" x 72"

PRODUCT

MODEL

WIDTH

FINISH



WINE COOLER – DUAL ZONE 300 BOTTLES

FWCDR6661-30S

30"

STAINLESS STEEL ANTI FINGERPRINT

FEATURED PRODUCT SPECIFICATIONS

- Seamless stainless-steel glass door anti-fingerprint finish
- Sleek matching stainless steel handle
- 7 black metal wine racks & 1 display adjustable wine rack
- Stainless steel drawer with sliders
- Temperature range (°C):
Upper chamber 8-13°C
Lower chamber 13-18°C
Drawer 1-8°C
- Blue LED interior light
- Combi wine cooler & drawer fridge
- Electronic control with LED display
- Two independent temperature zones for red and white wines
- Holds 100 bottles in the top section
- Holds 200 bottles (100 bottles per drawer) in the bottom

PRODUCT DIMENSIONS

- Product dimension (W x D x H) (in): 30" x 27" x 74"

WINE COOLER – DUAL ZONE 108 BOTTLES

FWCDR6628-24S

24"

STAINLESS STEEL

FEATURED PRODUCT SPECIFICATIONS

- Dual Zone Wine Cooler stores up to 108 bottles
- Two drawers store food.
- Seamless Stainless Steel Door Frame
- Polished stainless steel door frame
- 9 sliding metal shelves front black wooden trim
- Double layer anti-UV ray glass door
- Capacity: 16.25 cu. ft. (108 bottles)
- Professional Handles
- Refrigerant: R600a.
- Upper: 5-22°C(41-72°F)
- Lower: 1-8°C (34-46°F)
- Intelligent thermostat system
- Blue vertical LED light at two sides
- Touch screen control panel
- Charcoal filter makes inner air fresh
- High efficiency compressor
- Auto defrost

PRODUCT DIMENSIONS

- Product Dimension (W x D x H) (in): 23.54"x 27.17"x 76.77"

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

LIMITED WARRANTY

Year 1 – Parts and labour / Year 2 Parts only

Forno Items are warranted to be free from defects in material or workmanship. If within the stated warranty period a product is found to be defective in material or workmanship, the purchaser must contact the manufacturer's customer service department at 1-800-561-7265. The manufacturer, at its option, will repair or replace the defective part(s).

EXCLUSIONS:

Items used for commercial, contract or other non-residential purposes, display models, items purchased "as is," or items damaged due to acts of nature, vandalism, misuse or improper assembly are not covered. Discoloration or fading of wood or metal finishes as a result of exposure to the elements, chemicals or spills are not covered. Corrosion or rusting of hardware and damages to frames or welds caused by improper assembly, misuse or natural causes are not covered.

Warranty is to the original purchaser and is non-transferable. Any replacement of warranted items will be in the original style and color, or a similar style and color if the original is unavailable or has been discontinued. As some states do not allow exclusions or limitations on an implied warranty, the above exclusions and limitations may not apply to you. This warranty gives you specific rights. You may also have other rights which vary from province to province.

Please keep your bill to validate the warranty.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

PRODUCT GUIDE

2022

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

EASTERN CANADA

Head Office & Warehouse
2025 Cunard Street
Laval, QC H7S 2N1

WESTERN CANADA

Warehouse
4327 Salish Sea Drive, Unit 600
Delta, BC V4M 0C6

PARTS & SERVICE

service@distinctive-online.com
1-800-561-7265

ORDER DESK

orderdesk@distinctive-online.com