





PRODUCT GUIDE 2022

Coyote is a **Distinctive** brand

PRODUCT GUIDE 2022





Coyote Outdoor Living understands the importance of delivering durable products that last a lifetime. All of our grills are built with premium grade 304 stainless steel throughout and have features such as double-walled stainless steel hoods, cast stainless steel burners and zinc nickel alloy knobs. Our specially designed firebox combined with our professional burner system delivers a perfect, even cooking experience every time.

Coyote Outdoor Living products are designed with a strict attention to consistency and aesthetics. Having a tremendous range of products to allow for the most custom of outdoor spaces loses appeal if the products fail to tie the space together with a consistent design aesthetic.



All of our grills feature:

- Complete 304 stainless steel construction, including:
 - Cast Pro-Style stainless steel Infinity Burners™, grates and component parts
 - Double walled, stainless steel hood
 - Continuous weld on the grill box with seamless edges
- Interior grill lighting
- Stainless steel Heat Control Grids™ "C-Series"
- Ceramic briquette Heat Control Grids™ "S-Series"
- Limited lifetime warranty on burners and stainless steel exterior
- Independent burner ignition system





Table of contents

C-Series Grills 4-5
S-Series Grills
Pellet Grills 8
Charcoal & Hybrid Grills
Smoker 10
Portable Grills 11
Specialty Burners & Side Burners 12
Storage 13-14
Refrigeration & Refreshments 15-16
Ventilation Hoods & Liners17
Product & Installation Specifications 18-19
Warranty

ITEM

APPLIANCE

CART / ACCESSORY





C-Series Grills



C1C28



C1C28-FS + C1CSB

C1C28LP	28" Grill Built-in; LP
C1C28NG	28" Grill Built-in; NG

C1C28 - 28" BUILT-IN & ON CART GRILL

28" Grill on Cart; LP (Pull out for 20 lb propane tank) 28" Grill on Cart; NG (Pull out for 20 lb propane tank)

- Two high performance Coyote Infinity Burners[™]
 Interior grill lighting
- 640 sq. in. cooking area

Up to 40,000 BTU

- Stainless steel heat control grids
 - 304 stainless steel

ACCESSORIES

C1C28LP-FS

C1C28NG-FS

CSIGRATE15	Signature Laser Cut Grates, 3 pk	CLPREG	LP Regulator
CCHTRAY15	Charcoal Tray, 1 pc	CNGREG	Natural Gas Regulator
CBRIQ28	28" Heat Control Grid (2 pc set)	CINLNREG	In-Line Convertible LP/NG Regulator
CCVR2-BI	28" Grill Cover (Grill Head Only)	C1WG28	Wind Guard for 28"
CCVR2-CT	28" Grill Cover (Grill on Cart)	CJAKTCC2	Insulated Jacket for 28"
C1CSBLP	Single Side Burner for Carts; LP	CROTC2	Rotisserie Kit for 28"
C1CSBNG	Single Side Burner for Carts; NG	CSBX	Smoker Box
C128LP2NG	C1C28 Conversion Kit LP to NG	C1GRDL	Heavy Duty Drop-In Griddle
C128NG2LP	C1C28 Conversion Kit NG to LP		

C2C34 - 34" BUILT-IN GRILL

C2C34LP	34" Grill Built-in	LP
C2C34NG	34" Grill Built-in	NG
Three high perfo	rmance Coyote Infinity	Interior grill lighting
Burners [™]	5 5	

- Stainless steel heat control grids
- 304 stainless steel •
- CSIGRATE12 Signature Laser Cut Grates, 3 pk C2NG2LP C-Series & S-Series Conversion Kit NG CCHTRAY12 Charcoal Tray, 1 pc to LP Heavy Duty Drop-In Griddle CLPREG LP Regulator C1GRDL CSBX Smoker Box CNGREG Natural Gas Regulator C1C34CT 34" Cart CINLNREG In-Line Convertible LP/NG Regulator CCVR3-BI 34" Grill Cover (Grill Head Only) CWG34 Wind Guard for 34" CCVR3-CT 34" Grill Cover (Grill on Cart) CBRIQ34 34" Ceramic Control Grid (3 pc set) C1CSBLP Single Side Burner for Carts; LP CJAKTCC3 Insulated Jacket for 34" C1CSBNG Single Side Burner for Carts; NG CROTC3 Rotisserie Kit for 34"

C2C34

(i) EDITE (iii)

۲

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

to NG

780 sq. in. cooking area

Up to 60,000 BTU

ACCESSORIES

C2LP2NG

C-Series & S-Series Conversion Kit LP





C-Series Grills



C2C36 - 36" BUILT-IN GRILL

C2C36LP 28" Grill Built-in; LP C2C36NG 28" Grill Built-in; NG • Four high performance Coyote Infinity Burners[™] • Interior grill lighting • 875 sq. in. cooking area Stainless steel heat control grids • Up to 80,000 BTU 304 stainless steel ٠ ٠



C2C36 + C1S36CT

		() ···· ()	
-			
	•	1	

ACCESSORIES				
CSIGRATE12	Signature Laser Cut Grates, 3 pk	CLPREG	LP Regulat	
CCHTRAY12	Charcoal Tray, 1 pc	CNGREG	Natural Ga	
CCVR36-BI	36" Grill Cover (Grill Head Only)	CINLNREG	In-Line Co	
CCVR36-CT	36" Grill Cover (Grill on Cart)	CJAKTCS36	Insulated J	
C1S36CT	36" Cart	CROT36	Rotisserie	
C1CSBLP	Single Side Burner for Carts; LP	C2BRIQ36	36" Heat C	
C1CSBNG	Single Side Burner for Carts; NG	CSBX	Smoker Bo	
C2LP2NG	C-Series & S-Series Conversion Kit LP	C1GRDL	Heavy Dut	
	to NG	COYVENT	Stainless S	
C2NG2LP	C-Series & S-Series Conversion Kit NG to LP	CWG36	Wind Guar	

ator as Regulator onvertible LP/NG Regulator Jacket for 36" e Kit for 36" Control Grid (4 pc set) Box ity Drop-In Griddle Steel Island Vent ard for 36"



C2C42 - 42" BUILT-IN GRILL

C2C42LP	42" Grill Built-in; LP
C2C42NG	42" Grill Built-in; NG

- Five high performance Coyote Infinity Burners[™] Interior grill lighting
- 1275 sq. in. cooking area
- Up to 100,000 BTU

- Stainless steel heat control grids .
- 304 stainless steel •

ACCESSORIES

CSIGRATE15 CCHTRAY15 CIS42CT CCVR42-BI CCVR42-CT CICSBLP CICSBNG C2LB2NG	Signature Laser Cut Grates, 3 pk Charcoal Tray, 1 pc 42" Cart 42" Grill Cover (Grill Head Only) 42" Grill Cover (Grill on Cart) Single Side Burner for Carts; LP Single Side Burner for Carts; NG C-Sories & Scories Conversion Kit LP	CLPREG CNGREG CINLNREG CJAKTCS42 CROT42 C2BRIQ42 CSBX CIGBDI	LP Regulator Natural Gas Regulator In-Line Convertible LP/NG Regulator Insulated Jacket for 42" Rotisserie Kit for 42" 42" Heat Control Grid (5 pc set) Smoker Box
C2LP2NG	C-Series & S-Series Conversion Kit LP to NG	C1GRDL COYVENT	Heavy Duty Drop-In Griddle Stainless Steel Island Vent
C2NG2LP	C-Series & S-Series Conversion Kit NG to LP	CWG42	Wind Guard for 42"





S-Series Grills



C2SL30LP



C2SL30LP-FS



C2SL36LP

C2SL30 - 30" BUILT-IN & ON CART GRILL

C2SL30LP	30" Grill Built-in LP
C2SL30NG	30" Grill Built-in NG
C2SL30LP-FS	30" Grill on Cart LP
C2SL30NG-FS	30" Grill on Cart NG

- Two high performance Coyote Infinity Burners™
- One infrared rear burner
- One Coyote RapidSear™ infrared burner
- 700 sq. in. cooking area ٠
- Ceramic Briquette Heat Control Grids
- LED illuminated knobs •

ACCESSORIES

CCHTRAY12	Charcoal Tray, 1 pc
CCVR30-BI	30" Grill Cover (Grill Head Only)
CCVR30-CT	30" Grill Cover (Grill plus Cart)
C1CSBLP	Single Side Burner for Carts; LP
C1CSBNG	Single Side Burner for Carts; NG
C2LP2NG	C-Series & S-Series Conversion
	Kit LP to NG
C2NG2LP	C-Series & S-Series Conversion
	Kit NG to LP

CLPREG LP Regulator CNGREG Natural Gas Regulator CINLNREG In-Line Convertible LP/NG Regulator CWG30 Wind Guard for 30" CJAKTCS30 Insulated Jacket for 30" CSIGRATE15 Signature Laser Cut Grates, 3 pk

Heavy Duty Drop-In Griddle

Stainless Steel Island Vent

Rotisserie kit and smoker box included

Stainless steel heat control grids

Up to 70,000 BTU

Interior grill lighting

304 stainless steel

Integrated wind guard

C2SL36 - 36" BUILT-IN GRILL

C2SL36LP C2SL36NG	36" Grill Built-in; LP 36" Grill Built-in; NG	
Three high performance	e Coyote Infinity Burners™ •	Rotisserie kit and smoker box included

•

٠

C1GRDL

COYVENT

- One infrared rear burner
- One Coyote RapidSear™ infrared burner
- 875 sq. in. cooking area
- Ceramic Briquette Heat Control Grids
- LED illuminated knobs •

- Up to 90,000 BTU
- Interior grill lighting
- Stainless steel heat control grids
- 304 stainless steel
 - Integrated wind guard

ACCESSORIES





S-Series Grills



C2SL - 42" BUILT-IN GRILL

0	C2SL42LF C2SL42N			
C2SL42LP	 One infra One Coy 1275 sq. Ceramic 	h performance Coyote Infinity Burners ared rear burner ote RapidSear™ infrared burner in. cooking area Briquette Heat Control Grids ninated knobs	 Up to 1 Interior Stainle 304 state 	erie kit and smoker box included 10,000 BTU r grill lighting ss steel heat control grids ainless steel ated wind guard
	C2LP2NG C2NG2LP CLPREG CNGREG CINLNREG CWG42 CJAKTCS42	C-Series & S-Series Conversion Kit LP to NG C-Series & S-Series Conversion Kit NG to LP LP Regulator Natural Gas Regulator In-Line Convertible LP/NG Regulator Wind Guard for 42" Insulated Jacket for 42"	CROT42 CSIGRATE15 CCHTRAY15 CSBX CIGRDL COYVENT	Rotisserie Kit for 42" (included with grill) Signature Laser Cut Grates, 3 pk Charcoal Tray, 1 pc. Smoker Box Heavy Duty Drop-In Griddle Stainless Steel Island Vent

Flat Top Grill



C1FTG30 - 30" FLAT TOP GRILL

Two individually and accurately controlled heat zones

Heavy gauge food grade cooking surface allows for

LED light safety feature indicates when gas supply is

C1FTG30LP C1FTG30NG

400 sq. in. cooking area

even heating and easy cleaning

30" Flat Top Grill Built-in; LP 30" Flat Top Grill Built-in; NG

- Up to 17,000 BTU per burner (2 burners total) •
- Complete 304 stainless steel construction •
- Includes stainless steel cover for cooking surface
- Removable grease trap easily accessible
- Available as a built-in or free-standing .

ACCESSOIRES

on or off

•

Freestanding cart (sold separately)
C1FTG30 Conversion Kit LP to NG
C1FTG30 Conversion Kit NG to LP
Custom-fit vinyl cover (head only)
Custom-fit vinyl cover (head plus cart)
Insulated Jacket for 30"





Pellet Grills



C1P28



C1P28 - 28" BUILT-IN & ON CART PELLET GRILL

C1P28 C1P28-FS	28" Pellet Grill 28" Pellet Grill o	n Cart	
• Dual fan	digital touch control auger & drip tray op™ pellet feed	 Led light for temperature probes Laser cut grates Built-in timer & wind guard 	
	nding pellet hopper ssist hood	 3 food temperature probes included Electric power ignition (120V; 5A; 60HZ) 	
 Double-walled canopy with gasket 		Individual smoke & sear grate included	
Versa-Rack[™] for multiple cooking surfaces304 Stainless steel		 Hopper capacity of 12 lbs Temperature range of 175°F - 650°F 	
• Interior g	Interior grill lighting Total Cooking Surface = 800 sq. in.		
	ES		
CCVR28P-BI CCVR2-CT CSSD28	28" Pellet Grill Built-In Cover 28" Grill Cover (Grill on Cart) 28" Single Storage Drawer	CJAKTC1P28 28" Pellet Grill Insulated Jacket CSTUBE Pellet grill smoker tube	



C1P36



C1P36-FS

C1P36 - 36" BUILT-IN & ON CART PELLET GRILL

Intuitive	digital touch control	• Led light for temperature probes	
• Dual fan,	auger & drip tray	Laser cut grates	
• Smart dr	op™ pellet feed technology	• Built-in timer & wind guard	
Front loa	ading pellet hopper	• 3 food temperature probes included	
Spring a	ssist hood	• Electric power ignition (120V; 5A; 60HZ	
Double-walled canopy with gasket		Individual smoke & sear grate included	
• Versa-Rack [™] for multiple cooking surfaces		Hopper capacity of 12 lbs	
• 304 Stai	nless steel	• Temperature range of 175°F - 650°F	
Interior grill lighting		• Total Cooking Surface = 1056 sq. in.	
ACCESSOR	ES		





Charcoal & Hybrid Grills



C1HY50 - 50" HYBRID GRILL

C1HY50LP C1HY50NG

Charcoal Grill

٠

• Adjustable fuel tray

Over 600 sq. in. of grilling surface

For use with charcoal or wood chips Adjustable dampers for controlling air flow

28" Grill Built-in; LP 28" Grill Built-in; NG

C1HY50

Gas Grill

- 2 high performance Coyote iBurners™
- Over 600 sq. in. of grilling surface ٠
- Up to 40,000 BTU
- Interior lights

ACCESSORIES

CCVR50-BI	CH50 Grill Cover (Grill Head Only)	CBRIQ50	50" Ceramic Flavorizer (2 pc set)
CCVR50-CT	CH50 Grill Cover (Grill plus Cart)	CSBX	Smoker Box
C1HY50CT	50" Cart	COYVENT	Stainless Steel Island Vent
C136LP2NG	C1HY50 Conv Kit LP to NG	CLPREG	LP Regulator
C136NG2LP	C1HY50 Conv Kit NG to LP	CNGREG	Natural Gas Regulator
C1GRDL	Heavy Duty Drop-In Griddle	CINLNREG	In-Line Convertible LP/NG Regulator
CLMP	20lb Hardwood Lump Charcoal		



C1CH36

C1CH36 - 36" DROP-IN CHARCOAL GRILL

C1CH36

Coyote 36" Charcoal Grill

- Adjustable fuel tray
- Fuel tray rests on drawer that pulls out for easy Adjustable dampers for controlling air flow access to charcoal
- For use with charcoal or wood chips
- Over 875 sq. in. of grilling surface

ACCESSORIES

" Grill Cover (Grill Head Only)	CSBX	Smoker Box
" Grill Cover (Grill plus Cart)	CROT36	Rotisserie Kit for C1CH36
" Charcoal Cart	CWG36	Wind Guard for 36"
eavy Duty Drop-In Griddle	COYVENT	Stainless Steel Island Vent
Ib Hardwood Lump Charcoal		
	" Grill Cover (Grill plus Cart) " Charcoal Cart avy Duty Drop-In Griddle	" Grill Cover (Grill plus Cart)CROT36" Charcoal CartCWG36avy Duty Drop-In GriddleCOYVENT





Adjustable venting to maintain precise

Grid Grippers

Asado Cover

Asado Insert Sleeve

20lb Hardwood Lump Charcoal

ASADO-ACC Asado Accessory Bundle

cooking temperatures

Smoke, sear, grill option

Smoker



C1CHCS - ASADO SMOKER

C1CHCS C1CHCS-FS Asado Smoker Built-in Asado Smoker Free-Standing

•

•

ASADO-GG

C1SLV

CLMP

ASADO-CVR

• Standard Coyote Signature Smoking Grate™ for perfect heat diffusion

Asado Smoker Cart

Asado Heat Deflector

Universal cart for C1PB, C1CHCS, CRC

• Heat-resistant ceramic construction

Pizza Stone

Chicken Throne

• 254 sq. in. of cooking area

ACCESSORIES

C1CHCS-CT

ASADO-PS

ASADO-HD


C2UNCT

C1CHCS-FS

ASADO-CT

1

C1CHCS + C2UNCT





C1EL - ELECTRIC GRILL



Portable Grills

Соуота	alle alle	
	-	х.

C1EL120SM



 Electric (120V - 1300W - 11A - 60 Hz) 	Cover & 2 Piece Tool Set Included	
• 156 sq. in. cooking area	Teflon coated cooking surface	
• 5,000 hour heating element	Ceramic flavorizer	
304 stainless steel	60 minute safety timer with surge protector	
• 550° F maximum temperature	Removable frame for built-in application	
ACCESSORIES		
C1ELCT21 Pedestal Cart for Electric Grill	C2ELISL Electric Grill Island	

Electric Portable Grill - 120V

C1EL120SM + C1ELCT21

	Соуота
8	\bigcirc

C1PORTLP

C1PORT - PORTABLE GRILL

C1PORTLP

C1EL120SM

Liquid Propane Portable Grill

- 200 sq.in. cooking area
- 316 marine grade stainless steel
- Signature grate cooking surface
- Can be used with 20lb propane tank or a small propane canister (adapter included)
- Ceramic Heat Control Grid

ACCESSORIES

CCVRPG-CT Portable Grill Cover


- One Infinity Burner Capable of up to 20,000
 BTU's
- 700 ° F maximum temperature
- Removable drip tray for easy cleaning
- Dimensions: 13-1/2" (H) x 25" (W) x 16" (D)






Specialty Burners and Side Burners

C1PB - 24" POWER BURNER





C1PB

COVOTE

C1SB



C1DB

SINGLE & DUAL BURNERS

C1SBLP	Single Side Burner; LP
C1SBNG	Single Side Burner; NG
C1DBLP	Double Side Burner; LP
C1DBNG	Double Side Burner; NG
C1CSBLP	Single Side Burner for Carts; LP
C1CSBNG	Single Side Burner for Carts; NG
• Single Burner: One 15,	000 BTU Brass burner • Stainless steel lid included
• Dual Burner: Two 15,0	00 BTU Brass burner • 304 stainless steel

ACCESSORIES

CCVRSB-BI Single Side Burner Cover CCVRDB-BI Double Side Burner Cover CJAKTCISB Insulated Jacket for CISB CJAKTC1DB COYVENT

Insulated Jacket for C1DB Stainless Steel Island Vent





Storage



CSA2417



CDA2426

•

steel

ACCESS DOORS

CSA1420	Single Access Door 14" x 20"
CSA1724	Single Access Door 17" x 24"
CSA2014	Single Access Door 20" x 14"
CSA2417	Single Access Door 24" x 17"
CDA2426	Double Access Door 24"X26"
CDA2431	Double Access Door 24" X 31"
CDA2436	Double Access Door 24" X 36"
CDA2439	Double Access Door 24" X 39"

- Single & double hinged doors for built-in island applications
- Rigid construction to ensure long term durability
- Completely constructed with 304 stainless • Open interior for island/wall access capability
 - Beveled trim
- Professional style Coyote stainless steel handle
 - Commercial quality hinges for smooth operation



CDPC31

C2DC

DRAWERS/STORAGE


C2DC	2 Drawer Cabinet
C3DC	3 Drawer Cabinet
CSSD	Single Storage Drawer
CDPC31	31" Dry Pantry Storage

All cabinets are made of rigid, premium stainless steel with a consistent beveled trim and professional handles.



SPECIALTY DRAWERS

СТС	Pull Out Trash and Recycle
CSTC	Single Pull Out Trash and Recycle
CPOD	Pull Out Drawer (Trash Can/LP Tank)
CPTH	Paper Towel Holder
CSPRK	Spice Rack



С CPOD CPTH CSPRK





Storage



CCD-POD



CCD-2DC





CWD 30"

WARMING DRAWER

CCD-POD

CCD-2DC

CCD-WD

CCD-2DC31

30" Warming Drawer

- Premium stainless steel construction
 Internal, 400 watt, variable electric heating element
- External on/off light with hidden controls
- Full extension drawer on rollers for smooth operation
- Up to 140 degrees of heating capability
- Outdoor certified

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

COMBINATION STORAGE SOLUTIONS

Combo Door and Drawer

All cabinets are made of rigid, premium stainless steel with a consistent beveled trim and professional handles.

Pull Out Drawer plus Double Access Doors

Two Drawer Cabinet plus Double Access Doors

Warming Drawer plus Pullout Drawer and Access Door





Refrigeration & Refreshments



		CBIR-R	21" Built-in Refrig	a: Right Hinge				
		CBIR-L	21" Built-in Refrig; Left Hinge					
	(00071	C1BIR24-R	24" Built-in Refri					
		C1BIR24-L	24" Built-in Refri					
BIR	C1BIR24							
	•••••	• Standard lock (on C1B	IR24)	Graphite interior (C1BIR24)				
		• Outdoor rated, freesta	anding refrigerator	Interior light and adjustable digital thermostat				
		Automatic defrost		Front vented for built-in application				
		 Stainless steel cabinet interior 	construction; graphite	Hidden hinge with left or right swing				
		• Capacity: CBIR - 4.1 cu	ubic feet					
		C1BIR24 - 5.	.5 cubic feet					
		ACCESSORIES						
		CBIR21TK 21" Refrigera	ator Trim Kit	C1BIR24TK 24" Refrigerator Trim Kit				
		_						
ĥ		CBIR21TK 21" Refrigera						
		_		CENTER				
		CRC - 30" RE	FRESHMENT 30" Refreshment	CENTER				
		CRC - 30" RE	FRESHMENT 30" Refreshment	CENTER Center				
		CRC - 30" RE	FRESHMENT 30" Refreshment eel construction ler with drain	CENTER Center • Convenient shelf in front of sink				



CRC + C2UNCT



CDIC - 25" DROP-IN COOLER

Universal cart for C1PB, C1CHCS, CRC

CI	DIC 25" Drop In Cooler	
•	Drops into countertop for easy access	Drain hole with plug included

Fully insulated •

C2UNCT

Capacity of 2.1 cubic feet •





Refrigeration & Refreshments



CPOC - 27" PULL OUT ICE CHEST

27" Pull Out Ice Chest CPOC

27" Pull Out Ice Chest

- Drain hole with plug included •
- Full extension drawer with commercial quality rails
- Fully insulated •

- Capacity of 3.8 cubic feet ٠
- Removable condiment trays



SINKS

C1SINK1618	16" Sink - Universal Mount (no faucet)
C1SINKF21	21" Sink w/ Faucet, Drain & Soap Dispenser
Universal Mount	Drain Included

- Universal Mount ٠
- 304 Stainless Steel

C1SINK1618





Ventilation Hoods & Liners



CHIMNEY HOODS (BODY ONLY)

Medium Flue (for ceilings 8'6" - 9'8" in

C1HOOD36	36" W x 30" D Chimney Hood
C1HOOD42	42" W x 30" D Chimney Hood
C1HOOD48	48" W x 30" D Chimney Hood

- Easy to clean Baffle Filters ٠
- Deep 30" design for outdoor use

height)

- Bright halogen lighting
- Variable speed control with lighted On/Off

ACCESSORIES

C1FLUE8

C1FLUE10

C1BLOW1200 1200 CFM Blower C1FLUE12 Low Flue (for ceilings 8' - 8'6" in height)

•

High Flue (for ceilings 9'8" - 12' in height)

• Heat sentry for greater reliability

Removable grease drip rail

304 stainless steel

C1HOOD42 + C1FLUE10 + C1BLOW1200



INSERTS

C1LINER36	36" W x 30" D Insert
C1LINER42	42" W x 30" D Insert
C1LINER48	48" W x 30" D Insert

- Easy to clean Baffle Filters •
- Deep 30" design for outdoor use •
- Bright halogen lighting
- Variable speed control with lighted On/Off

ACCESSORIES

C1BLOW1200 1200 CFM Blower

- Heat sentry for greater reliability
- Removable grease drip rail •
- 304 stainless steel





Product & Installation Specifications

Model	Product Description	Cut	out Dimens	ions	Ove	Overall Dimensions		Total BTU Ratings		Electrical Require- ments
	Grills	Height	Width	Depth	Height	Width	Depth	LP	NG	120 VAC
C1C28	28" Grill w/ Hood Lights	10 1/4"	25"	20 1/2"	23"	28"	25 1/2"	40000	40000	Qty 1
C2C34	34" Grill w/ Hood Lights	10 1/4″	31″	20 1/2"	23"	34'	25 1/2"	60,000	60,000	Qty 1
C2C36	36" Grill w/ Hood Lights	10 1/4″	32 1/2"	20 1/2"	23"	35 1/2"	25 1/2"	80,000	80,000	Qty 1
C2C42	42" Grill w/ Hood Lights	10 1/4″	39 1/2"	20 1/2"	23″	42 1/2"	25 1/2"	100,000	100,000	Qty 1
C1S36	36" Grill w/ Hood Lights	10 1/4″	32 1/2"	20 1/2"	23"	35 1/2"	25 1/2"	90,000	90,000	Qty 1
C2SL30	30" Grill w/ Hood & LED Lights	10 1/4″	27"	20 1/2"	23"	30″	25 1/2"	70,000	70,000	Qty 1
C2SL36	36" Grill w/ Hood & LED Lights	10 1/4"	32 1/2"	20 1/2"	23"	35 1/2"	25 1/2"	90,000	90,000	Qty 1
C2SL42	42" Grill w/ Hood & LED Lights	10 1/4″	39 1/2"	20 1/2"	23"	42 1/2"	25 1/2"	110,000	110,000	Qty 1
C1HY50	50" Hybrid Grill w/ Hood Lights	12 1/2"	47 3/4"	20 1/2"	25 1/4"	50″	25 1/2"	40,000	40,000	Qty 1
C1CH36	36" Charcoal Grill	12 1/2"	32 1/2"	20 1/2"	25 1/4"	35 1/2"	25 1/2"	N,	Ά	Qty 1
C1CHCS	Asado Smoker	17″	22 1/2"	22 1/2"	34″	22 1/4"	22 1/4"	N,	Ά	None
C1EL120SM	Electric Grill Manual Control	3 3/8"	16″	15″	11 3/8″	18 1/8″	16 1/14″	N,	Ά	Qty 1
CIPORTLP	Portable Grill		N/A		13 1/2"	25″	16″	20,000	N/A	None
C1P28	28" Pellet Grill	16-1/2"	26-1/4"	23″	31″	28″	27"	8,000 B1	U Per/Hr	Qty 1
C1P36	36" Pellet Grill	16-1/2"	34 1/4"	23″	31″	36″	27"	8,000 B1	U Per/Hr	Qty 1
C1FTG30	30" Flat Top Grill	10-1/4"	27 1/4"	20-1/2"	13-1/2"	30"	25-1/2"	34,000	34,000	Qty 1
	Side Burners	Height	Width	Depth	Height	Width	Depth	LP	NG	
C1SB	Coyote Single Side Burner	10 1/4″	10 1/8″	13 5/8″	13″	11 3/8″	17″	15,000	15,000	None
C1DB	Coyote Dual Side Burner	10 1/4″	11 7/8″	20 1/4"	13″	13 1/8″	23 1/4"	30,000	30,000	None
C1PB	Coyote Power Burner	10 1/4″	21″	21″	13″	24″	24 1/4"	60,000	60,000	None
	Insulated Jackets	Height	Width	Depth	Height	Width	Depth		Notes	
CJAKTCC2	Insulated Jacket for 28" Grills	11″	28 1/4"	22 1/8″	11″	30 1/8″	23″	For Combustible Construction		nstruction
CJAKTCC3	Insulated Jacket for 34" Grills	11″	34 1/4"	22 1/8″	11″	36 1/8″	23″	For Co	mbustible Co	nstruction
CJAKTCS30	Insulated Jacket for 30" Grills	11″	30 3/4"	22 1/8″	11″	32 3/8″	23″	For Co	mbustible Co	nstruction
CJAKTCS36	Insulated Jacket for 36" Grills	11″	35 3/4"	22 1/8″	11″	37 5/8″	23″	For Co	mbustible Co	nstruction
CJAKTCS42	Insulated Jacket for 42" Grills	11″	42 1/4"	22 1/8″	11″	44 1/8″	23″	For Co	mbustible Co	nstruction
CJAKTC1P28	Insulated Jacket for 28" Pellet Grill	17 1/4″	27 1/4″	22 1/2"	17 3/4"	30″	24 3/4"	For Co	mbustible Co	nstruction
CJAKTC1P36	Insulated Jacket for 36" Pellet Grill	17 1/4″	35 1/4	22 1/2"	17 3/4"	37 3/4"	24 3/4"	For Co	mbustible Co	nstruction
CJAKTC1SB	Insulated Jacket for C1SB	11″	13 3/4"	16″	11″	15 1/4″	16 3/4"	For Combustible Construction		nstruction
CJAKTC1DB	Insulated Jacket for C1DB	11″	15 1/2″	22 1/4"	11″	17″	23"	For Co	mbustible Co	nstruction
CJAKTC1PB	Insulated Jacket for C1PB	11″	22 1/8″	21 7/8″	11″	24 7/8"	22 3/4"	For Co	mbustible Co	nstruction
	Access Doors	Height	Width	Depth	Height	Width	Depth		Notes	
CDA2426	26" Double Access Door	20 1/2"	20 3/4″	1″	24″	24 1/4"	3″		N/A	
CDA2431	31" Double Access Door	20 1/2"	26 1/2″	1″	24″	30″	3″	N/A		
CDA2436	36" Double Access Door	20 1/2"	31 3/4″	1″	24″	35 1/2"	3″		N/A	
CDA2439	39" Double Access Door	20 1/2"	34 1/2"	1″	24″	38″	3″		N/A	
CSA2014	Single Access Door 20" x 14"	20 1/2"	14 1/2″	1″	22″	16″	3″		N/A	
CSA1420	Single Access Door 14" x 20"	14 1/2"	20 1/2"	1″	16″	22"	3″		N/A	
CSA2417	Single Access Door 24" x 17"	24 1/2"	17 1/2"	1″	26″	19″	3″		N/A	
CSA1724	Single Access Door 17" x 24"	17 1/2"	24 1/2"	1″	19″	26″	3″	N/A		





Product & Installation Specifications

Model	Product Description	Cut	out Dimens	ions	Overall Dimensions		ions	Electrical Total BTU Ratings Require- ments
	Drawers	Height	Width	Depth	Height	Width	Depth	Notes
C2DC	2 Drawer Cabinet	20 1/2"	14 1/2″	17 1/2″	22″	16 1/4″	18″	N/A
C3DC	3 Drawer Cabinet	24 1/2"	16 3/4″	17 1/4″	26″	18 1/2″	18″	N/A
CSSD	Single Storage Drawer	13 1/2″	31 1/2"	20 1/2"	15″	32 1/2"	21 1/4″	N/A
CDPC31	31" Dry Pantry	20 1/2"	26 1/2"	23″	24″	30″	24″	N/A
СТС	Dual Pull Out Trash & Recycle	24″	24″	18″	26 1/4″	26 3/4"	19″	N/A
CSTC	Single Pull Out Trash & Recycle	23 7/8″	11 3/8″	18″	26 1/4″	14 3/8″	18 7/8″	N/A
CPOD	LP Tank or Trash Drawer	20 1/2"	14 1/4″	17 1/2″	22″	15 1/2″	18″	N/A
СРТН	Paper Towel Holder	8 1/4″	13 1/2″	8″	10″	15″	9″	N/A
CSPRK	Spice Rack	25″	7 1/2″	17 1/8″	26 1/4″	8 3/4″	18″	N/A
CWD	Warming Drawer	9 1/2″	28 1/4″	23 1/2"	10 3/4″	29 1/2″	26 3/4″	N/A
CSSD28	28" Storage Drawer	12 1/4"	25 1/4″	25 1/2″	16"	28"	26 1/2"	N/A
CSSD36	36" Storage Drawer	12 1/4"	33 1/4"	25 1/2″	16"	36"	26 1/2"	N/A
	Combo Drawers	Height	Width	Depth	Height	Width	Depth	Notes
CCD-2DC	Double Drawer Combo	20 1/4″	43 3/8"	17 1/8″	24 1/8″	45 1/4″	18 3/8″	N/A
CCD-2DC31	31" Double Drawer Combo	20 1/2"	26 1/2"	20 1/8″	24"	30″	21 1/8″	N/A
CCD-POD	Pull Out Drawer Combo	20 3/8″	43 3/8"	17 1/2″	24 1/8″	45 1/4″	18″	N/A
CCD-WD	Warming Drawer Combo	19 1/2″	40 5/8″	25 1/4″	20 3/4"	42 1/8″	26 1/2"	Qty 1 Plug Needed - unit is 450 Watt
Refrig	eration & Refreshment Centers	Height	Width	Depth	Height	Width	Depth	Notes
CBIR	4.1 Outdoor Refrigerator	34″	20 3/4"	23″	33 3/4"	20 1/2"	22 3/4"	Qty 1 Plug Needed - Vented Bottom Front
C1BIR24	5.5 Outdoor Refrigerator	33 1/4"	23 3/4"	22 3/4"	33"	23 1/2"	22 1/2"	Qty 1 Plug Needed - Vented Bottom Front
CBIR21TK	CBIR Refrigerator Trim Kit	34″	20 3/4"	1″	35″	22 3/4"	1″	N/A
C1BIR24TK	C1BIR24 Refrigerator Trim Kit	33 1/4"	23 3/4"	1″	34 1/4"	25 3/4″	1″	N/A
CDIC	Drop In Cooler	12″	23 1/4″	17 1/4″	15″	24 1/2"	18″	Can be turned in either direction
CPOC	Pull Out Ice Chest	17 1/2″	23 3/4"	24 3/4"	20 1/2"	26 3/4″	25 1/2″	N/A
C1SINK1618	Sink - Universal Mount	13″	14 3/4"	17 1/8″	13″	15 3/4"	17 3/4″	Includes drain but no faucet
CRC	Refreshment Center	10″	29 1/4″	22 3/4"	10 3/4″	30 1/4″	29″	Drain Hose Included





Warranty

Coyote Outdoor Living, Inc. issues this limited warranty to the original purchaser at the original site of delivery with proof of purchase and specifically warrants that the Outdoor Gas grill when subject to normal residential use, will be free from defects in workmanship and materials for the periods specified below. This limited warranty is not transferable and specifically excludes any grill used in a commercial setting, where anyone other than the original purchaser (homeowner) would be using and maintaining the grill. This limited warranty specifically excludes all issues that may arise from surface corrosion, scratches, and discoloration during regular use. This limited warranty does **NOT COVER LABOR OR LABOR RELATED CHARGES** and there will be shipping and handling charges for the delivery of part(s).

COMPONENT	WARRANTY PERIOD
Cooking Grids (no rust or burn through)	5 years (limited)
Flavorizer Bars (no rust or burn through	2 years (limited
Electric/Plastic Components	2 years (limited)
Ignition systems/Valves	1 year (limited)
Stainless steel frame/housing	Limited Lifetime
Stainless Steel Burners (no rust or burn through)	Limited Lifetime

Coyote Outdoor Living, Inc.'s obligation under this limited warranty is limited solely to repair or replacement, at our option, of the pertinent component during the warranty period, and the extent of any liability of Coyote Outdoor Living, Inc. under this warranty is limited to repair or replacement. This limited warranty does not cover normal wear of parts or damage resulting from any of the following: negligent use or misuse of the product, use of an improper fuel/gas supply, use contrary to operating instructions, or alteration by any person other than a factory service center. The above warranty periods are not extended by any repair or replacement.

Please see Coyote Outdoor Living website at www.coyoteoutdoor.com for full warranty terms and conditions. This information is subject to change without notice. See website for most current information.





Notes





Notes





Notes



PRODUCT GUIDE 2022



T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

HEAD OFFICE & WAREHOUSE

2025 Cunard Street Laval, QC H7S 2N1

PARTS & SERVICE

service@distinctive-online.com 800 561 7265

ORDER DESK

orderdesk@distinctive-online.com