



 **FABER**
ON AIR. SINCE 1955

PRODUCT GUIDE **2022**

TABLE OF CONTENTS

WALL

| | |
|----------------------|----|
| DIAMANTE | 8 |
| DAMA | 8 |
| BELLA | 9 |
| STILO | 9 |
| NOVA PRO | 10 |
| CLASSICA PLUS | 10 |
| TENDER | 11 |
| TRATTO | 11 |

INSERT

| | |
|----------------------|----|
| INCA PRO PLUS | 20 |
| INCA SD | 21 |
| INCA HC | 21 |
| INCA IN-LIGHT | 22 |
| INCA LUX | 23 |
| INCA SMART SS | 24 |
| INCA SMART GR | 25 |

ISLAND & CEILING

| | |
|----------------------|----|
| DAMA ISOLA | 14 |
| GLASSY ISOLA | 14 |
| BELLA ISOLA | 15 |
| HIGH-LIGHT WH | 16 |
| HIGH-LIGHT SS | 16 |
| STRATUS WH | 17 |
| STRATUS SS | 17 |

PRO & UNDER CABINET

| | |
|---|----|
| CAMINO PRO | 28 |
| MAESTRALE 18 | 29 |
| MAESTRALE 10 | 30 |
| NEW LEVANTE E | 32 |
| LEVANTE II <small>UPDATED</small> | 32 |
| LEVANTE G | 33 |
| OSTRO | 33 |

INTEGRATED

CRISTAL 36

NEW FLEXA 36

DOWN DRAFT

SCIROCCO LUX 40

SCIROCCO PLUS 41

ICONIC

ZOOM 45

CHLOE 45

CYLINDRA 46

CYLINDRA ISOLA 46

GUIDES

ACCESSORY GUIDE 48

CEILING HEIGHTS 50

WARRANTY

WARRANTY 51



2022 NEW MODELS & UPDATES

NEW

FLEXA

STAINLESS STEEL PULL-OUT VISOR HOOD


- 24" and 30" sizes
- 300 CFM
- Energy-efficient LED lights
- Easy snap-clip installation
- Ducted or ductless with FILTER7
- ADA compliant with wall switch
- See page 36



NEW

LEVANTE E

- 24" and 30"
- Ducted / Recirculating vents on the front
- Top or direct rear venting outside
- 200 CFM
- ADA compliant with separate wall switch
- See page 32



VAM (VARIABLE AIR MANAGEMENT)

Adjusting CFMS to meet local building codes is easy with the Variable Air Management (VAM) feature on certain Faber models. VAM aids in helping the installer set the speed permanently to a lower CFM based on local make up air codes. Our exclusive VAM technology allows you to adjust your hood to the most common CFM levels: 295, 395 or 600 class performance. VAM is pre-installed in many Faber models and with a few simple pushes of the control buttons the hood is programmed and permanently set to the CFM level for your market.

Note: Always check local make up air code requirements.



WALL RANGE HOODS





PYRAMID SHAPE

DIAMANTE

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------|------|-------|-------------|
|-------|------|-------|-------------|

| | | | |
|-----------------|-----|-----------|-------------|
| DIAM30SS | 30" | Stainless | 600 CFM PRO |
| DIAM36SS | 36" | Stainless | 600 CFM PRO |
| DIAM48SS | 48" | Stainless | 600 CFM PRO |

ACCESSORIES

| | |
|------------------|---------------------------------|
| HIGHDIAM | High Ceiling Kit (up to 10' 8") |
| DUCTDIAM | Ductless Conversion Kit |
| FILTER2 | Replacement Charcoal Filter |
| CFMRED | CFM Reducer Kit (300 CFM) |
| CFMRED2 | CFM Reducer Kit (400 CFM) |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |

FEATURES

| | | | |
|-----------------------------------|---|-------------------------------------|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Grease Filters | Dishwasher Safe SS Baffle |
| Canopy Depth / Height | 22" D / 3 3/8" H | Delay Auto Shut Off | 30 Minutes |
| Convertible to Ductless | Yes - WITH DUCTDIAM | Intensive Speed | 10 Minutes |
| Controls | 4 Speed LED Digital Electronic Control | ADA Compliant | No |
| Lighting | 2 (30") or 3 (36", 48") X 20 (W) Halogen - 2 Level | Easy Cube Mounting | Yes |
| Ducting Top | 6" Round | Pro Motor W/ Metal Impellers | Yes |
| | | Fixed Wiring Box | Yes |



PYRAMID SHAPE

DAMA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------|------|-------|-------------|
|-------|------|-------|-------------|

| | | | |
|------------------|-----|-----------|-----------------|
| DAMA30SSV | 30" | Stainless | 295/395/600 CFM |
| DAMA36SSV | 36" | Stainless | 295/395/600 CFM |

ACCESSORIES

| | |
|------------------|---------------------------------|
| HIGH3 | High Ceiling Kit (up to 11' 2") |
| DUCT4 | Ductless Conversion Kit |
| FILTER2 | Replacement Charcoal Filter |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| REMORIG | Wireless Remote Control |
| WIREBOX | Fixed Wiring Box |

FEATURES

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minutes |
| Canopy Depth / Height | 20" D / 6 9/16" H | Intensive Speed | 10 Minutes |
| Convertible to Ductless | Yes - WITH DUCT4 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic W/ White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 2 X 5 (W) LED - 1 Level | Power Cord Included | Yes |
| Ducting Top | 6" Round | Remote Control Option | Yes - Purchase Separately |
| Grease Filters | Dishwasher Safe SS Baffle | | |



T SHAPE

BELLA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|----------------------|--|-----------|-------------|
| BELA30SS600-B | 30" | Stainless | 600 CFM PRO |
| BELA36SS600-B | 36" | Stainless | 600 CFM PRO |
| ACCESSORIES | | | |
| HIGH3 | High Ceiling Kit Stainless (up to 11') | | |
| DUCT4 | Ductless Conversion Kit | | |
| FILTER2 | Replacement Charcoal Filter | | |
| CFMRED | CFM Reducer Kit (300 CFM) | | |
| CFMRED2 | CFM Reducer Kit (400 CFM) | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |
| REMORIG | Wireless Remote Control | | |
| WIREBOX | Fixed Wiring Box | | |

FEATURES

| | | | |
|-----------------------------------|---------------------------------|-------------------------------------|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Intensive Speed | 6 Minute |
| Canopy Depth / Height | 21 1/4" D / 2 3/8" H | ADA Compliant | Yes - With Remote Control |
| Convertible To Ductless | Yes - WITH DUCT4 | Power Cord Included | Yes |
| Controls | 8 Button LED Digital Electronic | Remote Control Option | Yes - Purchase Separately |
| Lighting | 2 X 1 (W) LED - 2 Level | 24 Hour Anti-Pollution Mode | Yes |
| Ducting Top | 6" Round | Filter Wash Indicator | Yes |
| Grease Filters | Dishwasher Safe SS Mesh | Pro Motor W/ Metal Impellers | Yes |
| Delay Auto Shut Off | 30 Minutes | | |



T SHAPE

STILO UPDATED

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------------|--|-----------|-----------------|
| STIL24SSV2 | 24" | Stainless | 295/395/600 CFM |
| STIL30SSV2 | 30" | Stainless | 295/395/600 CFM |
| STIL36SSV2 | 36" | Stainless | 295/395/600 CFM |
| STIL48SSV2 | 48" | Stainless | 295/395/600 CFM |
| ACCESSORIES | | | |
| HIGH3 | High Ceiling Kit Stainless (up to 11') | | |
| DUCT4 | Ductless Conversion Kit | | |
| FILTER2 | Replacement Charcoal Filter | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |
| REMORIG | Wireless Remote Control | | |
| WIREBOX | Fixed Wiring Box | | |

FEATURES

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minute |
| Canopy Depth / Height | 18 1/2" D / 2 3/8" H | Intensive Speed | 10 Minute |
| Convertible to Ductless | Yes - WITH DUCT4 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic W/ White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 2 X 1 (W) LED - 1 Level | Power Cord Included | Yes |
| Ducting Top | 6" Round | Remote Control Option | Yes - Purchase Separately |
| Grease Filters | Dishwasher Safe Mesh | | |



CANOPY

NOVA PRO

| MODEL | SIZE | COLOR | MOTOR CLASS |
|------------------|------|-----------|-----------------|
| NOPR30SSV | 30" | Stainless | 295/395/600 CFM |
| NOPR36SSV | 36" | Stainless | 295/395/600 CFM |

ACCESSORIES

| | |
|-------------------|--|
| HIGH3 | High Ceiling Kit (up to 11' 8") |
| DUCT5 | Ductless Conversion Kit |
| FILTER1LL2 | Long Lasting Replacement Charcoal Filter |
| FILTER1 | Replacement Charcoal Filter |
| REMORIG | Wireless Remote Control |
| WIREBOX | Fixed Wiring Box |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |

FEATURES

| | | | |
|---|---------------------------------|-------------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minutes |
| Canopy Depth / Height | 219/16" D / 10 3/8" H | ADA Compliant | Yes - With Remote Control |
| Convertible to Ductless | Yes - With DUCT5 | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Controls | 4 Speed Electronic W/ White LED | Power Cord Included | Yes |
| Lighting | 2 X 5 (W) LED - 1 Level | Remote Control Option | Yes - Purchase Separately |
| Ducting Top or Rear Vent (Vari-Duct) | Yes - 6" Round | Pro Motor W/ Metal Impellers | Yes |
| Grease Filters | Dishwasher Safe SS Baffle | | |



CANOPY

CLASSIC PLUS

| MODEL | SIZE | COLOR | MOTOR CLASS |
|------------------|------|-----------|-----------------|
| CLPL30SSV | 30" | Stainless | 295/395/600 CFM |
| CLPL36SSV | 36" | Stainless | 295/395/600 CFM |

ACCESSORIES

| | |
|-------------------|---------------------------------|
| HIGHCLPL | High Ceiling Kit (up to 11' 8") |
| DUCTCLPL | Ductless Conversion Kit |
| FILTER1 | Replacement Charcoal Filter |
| FILTER1LL2 | Long Lasting Charcoal Filter |
| REMORIG | Wireless Remote Control |
| WIREBOX | Fixed Wiring Box |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |

FEATURES

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minutes |
| Canopy Depth / Height | 18 1/2" D / 9 13/16" H | Intensive Speed | 10 Minutes |
| Convertible to Ductless | Yes - With DUCTCLPL | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic W/ White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 2 X 1 (W) LED - 1 Level | Power Cord Included | Yes |
| Ducting Top | 6" Round | Remote Control Option | Yes - Purchase Separately |
| Grease Filters | Dishwasher Safe Mesh | | |



CANOPY

TENDER

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------|------|-------|-------------|
|-------|------|-------|-------------|

| | | | |
|------------------|-----|-----------|-----------------|
| TEND30SSV | 30" | Stainless | 295/395/600 CFM |
| TEND36SSV | 36" | Stainless | 295/395/600 CFM |

| ACCESSORIES | |
|-------------|--|
|-------------|--|

| | |
|-------------------|---|
| HIGHTNDR | High Ceiling Kit Stainless (up to 11' 3") |
| CHIMTNR | Lower Chimney Kit (no grids) |
| DUCTTNR | Ductless Conversion Kit |
| FILTER1 | Replacement Charcoal Filter |
| FILTER1LL2 | Long Lasting Charcoal Filter |
| REMORIG | Wireless Remote Control |
| WIREBOX | Fixed Wiring Box |
| BAFFLE2 | 30" Baffle Grease Filters |
| BAFFLE3 | 36" Baffle Grease Filters |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |

| FEATURES | | | |
|----------|--|--|--|
|----------|--|--|--|

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Intensive Speed | 10 Minutes |
| Canopy Depth / Height | 19 21/32" D / 9 7/16" H | ADA Compliant | Yes - With Remote Control |
| Convertible To Ductless | Yes - WITH DUCTCLPL | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Controls | 4 Speed Electronic W/ White LED | Power Cord Included | Yes |
| Lighting | 2 X 1 (W) LED - 1 Level | Remote Control Option | Yes - Purchase Separately |
| Ducting Top | 6" Round | | |
| Grease Filters | Dishwasher Safe Mesh | | |
| Delay Auto Shut Off | 15 Minutes | | |



GLASS

TRATTO

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------|------|-------|-------------|
|-------|------|-------|-------------|

| | | | |
|------------------|-----|------------|-----------------|
| TRAT30SSV | 30" | Glass & SS | 295/395/600 CFM |
| TRAT36SSV | 36" | Glass & SS | 295/395/600 CFM |

| ACCESSORIES | |
|-------------|--|
|-------------|--|

| | |
|------------------|------------------------------|
| HIGH3 | High Ceiling Kit (up to 11') |
| DUCT4 | Ductless Conversion Kit |
| FILTER2 | Replacement Charcoal Filter |
| REMORIG | Wireless Remote Control |
| WIREBOX | Fixed Wiring Box |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |

| FEATURES | | | |
|----------|--|--|--|
|----------|--|--|--|

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minutes |
| Canopy Depth / Height | 18 1/2" D / 1 11/16" H | Intensive Speed | 10 Minutes |
| Convertible To Ductless | Yes - With DUCT4 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic W/ White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 2 X 1 (W) LED - 1 Level | Power Cord Included | Yes |
| Ducting Top | 6" Round | Remote Control Option | Yes - Purchase Separately |
| Grease Filters | Dishwasher Safe Mesh | | |

ISLAND CANOPY & CEILING RANGE HOODS







ISLAND

DAMA ISOLA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------------|----------------------------------|-----------|-----------------|
| DAMAI36SSV | 36" | Stainless | 295/395/600 CFM |
| DAMAI42SSV | 42" | Stainless | 295/395/600 CFM |
| ACCESSORIES | | | |
| HIGH2 | High Ceiling Kit (up to 10' 10") | | |
| DUCT2 | Ductless Conversion Kit | | |
| FILTER2 | Replacement Charcoal Filter | | |
| REMORIG | Wireless Remote Control | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |

FEATURES

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minutes |
| Canopy Depth / Height | 27 1/2" D / 5 11/16" H | Intensive Speed | 10 Minutes |
| Convertible to Ductless | Yes - With DUCT2 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic W/ White LED | Power Cord Included | Yes |
| Lighting | 4 X 5 (W) LED - 1 Level | Remote Control Option | Yes - Purchase Separately |
| Ducting Top | 6" Round | Fixed Wiring Box | Yes |
| Grease Filters | Dishwasher Safe SS Baffle | Seamless Welded Chimney | Yes |



ISLAND

GLASSY ISOLA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------------|---------------------------------|-------------------|-----------------|
| GLASIS36SSV | 36" | Glass & Stainless | 295/395/600 CFM |
| ACCESSORIES | | | |
| HIGH2 | High Ceiling Kit (up to 10' 6") | | |
| DUCT2 | Ductless Conversion Kit | | |
| FILTER2 | Replacement Charcoal Filter | | |
| REMORIG | Wireless Remote Control | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |
| BAFFLE2 | Baffle Grease Filters | | |

FEATURES

| | | | |
|-----------------------------------|---------------------------------|--------------------------------|--------------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 15 Minute |
| Canopy Depth / Height | 27 9/16" D / 1 7/8" H | Intensive Speed | 10 Minute |
| Convertible to Ductless | Yes - With DUCT2 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic W/ White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 4 X 1 (W) LED - 1 Level | Remote Control Option | Yes - Purchase Separately |
| Ducting Top | 6" Round | Seamless Welded Chimney | Yes |
| Grease Filters | Dishwasher Safe Mesh | | |

BELLA ISOLA



ISLAND

| MODEL | SIZE | COLOR | MOTOR CLASS |
|------------------------|------|-----------|-------------|
| BELAIS36SS600-B | 36" | Stainless | 600 CFM PRO |
| BELAIS42SS600-B | 42" | Stainless | 600 CFM PRO |
| BELAIS48SS600 | 48" | Stainless | 600 CFM PRO |

ACCESSORIES

| | |
|------------------|---------------------------------|
| HIGH2 | High Ceiling Kit (up to 10' 6") |
| DUCT2 | Ductless Conversion Kit |
| FILTER2 | Replacement Charcoal Filter |
| CFMRED | CFM Reducer Kit (300 CFM) |
| CFMRED2 | CFM Reducer Kit (400 CFM) |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| REMORIG | Wireless Remote Control |

FEATURES

| | | | |
|-----------------------------------|---------------------------|------------------------------------|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Intensive Speed | 6 Minutes |
| Canopy Depth / Height | 26 5/8" D / 2 3/8" H | ADA Compliant | Yes - With Remote Control |
| Convertible to Ductless | Yes - With DUCT2 | Remote Control Option | Yes - Purchase Separately |
| Controls | 8 Button With LED Display | Fixed Wiring Box | Yes |
| Lighting | 4 X 1 (W) LED - 2 Level | Seamless Welded Chimney | Yes |
| Ducting Top | 6" Round | Quick Island Mounting | Yes |
| Grease Filters | Dishwasher Safe SS Mesh | Pro Motor W/Metal Impellers | Yes |
| Delay Auto Shut Off | 30 Minutes | 24 Hour Anti-Pollution Mode | Yes |



CEILING

HIGH-LIGHT

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------|------|-----------------|-------------|
| HILTI36SSNB | 36" | Stainless Steel | No Blower |
| HILTI36WHNB | 36" | White Matte | No Blower |

PICK A BLOWER

| | |
|--------|---|
| IB300 | Internal Blower 300 CFM |
| IB400 | Internal Blower 400 CFM |
| IB600 | Internal Blower 600 CFM PRO |
| RB900 | Remote Blower 900 CFM |
| RB1200 | Remote Blower 1200 CFM |
| AXP250 | In-Line Blower 735 CFM (FLANGE10 REQUIRED) |

ACCESSORIES

| | |
|------------|---|
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Long Lasting Charcoal Filter |
| FLANGE10 | 10" Blower Flange (Required with AXP250) |
| FLANGE3 | 10" round to 3 1/4" x 10" Flange |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit |

Note: If desired you may use your own external blower, purchased separately, rated 2.7 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES

| | | | |
|----------------------------|-----------------------------------|---|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Intensive Speed | 10 Minutes |
| Convertible to Ductless | Yes - With FILTER1 / FILTER1LL2 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed LED Digital Touch Control | Power Cord Included | Yes |
| Lighting | 3 (W) LED Light Panel - 2 Level | Remote Control | Yes - Included |
| Light Dimmer | Yes | Fixed Wiring Box | Yes |
| Ducting | 6" Round | Perimetric Filter System/ Silent Kit | Yes |
| | 10" 4-Way Venting | | |
| Delay Auto Shut Off | 30 Minutes | | |

STRATUS ISOLA



WHITE GLASS



STAINLESS

CEILING

| MODEL | SIZE | COLOR | MOTOR CLASS |
|---------------------|------|-----------------|-------------|
| STRTIS36WHNB | 36" | White Glass | No Blower |
| STRTIS48WHNB | 48" | White Glass | No Blower |
| STRTIS36SSNB | 36" | Stainless Steel | No Blower |
| STRTIS48SSNB | 48" | Stainless Steel | No Blower |

PICK A BLOWER

| | |
|---------------|--|
| IB300 | Internal Blower 300 CFM |
| IB400 | Internal Blower 400 CFM |
| IB600 | Internal Blower 600 CFM PRO |
| RB900 | Remote Blower 900 CFM |
| RB1200 | Remote Blower 1200 CFM |
| AXP250 | In-Line Blower 735 CFM (FLANGE10 REQUIRED) |

ACCESSORIES


| | |
|-------------------|--|
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Long Lasting Charcoal Filter |
| FLANGE10 | 10" Blower Flange (Required with AXP250) |
| FLANGE3 | 10" round to 3 1/4" x 10" Flange |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit |

Note: If desired you may use your own external blower, purchased separately, rated 2.8 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

FEATURES

| | | | |
|-----------------------------------|------------------------------------|----------------------------------|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Delay Auto Shut Off | 30 Minutes |
| Convertible to Ductless | Yes - FILTER1 / FILTER1LL2 | Intensive Speed | 10 Minutes |
| Controls | 4 Speed LED Digital Touch Control | ADA Compliant | Yes - With Remote Control |
| Ducting | 6" Round | Remote Control | Yes - Included |
| | 10" 4-Way Venting | Fixed Wiring Box | Yes |
| Lighting Stainless | 4 X 1 (W) LED - 2 Level | Perimetric Filter System/ | Yes |
| Lighting White Glass | 2 X 3 (W) LED Light Bars - 2 Level | Silent Kit | |
| Light Dimmer | Yes | | |

INSERT RANGE HOODS







PRO LINER

*Use your own external blower, purchased separately, rated 4.2amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the INLBKIT to connect to the hood.

INCA PRO PLUS

| MODEL | SIZE | MOTOR CLASS |
|-------|------|-------------|
|-------|------|-------------|

PICK A LINER

| | | |
|----------------|-------------|-----------|
| INPL3019SSNB-B | 30" W x 19" | No Blower |
| INPL3619SSNB-B | 36" W x 19" | No Blower |
| INPL4219SSNB-B | 42" W x 19" | No Blower |
| INPL4819SSNB-B | 48" W x 19" | No Blower |
| INPL3622SSNB-B | 36" W x 22" | No Blower |
| INPL4822SSNB-B | 48" W x 22" | No Blower |

PICK A BLOWER

| | |
|--------|--|
| IB300 | Internal Blower 300 CFM |
| IB400 | Internal Blower 400 CFM |
| IB600 | Internal Blower 600 CFM PRO |
| IB1200 | Internal Blower 1200 CFM PRO |
| RB900 | Remote Blower 900 CFM |
| RB1200 | Remote Blower 1200 CFM |
| AXP250 | In-Line Blower 735 CFM (INLBKIT REQ'D) |

ACCESSORIES

| | |
|------------|---|
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Long Lasting Charcoal Filter |
| INLBKIT | In-Line Blower Connector (Required with AXP250) |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit (900 / 1200 CFM) |

FEATURES

| | | | |
|------------------------------|---|--------------------------------|-------------------------------|
| Cabinet Cut Out | Width : 28 5/8", 34 3/4", 40 3/4" 46 3/4" | Grease Filters | Dishwasher Safe Pro SS Baffle |
| | Depth: 19 7/8" or 22 7/8" | ADA Compliant | With A Separate Wall Switch |
| Height Inside Cabinet | 11" | Fixed Wiring Box | Yes |
| Convertible to Recirculating | Yes - With FILTER1 / FILTER1LL2 | Installation Mounting Hardware | Easy Snap Mounting Clips |
| Controls | Variable Speed Dial | | |
| Lighting | 2 x 5 (W) LED - 1 Level | | |
| Ducting Top | 6" Round or 10" Round | | |

FABER FACTS

EASY INSTALLATION CLIPS

The Easy Snap clip system by Faber is an exclusive technology to make installation easy on cabinet mounted hoods. With the simple turn of a screw the clip "bites" down on the wood inside the cabinet for a quick and easy installation.


Available on all Inca models and Cristals.



Easy Snap ready to install



Easy Snap tightened



NO LOGO ON HOOD

PRO INSERT

INCA SD

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------|---|-----------|-----------------|
| INSD29SSV | 29" | Stainless | 295/395/600 CFM |
| INSD35SSV | 35" | Stainless | 295/395/600 CFM |
| ACCESSORIES | | | |
| LINE30ST | 30" SS Liner (16 - 17 7/8" D) - Use with INSD29 | | |
| LINE36ST | 36" SS Liner (16 - 17 7/8" D) - Use with INSD29 | | |
| LINE36PT | 36" SS Liner (16 - 17 7/8" D) - Use with INSD35 | | |
| FILTER1 | Charcoal Filter Kit | | |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit | | |
| REMORIG | Wireless Remote Control | | |
| WIREBOX | Fixed Wiring Box | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |

FEATURES

| | | | |
|--------------------------------------|--|--------------------------------|--------------------------------|
| Cabinet Cut Out 29" | 27 5/8" W / 13 9/16" D | Grease Filters | Dishwasher Safe SS Mesh |
| Cabinet Cut Out 35" | 33 5/8" W / 13 9/16" D | Delay Shut Off | 15 Minute |
| Height Inside Cabinet | 12 15/16" | ADA Compliant | Yes - With Remote Control |
| Convertible to Recirculating | Yes - With FILTER1/FILTER1LL2 | Power Cord Included | Yes |
| Controls | 4 Speed Electronic | Remote Control Option | Yes |
| Lighting | W/White LED 2 x 5 (W) LED - 1 Level | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Ducting Top or Rear Vent (Vari-Duct) | 6" Round | Installation Mounting Hardware | Easy Snap Mounting Clips |
| | | Pro Motor W/ Metal Impellers | Yes |

INCA HC

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------|---|-----------|---------------------|
| INHC29SSV | 29" | Stainless | 295 / 395 / 600 CFM |
| INHC35SSV | 35" | Stainless | 295 / 395 / 600 CFM |
| ACCESSORIES | | | |
| LINE30ST | 30" SS Liner (16 - 17 7/8" D) - Use with INHC29 | | |
| LINE36ST | 36" SS Liner (16 - 17 7/8" D) - Use with INHC29 | | |
| LINE36PT | 36" SS Liner (16 - 17 7/8" D) - Use with INHC35 | | |
| FILTER1 | Charcoal Filter Kit | | |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit | | |
| REMORIG | Wireless Remote Control | | |
| WIREBOX | Fixed Wiring Box | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |



NO LOGO ON HOOD

INSERT

FEATURES

| | | | |
|--------------------------------------|--|--------------------------------|--------------------------------|
| Cabinet Cut Out 29" | 27 5/8" W / 13 9/16" D | Grease Filters | Dishwasher Safe SS Mesh |
| Cabinet Cut Out 35" | 33 5/8" W / 13 9/16" D | Delay Shut Off | 15 Minute |
| Height Inside Cabinet | 12 15/16" | Intensive Speed | 10 Minute |
| Convertible to Recirculating | Yes - With FILTER1/FILTER1LL2 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed Electronic | Power Cord Included | Yes |
| Lighting | W/White LED 2 x 5 (W) LED - 1 Level | Remote Control Option | Yes |
| Ducting Top or Rear Vent (Vari-Duct) | 6" Round | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| | | Installation Mounting Hardware | Easy Snap Mounting Clips |



INSERT

INCA IN-LIGHT

| MODEL | SIZE | COLOR | MOTOR CLASS |
|------------------|------|-----------|-----------------|
| INLT21SSV | 21" | Stainless | 295/395/600 CFM |
| INLT28SSV | 28" | Stainless | 295/395/600 CFM |
| INLT35SSV | 35" | Stainless | 295/395/600 CFM |

ACCESSORIES

| | |
|---------------------|---|
| LINE30ST | 30" SS Liner (16 - 17 7/8" D) - Use with INLT28 |
| LINE36ST | 36" SS Liner (16 - 17 7/8" D) - Use with INLT28 |
| LINE36PT | 36" SS Liner (16 - 17 7/8" D) - Use with INLT35 |
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Charcoal Filter Kit (Washable Long Lasting) |
| WIREBOX | Fixed Wiring Box |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| LINSPT301228 | 30" Self Supporting Liner (17 1/2" - 20 1/2" D) |
| LINSPT361228 | 36" Self Supporting Liner (17 1/2" - 20 1/2" D) |

LINSPT301228 & LINSPT361228 For Use with INLT28

FEATURES

| | | | |
|-------------------------------------|-----------------------------------|---------------------------------------|--------------------------------|
| Cabinet Cut Out 21" /28" | 19 1/2" or 26 9/16" W x 10 1/4" D | Intensive Speed | 10 Minute |
| Cabinet Cut Out 35" | 32 7/8" W x 10 1/4" D | ADA Compliant | Yes With Remote Control |
| Height Inside Cabinet | 13 1/16" | Power Cord Included | Yes |
| Convertible to Recirculating | Yes - With FILTER1/FILTER1LL2 | Remote Control Option | Yes - Included |
| Controls | 4 Speed Electronic W/White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 1 x 3 (W) LED Bar - 1 Level | Installation Mounting Hardware | Easy Snap Mounting Clips |
| Ducting Top | 6" Round | Perimetric Filter System | Yes |
| Grease Filters | Dishwasher Safe Mesh | | |
| Delay Shut Off | 15 Minute | | |

INCA LUX

MODEL SIZE COLOR MOTOR CLASS

| | | | |
|------------------|-----|-----------|-----------------|
| INLX21SSV | 21" | Stainless | 295/395/600 CFM |
| INLX28SSV | 28" | Stainless | 295/395/600 CFM |
| INLX35SSV | 35" | Stainless | 295/395/600 CFM |

ACCESSORIES

| | |
|---------------------|---|
| LINE30ST | 30" SS Liner (16 - 17 7/8" D) - Use with INLX28 |
| LINE36ST | 36" SS Liner (16 - 17 7/8" D) - Use with INLX28 |
| LINE36PT | 36" SS Liner (16 - 17 7/8" D) - Use with INLX35 |
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Charcoal Filter Kit |
| REMORIG | Wireless Remote Control |
| WIREBOX | Fixed Wiring Box |
| MUDAMPER | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| LINSPT301228 | 30" Self Supporting Liner (17 1/2" - 20 1/2" D) |
| LINSPT361228 | 36" Self Supporting Liner (17 1/2" - 20 1/2" D) |

LINSPT301228 & LINSPT361228 For Use with INLX28

NO LOGO ON HOOD

INSERT

FEATURES

| | | | |
|-------------------------------------|-----------------------------------|---------------------------------------|--------------------------------|
| Cabinet Cut Out 21" /28" | 19 1/2" or 26 9/16" W x 10 1/4" D | Intensive Speed | 10 Minute |
| Cabinet Cut Out 35" | 32 7/8" W x 10 1/4" D | ADA Compliant | Yes - With Remote Control |
| Height Inside Cabinet | 13" | Power Cord Included | Yes |
| Convertible to Recirculating | Yes - With FILTER1/FILTER1LL2 | Remote Control Option | Yes |
| Controls | 4 Speed Electronic W/White LED | Variable Air Management | Yes (set to 295, 395, 600 CFM) |
| Lighting | 2 x 5 (W) LED Bar - 1 Level | Installation Mounting Hardware | Easy Snap Mounting Clips |
| Ducting Top | 6" Round | Perimetric Filter System | Yes |
| Grease Filters | Dishwasher Safe Mesh | | |
| Delay Shut Off | 15 Minute | | |



PERIMETRIC FILTER SYSTEM

What's the most effective air extraction technology? It's PERIMETER ASPIRATION, and it's an exclusive FABER technology, of course. Forcing air to speed up through a narrow gap around the perimeter of the panel, purifying the air, reducing noise and improving efficiency.



INSERT

INCA SMART SS

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------|---|---|-------------|
| INSP28SS240 | 28" | Stainless Steel | 240 CFM |
| INSP28SS400 | 28" | Stainless Steel | 400 CFM |
| INSP28SS600 | 28" | Stainless Steel | 600 CFM |
| ACCESSORIES | | | |
| LINE30ST | 30" | SS Liner (16 - 17 7/8" D) | |
| LINE36ST | 36" | SS Liner (16 - 17 7/8" D) | |
| FILTER4 | Charcoal Filter Kit (240 CFM Only) | | |
| FILTER1 | Charcoal Filter Kit (400/600 CFM Only) | | |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit (400/600 CFM ONLY) | | |
| WIREBOX | Fixed Wiring Box (400/600 CFM Only) | | |
| LINSPT301228 | 30" | Self Supporting Liner (17 1/2" - 20 1/2" D) | |
| LINSPT361228 | 36" | Self Supporting Liner (17 1/2" - 20 1/2" D) | |

| FEATURES | | | |
|-------------------------------------|---|---------------------------------------|--------------------------|
| Cabinet Cut Out | 26 5/8" W 10 1/2" D | Lighting | 2 x 4 (W) LED - 1 Level |
| Body Width/Depth | 25 5/8" W X 10 1/4" D | Duct Top | 6" Round (SS400 & 600) |
| Height Inside Cabinet | 7 1/16" (28SS240) | Duct Top | 5" Round (SS240) |
| | 12 3/4" (28SS400/600) | Grease Filters | Dishwasher Safe Mesh |
| Convertible to Recirculating | Yes - With FILTER1/FILTER1LL2 (SS400/600) FILTER4 (SS240) | Intensive Speed | 10 Minutes |
| Controls | 4 Speed Electronic Push With Multi-Colored LED | ADA Compliant | No |
| | | Power Cord included | Yes |
| | | Installation Mounting Hardware | Easy Snap Mounting Clips |



INSERT

INCA SMART GR

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------------|------|--------------|-------------|
| INSM21GR240 | 21" | Painted Gray | 240 CFM |
| INSM28GR240 | 28" | Painted Gray | 240 CFM |

| ACCESSORIES | |
|---------------------|---|
| LINE30ST | 30" SS Liner (16 - 17 7/8") |
| LINE36ST | 36" SS Liner (16 - 17 7/8") |
| FILTER4 | Charcoal Filter Kit |
| LINSPT301228 | 30" Self Supporting Liner (17 1/2" - 20 1/2" D) |
| LINSPT361228 | 36" Self Supporting Liner (17 1/2" - 20 1/2" D) |

LINSPT301228 & LINSPT361228 For Use with INSM28GR240

FEATURES

| | | | |
|-------------------------------------|-----------------------------------|---------------------------------------|-----------------------------|
| Cabinet Cut Out 21" | 19 9/16" W x 10 1/2" D | Lighting | 2 x 4 (W) LED - 1 Level |
| Cabinet Cut Out 28" | 26 9/16" W x 10 1/2" D | Duct Top | 5" Round |
| Body Width/Depth | 20 9/16" or 27 5/8" W x 10 1/4" D | Grease Filters | Dishwasher Safe Mesh |
| Height Inside Cabinet | 7 1/16" | Intensive Speed | 10 Minutes |
| Convertible to Recirculating | Yes - With FILTER4 | ADA Compliant | With a Separate Wall Switch |
| Controls | 3 Speed Slider | Power Cord included | Yes |
| | | Installation Mounting Hardware | Easy Snap Mounting Clips |

PRO & UNDER CABINET RANGE HOODS







PRO CANOPY

CAMINO PRO

| MODEL | SIZE | COLOR | MOTOR CLASS |
|---------------------|------|-----------|--------------|
| CAPR36SS600 | 36" | Stainless | 600 CFM PRO |
| CAPR36SS1200 | 36" | Stainless | 1200 CFM PRO |
| CAPR48SS1200 | 48" | Stainless | 1200 CFM PRO |

CHOOSE YOUR DUCT COVER

| | |
|-----------------|-------------------------------------|
| CHIM2224 | 36" Camino Chimney 8' - 9' Ceiling |
| CHIM2248 | 36" Camino Chimney 9' - 11' Ceiling |
| CHIM3424 | 48" Camino Chimney 8' - 9' Ceiling |
| CHIM3448 | 48" Camino Chimney 9' - 11' Ceiling |

ACCESSORIES

| | |
|-------------------|---|
| CFMRED | CFM Reducer Kit 300 CFM |
| CFMRED2 | CFM Reducer Kit 400 CFM |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit |
| FILTER1 | Replacement Charcoal Filter Kit (2 x 1200 CFM) |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit (2 x 1200 CFM) |

FEATURES

| | | | |
|---|---|--|-------------------------------|
| Min./Max. Ceiling Height | See page 50 | Grease Filters | Dishwasher Safe Pro SS Baffle |
| Canopy Depth/Height | 24" D / 18" H | Delay Shut Off | 10 Minute |
| Convertible to Recirculating | Yes - FILTER1 / FILTER1LL2 | Intensive Speed | 10 Minute |
| Controls | 4 Speed Electronic Rotary Knob | ADA Compliant | No |
| Lighting | 2 (36") or 4 (48") X 5 (W) LED - 2 Level | Fixed Wiring Box | Yes |
| Ducting Top or Rear Vent (Vari-Duct) 600CFM* | 6" Round | Pro Motor W/ Metal Impellers | Yes |
| Ducting Top 1200 CFM* | 2 (6")1200 CFM or 1 (10") Round | Self Start Heat Sensor Transition | Yes 10" Included |

*Vari-Duct rear venting only available on Camino Pro 36" 600 CFM

NEW HEAT SENSOR TECHNOLOGY

Electronic rotary knob changes LED colors for each speed and blinks for functions.

When the hood is off, if the stove temperature is above 130 degrees (F) / 54 (C), the hood comes on automatically!



MAESTRALE 18

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------------------|------|-----------|--------------|
| MAES3018SS600-B | 30" | Stainless | 600 CFM PRO |
| MAES3618SS600-B | 36" | Stainless | 600 CFM PRO |
| MAES3618SS1200-B | 36" | Stainless | 1200 CFM PRO |
| MAES4818SS1200-B | 48" | Stainless | 1200 CFM PRO |

ACCESSORIES

| | |
|-------------------|---|
| TELEMAES | Telescopic Chimney Kit (12" - 23" H) |
| FULL30 | Full Width Cover 30 SS (12" H) |
| FULL36 | Full Width Cover 36 SS (12" H) |
| FULL48 | Full Width Cover 48 SS (MAES4818SS) |
| TRNSPRO* | 10" Duct Transition Kit (1200 CFM hood) |
| CFMRED | CFM Reducer Kit 300 CFM |
| CFMRED2* | CFM Reducer Kit 400 CFM |
| WIREBOX | Fixed Wiring Box |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit |
| DUCTGRT30 | Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height) |
| DUCTGRT36 | Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height) |
| FILTER1 | Replacement Charcoal Filter Kit (2 x 1200 CFM) |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit (2 x 1200 CFM) |



NO LOGO ON HOOD

WALL

FEATURES

| | | | |
|---|--|-------------------------------------|-----------------------------------|
| Canopy Depth / Height | 25" D / 18" H | Grease Filters | Dishwasher Safe SS Baffle |
| Controls | 3 Speed Slider W/ LED Indicator | ADA Compliant | Yes - With a Separate Wall Switch |
| Lighting | 3 (30-42") or 4 (48") X 5 (W) LED 1 Level | Power Cord Included | Yes |
| Ducting Top or Rear Vent (Vari-Duct) | 6" Round or 2 (6") Round (1200 CFM models) | Pro Motor W/ Metal Impellers | Yes |

*Optional for 1200 CFM models, transitions two 6" round duct openings into one 10" round opening.



WALL

MAESTRALE 10

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-----------------|---|-----------|-------------|
| MAES3010SS600-B | 30" | Stainless | 600 CFM PRO |
| MAES3610SS600-B | 36" | Stainless | 600 CFM PRO |
| ACCESSORIES | | | |
| TELEMAES | Telescopic Chimney Kit (12" - 23" H) | | |
| FULL30 | Full Width Cover 30 SS (12" H) | | |
| FULL36 | Full Width Cover 36 SS (12" H) | | |
| CFMRED | CFM Reducer Kit 300 CFM | | |
| CFMRED2* | CFM Reducer Kit 400 CFM | | |
| WIREBOX | Fixed Wiring Box | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |
| DUCTGRT30 | Ductless Vent Grate Recirc. Kit 30 (Adds 4" Height) | | |
| DUCTGRT36 | Ductless Vent Grate Recirc. Kit 36 (Adds 4" Height) | | |
| FILTER1 | Replacement Charcoal Filter Kit | | |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit | | |

FEATURES

| | | | |
|--------------------------------------|---------------------------------|-----------------------------|-----------------------------------|
| Canopy Depth / Height | 23" D / 10" H | ADA Compliant | Yes - With a Separate Wall Switch |
| Controls | 3 Speed Slider W/ LED Indicator | Power Cord Included | Yes |
| Lighting | 3 X 5 (W) LED - 1 Level | Pro Motor W/Metal Impellers | Yes |
| Ducting Top or Rear Vent (Vari-Duct) | 6" Round | | |
| Grease Filters | Dishwasher Safe SS Baffle | | |

* CFM Reducer Kit - for use in make up air environments where an under 400 cfm hood is required. This kit reduces the ducting to 5" round and reduces the cfm from 400 to under.

LEVANTE FAMILY OF HOODS



LEVANTE

TIMELESS, COMFORTABLE, VERSATILE

The simplicity that makes you love it and the ease of use that improves everyday life, with the certainty of constant and enduring reliability.

Levante range hoods are also easy to clean and that satisfies all practical requirements while being remarkably effective in neutralizing fumes, vapors, and odors in the kitchen, making the environment even more comfortable.



NEW LEVANTE E

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------|------|-----------|-------------|
| LEVE24SS200 | 24" | Stainless | 200 CFM |
| LEVE24WH200 | 24" | White | 200 CFM |
| LEVE30SS200 | 30" | Stainless | 200 CFM |
| LEVE30WH200 | 30" | White | 200 CFM |

ACCESSORIES

| | |
|----------------|---------------------|
| FILTER8 | Charcoal Filter Kit |
|----------------|---------------------|

UNDER CABINET

FEATURES

| | | | |
|---|-----------------------------------|--------------------------------|---|
| Canopy Depth / Height | 21" D / 5 1/2" H | ADA Compliant | Yes - with Separate Wall Switch |
| Controls | 2-speed Rocker Switch | Fixed Wiring Box | Yes |
| Lighting | 1 X 40 (W) Incandescent - 1 Level | Convertible to Ductless | Yes - with Charcoal Filter Kit (one included) |
| Ducting Top | 7" Round / 3 1/4" X 10" Rectangle | | |
| Ducting Top or Rear Vent (Vari-Duct) | 3 1/4" X 10" Rectangle | | |
| Grease Filters | Dishwasher Safe SS Mesh | | |



LEVANTE II UPDATED

| MODEL | SIZE | COLOR | MOTOR CLASS |
|------------|------|-----------|-------------|
| LEV30SS395 | 30" | Stainless | 395 CFM PRO |
| LEV36SS395 | 36" | Stainless | 395 CFM PRO |

ACCESSORIES

| | |
|----------------|-------------------------|
| FILTER5 | Charcoal Filter Kit |
| REMORIG | Wireless Remote Control |

UNDER CABINET

FEATURES

| | | | |
|--------------------------------------|-----------------------------------|--------------------------------|---------------------------|
| Canopy Depth / Height | 21" D / 5 1/2" H | Intensive Speed | 10 Minute |
| Controls | 4 Speed Electric W/ White LED | Remote Control Option | Yes - Purchase Separately |
| Lighting | 2 X 5 (W) LED - 1 Level | ADA Compliant | Yes - With Remote Control |
| Ducting Top | 7" Round / 3 1/4" X 10" Rectangle | Fixed Wiring Box | Yes |
| Ducting Rear Vent (Vari-Duct) | 3 1/4" X 10" Rectangle | Convertible to Ductless | Yes |
| Grease Filters | Dishwasher Safe SS Mesh | | |
| Delay Auto Off | 15 Minute | | |



LEVANTE G

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------|------|-----------|-------------|
| LEVG24SS300 | 24" | Stainless | 300 CFM |
| LEVG30SS300 | 30" | Stainless | 300 CFM |

| ACCESSORIES | | | |
|-------------|---------------------|--|--|
| FILTER5 | Charcoal Filter Kit | | |

UNDER CABINET

FEATURES

| | | | |
|-------------------------------|-----------------------------------|-------------------------|----------------------|
| Canopy Depth / Height | 21" D / 5 1/2" H | Grease Filters | Dishwasher Safe Mesh |
| Convertible to Ductless | Yes | Intensive Speed | 10 Minute |
| Controls | 4 Speed Push Button | ADA Compliant | No |
| Lighting | 2 X 35 (W) Halogen - 1 Level | Fixed Wiring Box | Yes |
| Ducting Top | 7" Round / 3 1/4" X 10" Rectangle | Convertible to Ductless | Yes |
| Ducting Rear Vent (Vari-Duct) | 3 1/4" X 10" Rectangle | | |

IMPORTANT NOTE: The NEW LEVG has grills for ductless installation on the front of the front slope of the hood.



OSTRO

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-------------|------|-----------|-------------|
| OSTR30SS400 | 30" | Stainless | 400 CFM |
| OSTR36SS400 | 36" | Stainless | 400 CFM |

| ACCESSORIES | | | |
|-------------|---|--|--|
| TELEMAES | Telescopic Chimney Kit (12" - 23" H) | | |
| FULL30 | Full Width Cover 30 SS (12" H) | | |
| FULL36 | Full Width Cover 36 SS (12" H) | | |
| CFMRED2 | CFM Reducer Kit 400 to 300 CFM | | |
| WIREBOX | Fixed Wiring Box | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |
| DUCTGRT30 | Ductless Vent Grate Recirc Kit 30" (ADDS 4" HEIGHT) | | |
| DUCTGRT36 | Ductless Vent Grate Recirc Kit 36" (ADDS 4" HEIGHT) | | |
| FILTER1 | Replacement Charcoal Filter Kit | | |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit | | |

UNDER CABINET

FEATURES

| | | | |
|--------------------------------------|----------------------------|-------------------------|---------------------------|
| Canopy Depth / Height | 23" D / 10" H | Grease Filters | Dishwasher Safe SS Baffle |
| Controls | 4 Speed Push Button | ADA Compliant | No |
| Lighting | 2 X 35 W Halogen - 1 Level | Power Cord Included | Yes |
| Ducting Top or Rear Vent (Vari-Duct) | 6" Round | LED Option | Yes |
| | | Convertible to Ductless | Yes |

INTEGRATED RANGE HOODS





SLIDE OUT

CRISTAL

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------------|------|-----------|-------------|
| CRIS30SS600 | 30" | Stainless | 600 CFM |
| CRIS36SS600 | 36" | Stainless | 600 CFM |
| CRIS30SS400 | 30" | Stainless | 400 CFM |
| CRIS36SS400 | 36" | Stainless | 400 CFM |
| CRIS30SS300 | 30" | Stainless | 300 CFM |
| CRIS36SS300 | 36" | Stainless | 300 CFM |

ACCESSORIES

| | |
|-------------------|----------------------------------|
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| WIREBOX | Fixed Wiring Box |

FEATURES

| | | | |
|--|----------------------------------|---------------------------------------|--|
| Cabinet Cut Out | 25 1/8" or 31 1/8" (W) X 10" (D) | ADA Compliant | Yes With Separate Wall Switch |
| Convertible to Recirculating Controls | Yes - FILTER1 / FILTER1LL2 | Power Cord Included | Yes |
| Lighting | 3 Speed Slider | Installation Mounting Hardware | Easy Snap Mounting Clips |
| Ducting Top or Rear Vent (Vari-Duct) | 2 X 5 (W) LED - 1 Level | Auto On / Off | Yes - Fan/Lights Turn On When Pulled-out and Pushed-in |
| Grease Filters | 6" Round | Front Panel Integration | Use Own Custom Wood Front |



SLIDE OUT

NEW FLEXA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------------|------|-----------|-------------|
| FLEX24SS300 | 24" | Stainless | 300 CFM |
| FLEX30SS300 | 30" | Stainless | 300 CFM |

ACCESSORIES

| | |
|----------------|---------------------|
| FILTER7 | Charcoal Filter Kit |
|----------------|---------------------|

FEATURES

| | | | |
|--|--|---------------------------------------|--|
| Cabinet Cut Out | 19 3/4" or 23 11/16" (W) X 10 3/8" (D) | ADA Compliant | Yes With Separate Wall Switch |
| Convertible to Recirculating Controls | Yes - FILTER7 | Power Cord Included | Yes |
| Lighting | 3 Speed Slider | Installation Mounting Hardware | Easy Snap Mounting Clips |
| Ducting Top | 2 X 4 (W) LED - 1 Level | Auto On / Off | Yes - Fan/Lights Turn On When Pulled-out and Pushed-in |
| Grease Filters | 5" Round | Front Panel Integration | Use Own Custom Wood Front |



DOWN DRAFT RANGE HOODS







DOWNDRAFT

SCIROCCO LUX

15" TALL RISE / 4" DEEP

| MODEL | SIZE | COLOR | MOTOR CLASS |
|-----------------------|------|----------------|-------------|
| SCLX3015BKNB-B | 30" | Blk Glass w/SS | No Blower |
| SCLX3615BKNB-B | 36" | Blk Glass w/SS | No Blower |

BLOWERS

| | |
|------------------|---|
| IBDD600-B | Internal Blower 600 CFM PRO |
| RB900 | Remote Blower 900 CFM (Requires WIREBOXCLX) |
| RB1200 | Remote Blower 1200 CFM (Requires WIREBOXCLX) |
| AXP250 | In-line Blower 735 CFM (Requires WIREBOXSCLX & FLANGE10) |

ACCESSORIES

| | |
|--------------------|---------------------------------------|
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit |
| DUCTSCIR | Ductless Conversion Kit |
| REMORIG | Wireless Remote Control |
| WIREBOXSCLX | Wire Box for Remote & In-Line Blowers |
| CFMRED | CFM Reducer Kit (300 CFM) |
| CFMRED2 | CFM Reducer Kit (400 CFM) |
| FLANGE10 | Required for AXP250 |
| FLANGE 3 | 10" Round to 3 1/4" x 10" Flange |

FEATURES

| | | | |
|---------------------------------|--|------------------------------------|----------------------------|
| Convertible to Ductless | Yes With DUCTSCIR | Intensive Speed | 10 Minute |
| Controls | Electronic Soft Touch Controls | 24 Hour Anti-Pollution Mode | Yes |
| Lighting | Led Light Bar - 2 Level | ADA Compliant | Yes - With Remote Control |
| Ducting | 6" Round (Internal) or 10" Round (Remote) | Power Cord Included | Yes |
| Multiple Ducting Options | Internal - Left, Right, Down, Forward, Back Remote - Forward or Back | Remote Control Option | Yes - Purchased Separately |
| Grease Filters | Dishwasher Safe Mesh | Reversible Motor Box | Yes |
| Delay Auto Shut Off | 30 Minute | Perimetric Filter System | Yes |
| | | Front Panel Integration | Use Own Custom Wood Front |

MUDAMPER10 for use with 900 / 1200 CFM motors
WIREBOXSCLX - Required for SCLX with external blowers



NO LOGO ON HOOD

SCIROCCO PLUS

14" TALL RISE / 2 1/2" DEEP

| MODEL | SIZE | COLOR | MOTOR CLASS |
|----------------|------|-----------------|-------------|
| SCIR3014SSNB-B | 30" | Stainless Steel | No Blower |
| SCIR3614SSNB-B | 36" | Stainless Steel | No Blower |

BLOWERS

| | |
|-----------|---|
| IBDD600-B | Internal Blower 600 CFM PRO |
| RB900 | Remote Blower 900 CFM |
| RB1200 | Remote Blower 1200 CFM |
| AXP250 | In-line Blower 735 CFM (Requires FLANGE10) |

ACCESSORIES

| | |
|------------|----------------------------------|
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |
| MUDAMPER10 | 10" Make Up Air Kit |
| DUCTSCIR | Ductless Conversion Kit |
| CFMRED | CFM Reducer Kit (300 CFM) |
| CFMRED2 | CFM Reducer Kit (400 CFM) |
| FLANGE10 | Required for AXP250 |
| FLANGE 3 | 10" Round to 3 1/4" x 10" Flange |

DOWNDRAFT

FEATURES

| | | | |
|---|---|--------------------------------|-------------------------|
| Convertible to Ductless Controls | Yes With DUCTSCIR Variable Speed Slider With On/Off Button | Multiple Safety Options | Yes |
| Ducting | 6" Round (Internal) or 10" Round (Remote) | Grease Filters | Dishwasher Safe SS Mesh |
| Multiple Ducting Options | Internal - Left, Right, Down, Forward, Back Remote - Forward Or Back | Reversible Motor Box | Yes |
| | | Auto Shut Off | Yes |

MUDAMPER10 for use with 900 / 1200 CFM motors



ICONIC RANGE HOODS



ZOOM UP AND DOWN MOTION RANGE HOOD

Vanilla Shade with
ZOOMIL16SS400
(Zoom + Light Fixture shown)



Oceana Shade (2 pictured) with
ZOOMIL16SS400
(Zoom + Light Fixture shown)



Zoom with 6 LED Light Fixture
ZOOMIL16SS400

Choose the Zoom Island
Hood (ZOOMIS16SS400-B)
by itself or Zoom Island Hood
plus Ceiling Light Fixture
(ZOOMIL16SS400).

Vanilla or Oceana shades
kits pair with the
(ZOOMIL16SS400).



ICONIC

ZOOM

| MODEL | SIZE | COLOR | MOTOR CLASS |
|------------------------|------|-----------|----------------------------------|
| ZOOMIL16SS400 | 16" | Stainless | 400 CFM - With Ceiling Lights |
| ZOOMIS16SS400-B | 16" | Stainless | 400 CFM - Cylinder Only |

ACCESSORIES

| | |
|-------------------|--|
| FILTER1 | Replacement Charcoal Filter Kit |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit |
| VANILLA-SH | Vanilla Glass Shade Use With ZOOMIL16SS400) |
| OCEANA-SH | Oceana Stainless Shade Use With ZOOMIL16SS400 |

Zoom cylinder only (ZOOMIS16SS400-B shown)

FEATURES

| | | | |
|--------------------------------------|-----------------------------|--|---------------------------|
| Min./Max. Ceiling Height (IL) | 8' min - 9' max | Grease Filters | Dishwasher Safe Mesh |
| Min./Max. Ceiling Height (IS) | 7' min - 9' max | Delay Auto Shut Off | 30 Minute |
| Maximum Zoom Movement | 34" | Intensive Speed | 10 Minute |
| Up/Down Technology | Yes | 24 Hour Anti-Pollution Mode | Yes |
| Convertible To Recirculating | Yes - Charcoal Kit Included | ADA Compliant | Yes - With Remote Control |
| Controls | 5 Speed LED Digital Control | Perimetric Filter System / Silent Kit | Yes |
| Lighting (Zoom Hood) | 4 x 1 (W) LED - 1 Level | Remote Control | Yes - Included |
| Lighting (Ceiling Fixture) | 6 x 1 (W) LED - 1 Level | Fixed Wiring Box | Yes |
| Ducting | N/A - Recirculating Only | | |



ICONIC

CHLOE

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------------|------|---------------|-------------|
| CHLO28BK600 | 28" | Painted Black | 600 CFM |
| CHLO36BK600 | 36" | Painted Black | 600 CFM |

ACCESSORIES

| | |
|-------------------|--|
| FILTER1 | Charcoal Filter Kit |
| FILTER1LL2 | Long Lasting Charcoal Filter Kit |
| CHIMCHBK | Black Chimney Kit (14 15/16" - 29 9/16" H) |
| CFMRED | CFM Reducer Kit (300 CFM) |
| CFMRED2 | CFM Reducer Kit (400 CFM) |
| REMORIG | Remote Control |
| MUDAMPER6 | 6" Make Up Air Kit |
| MUDAMPER8 | 8" Make Up Air Kit |

FEATURES

| | | | |
|---|------------------------------------|---|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Intensive Speed | 10 Minutes |
| Canopy Depth / Height | 13 3/4" D / 12 5/8" H | ADA Compliant | Yes - With Remote Control |
| Convertible To Ductless | Yes With FILTER1/FILTER1LL2 | Filter Wash Alarm | Yes |
| Controls | 4 Speed LED Digital Control | Remote Control Option | Yes - Purchase Separately |
| Lighting | 1 x 3 (W) LED Light Bar 2 Level | Perimetric Filter System/ Silent Kit | Yes |
| Dimmer | Yes | Rear Mounting Bracket | Included |
| Ducting Top or Rear Vent (Vari-Duct) | 6" Round | Fixed Wiring Box | Yes |
| Grease Filters | Dishwasher Safe Mesh | | |



CYLINDER

CYLINDRA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|--------------------|---------------------------|-----------|-------------|
| CYLN15SS600 | 15" | Stainless | 600 CFM PRO |
| ACCESSORIES | | | |
| FILTER2 | Charcoal Filter Kit | | |
| CFMRED | CFM Reducer Kit (300 CFM) | | |
| CFMRED2 | CFM Reducer Kit (400 CFM) | | |
| REMORIG | Remote Control | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |

FEATURES

| | | | |
|-------------------------------------|-----------------------------|--|---------------------------|
| Min. / Max. Ceiling Height | See page 50 | Intensive Speed | 10 Minute |
| Convertible to Recirculating | Yes With FILTER2 | 24 Hour Anti-Pollution Mode | Yes |
| Controls | 4 Speed LED Digital Control | ADA Compliant | Yes With Remote Control |
| Lighting | 2 x 1 (W) LED - 2 Level | Remote Control Option | Yes - Purchase Separately |
| Ducting Top | 6" Round | Pro Motor W/ Metal Impellers | Yes |
| Vari-Duct | Yes | Perimetric Filter System / Silent Kit | Yes |
| Grease Filters | Dishwasher Safe Mesh | Fixed Wiring Box | Yes |
| Grease Filter Wash Indicator | Yes | | |
| Delay Auto Shut Off | 30 Minute | | |



ISLAND

CYLINDRA ISOLA

| MODEL | SIZE | COLOR | MOTOR CLASS |
|----------------------|---------------------------|-----------|-------------|
| CYLNIS15SS600 | 15" | Stainless | 600 CFM PRO |
| ACCESSORIES | | | |
| FILTER2 | Charcoal Filter Kit | | |
| CFMRED | CFM Reducer Kit (300 CFM) | | |
| CFMRED2 | CFM Reducer Kit (400 CFM) | | |
| REMORIG | Remote Control | | |
| MUDAMPER6 | 6" Make Up Air Kit | | |
| MUDAMPER8 | 8" Make Up Air Kit | | |

FEATURES


| | | | |
|-------------------------------------|-----------------------------|---|---------------------------|
| Min./Max. Ceiling Height | See page 50 | 24 Hour Anti-Pollution Mode | Yes |
| Convertible to Recirculating | Yes With FILTER2 | ADA Compliant | Yes - With Remote Control |
| Controls | 4 Speed LED Digital Control | Remote Control Option | Yes - Purchase Separately |
| Lighting | 2 x 1 (W) LED - 2 Level | Pro Motor W/ Metal Impellers | Yes |
| Ducting Top | 6" Round | Perimetric Filter System/ Silent Kit | Yes |
| Grease Filters | Dishwasher Safe Mesh | Fixed Wiring Box | Yes |
| Grease Filter Wash Indicator | Yes | | |
| Delay Auto Shut Off | 30 Minute | | |
| Intensive Speed | 10 Minute | | |

FABER MODEL NUMBER SYSTEM

| Model Example | Model | | | | Island | | Width | | Depth or Height | | Color | | CFM Class | | | | VAM | Model Year |
|------------------|-------|---|---|---|--------|---|-------|---|-----------------|---|-------|---|-----------|---|---|---|-----|------------|
| MAES3618SS1200-B | M | A | E | S | | | 3 | 6 | 1 | 8 | S | S | 1 | 2 | 0 | 0 | | -B |
| GLASIS36SS600-B | G | L | A | S | I | S | 3 | 6 | | | S | S | 6 | 0 | 0 | | | -B |
| NOPR30SSV | N | O | P | R | | | 3 | 0 | | | S | S | | | | | V | |
| Blower Needed | | | | | | | | | | | | | N | B | | | | |
| Island | | | | | I | S | | | | | | | | | | | | |
| Stainless Steel | | | | | | | | | | | S | S | | | | | | |
| White | | | | | | | | | | | W | H | | | | | | |
| Gray | | | | | | | | | | | G | R | | | | | | |
| Black | | | | | | | | | | | B | K | | | | | | |
| Black Stainless | | | | | | | | | | | B | S | | | | | | |

FABER FACTS

FABER TECHNOLOGIES



FILTERILL2

LONG LASTING CHARCOAL FILTER

- A Faber first! Wash and recharge charcoal filters up to 8 times
- Lasts up to 4 years vs. the normal charcoal filter that lasts 6 months



Vari-Duct

ADDS DUCTING FLEXIBILITY TO YOUR INSTALLATION!

- Look for the "Vari-Duct" phrase in the price book
- Duct up (vertical) or rotate the blower to the back (horizontal)
- Reduce ducting when on an outside wall and improves performance

ACCESSORY GUIDE

| Model # | Item Description | Includes | Models Compatible with |
|-------------------|------------------------------|--|--|
| BAFFLE2 | 30" Baffle Grease Filter | (2) Stainless Baffle Filters | Glassy Isola, Tender |
| BAFFLE3 | 36" Baffle Grease Filter | (3) Stainless Baffle Filters | Tender |
| CFMRED | Cfm Reducer Kit | Reducer | Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Scirocco Plus, Scirocco Lux |
| CFMRED2 | Cfm Reducer Kit | Reducer | Bella, Bella Isola, Camino Pro, Chloe, Cylindra, Cylindra Isola, Diamante, Maestrale 10, Maestrale 18, Ostro, Scirocco Plus, Scirocco Lux |
| CHIM2224 | SS Chimney Kit 36" - 8 - 9' | Chimney And Hardware | Camino Pro 36 ONLY |
| CHIM2248 | SS Chimney Kit 36" - 9 - 11' | Chimney And Hardware | Camino Pro 36 ONLY |
| CHIM3424 | SS Chimney Kit 48" - 8 - 9' | Chimney And Hardware | Camino Pro 48 ONLY |
| CHIM3448 | SS Chimney Kit 48" - 9 - 11' | Chimney And Hardware | Camino Pro 48 ONLY |
| CHIMCHBK | Black Chimney Kit | Chimney And Hardware | Chloe BK |
| DUCT2 | Ductless Kit | Chimney, Diverter, Vent Grids, Charcoal | Bella Isola, Dama Isola, Glassy Isola |
| DUCT4 | Ductless Kit | Charcoal, Diverter | Bella, Dama, Glassy, Stilo, Tratto |
| DUCT5 | Ductless Kit | Charcoal, Diverter | Nova Pro |
| DUCTCLPL | Ductless Kit | Charcoal, Diverter | Classica Plus, Tender |
| DUCTDIAM | Ductless Kit | Chimney, Diverter, Grids, Charcoal | Diamante |
| DUCTGRT30 | Ductless Kit | Ss Box With Grills, Charcoal | Maestrale 10, Maestrale 18, Ostro |
| DUCTGRT36 | Ductless Kit | Ss Box With Grills, Charcoal | Maestrale 10, Maestrale 18, Ostro |
| DUCTSCIR | Ductless Kit | Transition Box, Kick Plate, Charcoal | Scirocco Lux, Scirocco Plus |
| FILTER1 | Charcoal Filter | Charcoal | Camino Pro, Chloe, Classica Plus, Cristal, Cristal 24, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom |
| FILTER1LL2 | Long Lasting Charcoal Filter | Charcoal | Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Pro Plus, Inca Smart SS, High-Light, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stratus, Tender, Zoom |
| FILTER2 | Charcoal Filter | Charcoal | Bella, Bella Isola, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy, Glassy Isola, Stilo, Tratto |
| FILTER4 | Charcoal Filter | Charcoal | Inca Smart GR / SS 240 cfm |
| FILTER5 | Charcoal Filter | Charcoal | Levante G, Levante 2 |
| FILTER7 | Charcoal Filter | Charcoal | Flexa |
| FILTER8 | Charcoal Filter | Round Flexa Charcoal | Flexa |
| FLANGE3 | 3 1/4 x 10" transition | 10" Round to 3 1/4" x 10" Rectangle Flange | High-Light, Scirocco Lux, Scirocco Plus, Stratus |
| FLANGE10 | Duct Plate | 10" Duct plate | High-Light, Scirocco Lux, Scirocco Plus, Stratus |
| FULL30 | 30" Full Width Chimney | Chimney And Hardware | Maestrale 10, Maestrale 18, Ostro |

ACCESSORY GUIDE

| Model # | Item Description | Includes | Models Compatible with |
|---------------------|-------------------------------|--|---|
| FULL36 | 36" Full Width Chimney | Chimney And Hardware | Maestrale 10, Maestrale 18, Ostro |
| FULL48 | 48" Full Width Chimney | Chimney And Hardware | Maestrale 18 |
| HIGH2 | High Ceiling Chimney Kit | 1 Tall Upper Chimney And Internal Structure | Bella Isola, Dama Isola, Glassy Isola |
| HIGH3 | High Ceiling Chimney Kit | 2 Tall Chimneys | Bella, Dama, Glassy, Nova Pro, Stilo, Tratto |
| HIGHCLPL | High Ceiling Chimney Kit | 2 Tall Chimneys | Classica Plus |
| HIGHDIAM | High Ceiling Chimney Kit | 1 Tall Upper Chimney | Diamante |
| HIGHTNDR | High Ceiling Chimney Kit | 1 Tall Upper Chimney | Tender |
| INLBKIT | In-Line Blower Kit | 10" Duct Plate With Wiring Box | Inca Pro Plus |
| LINE30ST | Standard Liner 30" | Liner With Hardware | Inca HC 29 , Inca In Light 28, Inca Lux 28 ,Inca SD 29, Inca Smart 28 |
| LINE36ST | Standard Liner 36" | Liner With Hardware | Inca HC 29 ,Inca In Light 28, Inca Lux 28 , Inca SD 29, Inca Smart 28 |
| LINE36PT | Pro Liner 36" | Liner With Hardware | Inca HC 35 ,Inca In Light 35, Inca Lux 35 , Inca SD 35 |
| LINSPT301228 | Self Supporting Liner 30 x 12 | 30" wide self supporting liner with hardware (check model compatibility) | Inca Smart 28 , Inca In Light 28, Inca Lux 28 |
| LINSPT361228 | Self Supporting Liner 30 x 12 | 36" wide self supporting liner with hardware (check model compatibility) | Inca Smart 28 , Inca In Light 28, Inca Lux 28 |
| MUDAMPER6 | 6" Make Up Air Damper | Damper, Switch And Transformer | Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto |
| MUDAMPER8 | 8" Make Up Air Damper | Damper, Switch And Transformer | Bella, Bella Isola, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, Diamante, Glassy Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Scirocco Lux, Scirocco Plus, Stilo, Stratus, Tender, Tratto |
| MUDAMPER10 | 10" Make Up Air Damper | Damper, Switch And Transformer | High-Light, Inca Pro Plus, Maestrale 18, Scirocco Lux, Scirocco Plus, Stratus, Camino Pro |
| OCEANA-SH | Oceana Stainless Steel Shade | Shade | Zoom IL Only |
| REMORIG | Wireless Remote Control | Remote Control | Bella, Bella Isola, Chloe, Classica Plus, Cylindra, Cylindra Isola, Dama, Dama Isola, Glassy Isola, Inca HC, Inca Lux, Inca SD, Levante II, Nova Pro, Scirocco Lux, Stilo, Tender, Tratto |
| TELEMAES | Telescopic Chimney Kit | 2 Chimneys With Hardware | Maestrale 10, Maestrale 18, Ostro |
| TRNSPRO | 10" Ducting Transition | Galvanized Metal Transition | Maestrale 18 |
| VANILLA-SH | Vanilla Glass Shade | Shade | Zoom IL Only |
| WIREBOX | Fixed Wiring Box | Wiring Box With Hood Cabling | Bella, Classica Plus, Cristal, Dama, Inca HC, Inca Lux, Inca In Light, Inca SD, Inca Smart, Maestrale 10, Maestrale 18, Nova Pro, Ostro, Stilo, Tender, Tratto |
| WIREBOXSCLX | Fixed Wire Box (Rb Only) | Wiring Box With Hood Cabling | Scirocco Lux |

CEILING MINIMUM / MAXIMUM HEIGHTS

| | Ducted Minimum 24" OFF | Ducted Maximum 30" OFF | Recirculating Minimum 24" OFF | Recirculating Maximum 30" OFF | High Ceiling Minimum 24" OFF | High Ceiling Maximum 30" OFF |
|-----------------------|---------------------------------------|---------------------------------------|--|--|---|---|
| WALL CHIMNEY | | | | | | |
| Bella | 7' 9 11/16" | 9' 2 1/8" | 7' 9 11/16" | 9' 2 1/8" | 8' 9 3/8" | 11' 5/8" |
| Chloe* | 7' 2 3/8" | 8' 8 3/16" | 7' 2 3/8" | 8' 8 3/16" | N/A | N/A |
| Camino 24" tall * | 7' 7" | 8' 11 7/8" | 7' 7" | 8' 11 7/8" | N/A | N/A |
| Camino 48" tall * | 8' 1" | 10' 11 7/8" | 8' 1" | 10' 11 7/8" | N/A | N/A |
| Classica Plus | 7' 5 9/16" | 9' 5 1/4" | 7' 9 11/16" | 9' 5 1/4" | 8' 11 11/16" | 11' 8 1/16" |
| Cylindra | 7' 11 1/16" | 8' 5 1/16" | 7' 11 1/16" | 8' 5 1/16" | N/A | N/A |
| Dama | 7' 2 5/16" | 9' 1/16" | 7' 7 1/16" | 9' 1/16" | 9' 1 9/16" | 11' 2 5/8" |
| Diamante | 7' 5 3/4" | 8' 9 3/4" | 7' 11 3/8" | 8' 10 1/2" | 9' 4 3/8" | 10' 8 5/8" |
| Nova Pro | 7' 5" | 8' 11 3/8" | 7' 5" | 8' 11 3/8" | 9' 3/8" | 11' 8 7/8" |
| Stilo | 7' 8 11/16" | 9' 3/4" | 7' 8 11/16" | 9' 3/4" | 8' 9 3/8" | 11' 3/16" |
| Tender | 7' 7 1/2" | 9' 10 3/4" | 8' 2 3/16" | 9' 10 3/4" | 9' 6 11/16" | 11' 3 11/16" |
| Tratto | 7' 8 1/8" | 9' 3/16" | 7' 8 1/8" | 9' 3/16" | 8' 8 11/16" | 11' 3/16" |
| ISLAND CHIMNEY | | | | | | |
| Bella Isola | 7' 5 3/8" | 8' 11 3/8" | 7' 9 3/4" | 8' 11 3/8" | 9' 8 7/8" | 10' 6 13/16" |
| Cylindra Isola | 7' 6 5/16" | 8' 11 13/16" | 7' 10 1/4" | 8' 11 13/16" | N/A | N/A |
| Dama Isola | 7' 8 1/4" | 9' 3" | 8' 5/8" | 9' 3" | 10' 3/16" | 10' 10 1/8" |
| Glassy Isola | 7' 4 5/8" | 8' 10 5/8" | 7' 9" | 8' 10 5/8" | 9' 8 1/8" | 10' 6 1/16" |

| | Ducted Minimum 35" OFF | Ducted Maximum 72" OFF | Recirculating Minimum 35" OFF | Recirculating Maximum 72" OFF | High Ceiling Minimum N/A | High Ceiling Maximum N/A |
|---------------------|---------------------------------------|---------------------------------------|--|--|---|---|
| CEILING HOOD | | | | | | |
| High-Light Isola | 5' 11" | 9' 0" | 5' 11" | 9' 0" | N/A | N/A |
| Stratus Isola | 5' 11" | 9' 0" | 5' 11" | 9' 0" | N/A | N/A |

- All minimums at 24" off the stove, maximums at 30" off the stove
- *Chloe & Camino includes Chimney Duct Cover Accessory (sold separately)
- Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.
- For planning purposes only, see install instructions for final heights

FABER CONSUMER WARRANTY & SERVICE

All Faber products are warranted against any defect in materials or workmanship for the original purchaser for a period of two (2) years from the date of original purchase (requires proof of purchase). This warranty covers labour and replacement parts. Faber, at its option, may repair or replace the product or components necessary to restore the product to good working condition. To obtain warranty service, contact the dealer from whom you purchased the range hood or Distinctive Appliances at 1-800-561-7265.

The Warranties do not cover, and Faber shall not be liable for the following:

1. Service calls to correct the installation of your range hood, to instruct you on how to use your range hood, to replace or repair house fuses or to correct house wiring or plumbing.
2. Service calls to repair or replace range hood light bulbs, fuses, or filters. These consumable parts are excluded from warranty coverage.
3. Repairs when your range hood is used for other than normal, single-family household use.
4. Damage resulting from an accident, alteration, misuse, abuse, fire, flood, acts of God, improper installation, installation not in accordance with electrical or plumbing codes or Faber documentation, or use of products not approved by Faber.
5. Replacement parts or repair labour costs for units operated outside the United States or Canada, including any non-UL or C-UL approved Faber range hoods.
6. Repairs to the hood resulting from unauthorized modifications made to the range hood.
7. Expenses for travel and transportation for product service in remote locations and pickup and delivery charges. Faber range hoods should be serviced in the home.

This warranty does not allow recovery of incidental or consequential damages, including, without limitation, direct, indirect, incidental, special or consequential damages, personal injury/wrongful death, or lost profits. The Faber warranty is limited to the above conditions and to the warranty period specified herein and is exclusive. Except as expressly specified in this agreement, Faber disclaims all express or implied conditions, representations, and warranties including, without limitation, any implied warranties of merchantability or fitness for a particular purpose. This warranty gives you specific legal rights that may vary from state to state.

PRODUCT GUIDE **2022**



T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

EASTERN CANADA

Head Office & Warehouse
2025 Cunard Street
Laval, QC H7S 2N1

PARTS & SERVICE

service@distinctive-online.com
1-800-561-7265

ORDER DESK

orderdesk@distinctive-online.com