



falmec
Life inspired.

PRODUCT GUIDE **2023**

WALL

Afrodite	6
Line Pro NRS®	6
Lumen	6
Lumina NRS®	7
Mercurio.....	7
Mercurio XL.....	7
Mira	8
Plane NRS®	8
Plane Top	8
Plane Black.....	9
Polar	9
Prisma	9
Pyramid Pro.....	10
Pyramid Pro NRS®	10
Verso NRS®	10
Vulcano.....	11
Vulcano XL	11
Zeus Pro	11
Zeus Pro NRS®	12

UNDERCABINET

Eros.....	12
-----------	----

CEILING

Nuvola 140.....	13
Nuvola 90.....	13
Nube	14
Stella	14

ISLAND

Lumen	15
Lumen Isola 175.....	15
Lumina NRS®	15

ISLAND

Mercurio.....	16
Mira	16
Plane NRS®	16
Plane Top	17
Polar	17
Pyramid Pro.....	17

DOWN DRAFTS

Down Draft	18
------------------	----

BUILT-IN

Danilo	19
Gruppo Incasso NRS®	19
Mara	19
Massimo Pro.....	20
Massimo Pro NRS®	20
Mercurio Built-in	20
Move.....	21
Sabina.....	21
Valentina	21
Virgola	22
Vittorio Pro.....	22

OUTDOOR

Line Outdoor	23
Pyramid Outdoor	23
Zeus Outdoor	23

Filtration.....	24
Filtering Innovation.....	25
Filter Charts	28
Warranty	29

Why Falmec.

Falmec style: Perfect balance between aesthetic and function.

Thanks to research and collaboration with leading designers, Falmec gives life to a variety of products designed to meet every taste and desire with elegance, attention to details and ergonomics, without compromising functionality.

The real “Made in Italy” since 1981.

Each Falmec product is designed, developed and made entirely in Vittorio Veneto, Italy (near Venice). From the initial concept, to the choice of materials, up to the final product, a constant search for perfection in every production stage is at work that today leads Falmec to be the qualitative reference in the world of extractor hoods.



Life inspired: Technologies & Innovations.

Carbon.Zeo ::

Filtering innovation. Charcoal and Zeolite: filtering the way nature intended it to be. A Falmec exclusive, it uses materials of natural origin such as zeolite and activated charcoal to absorb odours with utmost effectiveness. It can last up to 3 years with normal use, and can be regenerated every 18 months.

Silence, the importance of acoustic comfort.

The Noise Reduction System (NRS) is the technology developed by Falmec that enabled them to create extremely quiet hoods. The NRS hoods reduce noise by up to 86% in sound level while giving the best results in removal of cooking fumes.



Speed reduction system - SRS.

The SRS system reduces the maximum air flow rate that can be set in the hood to make the hood compliant to local building regulations.



WALL HOODS



AFRODITE

MODEL	CODE	WIDTH	CFM
AFRODITE	FPAFX30W6SS	30"	600
AFRODITE	FPAFX36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel (AISI 304)
- 3-speed slider controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Perimeter suction
- Optional charcoal filter (FFCHAR3C0BL)



LINE PRO NRS

MODEL	CODE	WIDTH	CFM
LINE PRO NRS	FNLIN30W6SS	30"	600
LINE PRO NRS	FNLIN36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel (AISI 304)
- NRS® technology for a quieter kitchen
- 4-speed touch controls
- LED strip lighting
- Professional baffle filters
- Optional Carbon.Zeo Filter Kit (KACL.948#IF) / Carbon.Zeo Filter (KACL.961)
- Optional duct extension (KACL.570#I / KACL.571#I)



LUMEN

MODEL	CODE	WIDTH	CFM
LUMEN	FDLUM36W5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- 4-speed electronic controls
- LED strip lighting
- LED ambient light
- Air Falmec filter for balanced suction
- Optional Carbon.Zeo filter kit (KACL.948#IF)
- Optional duct extension (KACL.510#I / KACL.512#I)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



LUMINA NRS

MODEL	CODE	WIDTH	CFM
LUMINA NRS	FNLUM36W5SS	36"	500

FEATURES

- ScotchBrite stainless steel (AISI 304) + Tempered glass with steel look finish
- NRS® technology for a quieter kitchen
- 4-speed touch controls + 24 hour function
- White fluorescent ambient light
- Metallic filters, removable and washable
- Perimeter suction
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension (KACL.570#I / KACL.571#I)



MERCURIO

MODEL	CODE	WIDTH	CFM
MERCURIO	FPMER24W3SS	24"	280
MERCURIO	FPMER30W3SS	30"	280
MERCURIO	FPMER36W3SS	36"	280

FEATURES

- ScotchBrite stainless steel
- 3-speed mechanical controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



MERCURIO XL

MODEL	CODE	WIDTH	CFM
MERCURIO XL	FPMEX30W6SS-R	30"	600
MERCURIO XL	FPMEX36W6SS-R	36"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel
- 4-speed electronic controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



MIRA

MODEL	CODE	WIDTH	CFM
MIRA	FDMIR16W5SS-R	16"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- Perimeter Suction
- 4-speed electronic controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



PLANE NRS

MODEL	CODE	WIDTH	CFM
PLANE NRS	FNPLS30W5SS-R	30"	500
PLANE NRS	FNPLS36W5SS-R	36"	500
PLANE NRS	FNPLS48W5SS-R	48"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- NRS® technology for a quieter kitchen
- 4-speed electronic controls
- LED lighting
- AirFalmec filter for balanced suction
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension (KACL.570#I / KACL.571#I)



PLANE TOP

MODEL	CODE	WIDTH	CFM
PLANE TOP	FFPLN36W5FS-R	36"	500
PLANE TOP	FFPLN48W5FS-R	48"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite Faststeel no finger print
- Perimeter Suction
- 4-speed electronic controls
- LED lighting: (36") 2 X 1,2W (48") 3 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)
- Optional duct extension (KACL.510#X / KACL.512#X)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



PLANE BLACK

MODEL	CODE	WIDTH	CFM
PLANE BLACK	FDPLN36W5MB-R	36"	500

FEATURES

- Matte black finish
- Speed Reduction System (SRS)
- Perimeter Suction
- 4-speed electronic controls
- LED lighting: (36") 2 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



POLAR

MODEL	CODE	WIDTH	CFM
POLAR	FDPLR15W5SS-R	15"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- 4-speed electronic controls
- LED lighting: 3 X 1,2W
- Top filter, removable and washable
- Optional charcoal filter (FFCHAR3C0BL)



PRISMA

MODEL	CODE	WIDTH	CFM
PRISMA (black)	FDPRI36W5SB	36"	500
PRISMA (white)	FDPRI36W5SW	36"	500


FEATURES

- ScotchBrite stainless steel AISI 304
- 4-speed touch controls + 24 h function
- LED lighting: 2 X 1,2W
- Ambient LED lighting: 2 X 1,2W (3200K)
- Top filter, removable and washable
- Optional charcoal filter (FFCHAR3C0BL)
- Possible to duct wall mounted from rear
- Optional duct extension (KCQAN.00#I)



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



PYRAMID PRO

MODEL	CODE	WIDTH	CFM
PYRAMID PRO	FPDPR30W6SS-3	30"	600
PYRAMID PRO	FPDPR36W9SS-3	36"	1000
PYRAMID PRO	FPDPR48W9SS-3	48"	1000

FEATURES

- ScotchBrite stainless steel AISI 304
- 4-speed knob control
- LED lighting
- Professional baffle filters
- Removable liquid collector

Transition required to go from 2x6" round duct to 1x8" round duct is included with all dual motor units.



PYRAMID PRO NRS

MODEL	CODE	WIDTH	CFM
PYRAMID PRO NRS	FNPYR30W6SS	30"	600
PYRAMID PRO NRS	FNPYR36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel AISI 304
- NRS® technology for a quieter kitchen
- 4-speed touch controls + 24 h function
- LED strip lighting
- Professional baffle filters
- Optional Carbon.Zeo kit (KACL.953#BF) / Filter unit (KACL.948#IF)
- Automatic shut-off timer
- Clean filter reminder



VERSO NRS

MODEL	CODE	WIDTH	CFM
VERSO (black)	FDVER36W5BK	36"	500
VERSO (white)	FDVER36W5WH	36"	500

FEATURES

- NRS technology for a quieter kitchen
- Tempered glass, black or white
- 4-speed touch controls + 24h function
- Dynamic LED lights (2700K - 5600K)
- Double suction area (frontal & lower)
- Metallic grease filter, removable and washable



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



VULCANO

MODEL	CODE	WIDTH	CFM
VULCANO	FPVUL24W3SS	24"	280
VULCANO	FPVUL30W3SS	30"	280
VULCANO	FPVUL36W3SS	36"	280

FEATURES

- Stainless steel
- 4-speed electronic controls
- LED lighting
- Clean filter reminder
- Labyrinth metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



VULCANO XL

MODEL	CODE	WIDTH	CFM
VULCANO XL	FPVUX30W6SS-R	30"	600
VULCANO XL	FPVUX36W6SS-R	36"	600

FEATURES

- Speed Reduction System (SRS)
- Stainless steel
- 4-speed electronic controls
- LED lighting: 2 X 1,2W
- Clean filter reminder
- Labyrinth metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



ZEUS PRO

MODEL	CODE	WIDTH	CFM
ZEUS PRO	FP18P30W6SS-3	30"	600
ZEUS PRO	FP18P36W6SS-3	36"	600
ZEUS PRO	FP18P36W9SS-3	36"	1000
ZEUS PRO	FP18P48W9SS-3	48"	1000

FEATURES

- ScotchBrite stainless steel AISI 304
- Knob control
- LED lighting
- Professional baffle filters
- Optional duct extension (30" - KCPHN.004#3F / 36" - KCPHN.005#3F / 48" - KCPHN.006#3F)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



ZEUS PRO NRS

MODEL	CODE	WIDTH	CFM
ZEUS PRO NRS	FNZEU30W6SS	30"	600
ZEUS PRO NRS	FNZEU36W6SS	36"	600

FEATURES

- Scotch brite stainless steel (AISI 304)
- NRS technology for a quieter kitchen
- 4-speed touch control + 24 h function
- LED lighting
- Professional Baffle Filters
- Removable liquid collector
- Optional Carbon.Zeo kit (KACL.953#BF) / Filter (KACL.948#IF)
- Optional duct cover (KACL.570#I / KACL.571#I)

UNDERCABINET



EROS

MODEL	CODE	WIDTH	CFM
EROS	FPERO30U5SS-R	30"	500
EROS	FRERO36U5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- 4-speed electronic controls
- LED lighting: 2 X 1,2W (3200K)
- Labyrinth filters
- Optional charcoal filter (FFCHAR3COBL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

CEILING HOODS



NUVOLA 140



NUVOLA 90



MODEL	CODE	WIDTH	CFM
NUVOLA 140	FDNUV54C6SS-R1	54"	600*
NUVOLA 140	FDNUV54C6WH-R1	54"	600*

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304 + Tempered extra light painted glass
- Perimeter suction
- 4 speed electronic controls
- Dynamic LED lighting
- Metallic filters, removable and washable
- Remote control included
- Optional recirculation filter kit (KACL.931)
- Optional Carbon.Zeo filter kit (KACL.953#BF)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).

* THE COMPATIBLE BLOWER, MODEL FDNUMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

MODEL	CODE	WIDTH	CFM
NUVOLA 90	FDNUV36C6SS-R1	36"	600*
NUVOLA 90	FDNUV36C6WH-R1	36"	600*

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304 + Tempered extra light painted glass
- Perimeter suction
- 4 speed electronic controls
- Dynamic LED lighting
- Metallic filters, removable and washable
- Remote control included
- Optional recirculation filter kit (KACL.939#BF)
- Optional Carbon.Zeo filter kit (KACL.953#BF)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).

* THE COMPATIBLE BLOWER, MODEL FDNUMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

ITEM	MODEL
REMOTE UNDER-ROOF MOTOR	FDNUMTR600

- Under-roof extractor fan 600 CFM
- Kit external motor 23 feet (7 m) wiring.
- Suitable for hoods provided with 600 CFM motor only (if used as remote under-roof unit)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

CEILING HOODS



NUBE



MODEL	CODE	WIDTH	CFM
NUBE	FDNUB36C6SS-R	36"	600*

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Perimeter suction
- 4-speed electronic controls
- Metallic filters, removable and washable
- Remote control included
- Optional recirculation filter kit (KACL.939#BF)
- Optional Carbon.Zeo filter kit (KACL.953#BF)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).

* THE COMPATIBLE BLOWER, MODEL FDNUMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.



STELLA



MODEL	CODE	WIDTH	CFM
STELLA	FDSTE36C6SS-R	36"	600
STELLA	FDSTE48C6SS-R	48"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Perimeter suction
- 4-speed electronic controls
- Dynamic LED lighting
- Metallic filters removable and washable
- Remote control included
- Optional recirculation filter kit (KACL.939#BF)
- Optional Carbon.Zeo filter kit (KACL.953#BF)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).

* THE COMPATIBLE BLOWER, MODEL FDNUMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.



ITEM	MODEL
REMOTE UNDER-ROOF MOTOR	FDNUMTR600

- Under-roof extractor fan 600 CFM
- Kit external motor 23 feet (7 m) wiring.
- Suitable for hoods provided with 600 CFM motor only (if used as remote under-roof unit)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS



LUMEN



MODEL	CODE	WIDTH	CFM
LUMEN	FDLUM36I5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- 4-speed electronic controls
- LED lighting
- LED ambient light
- AirFalmec filter for balanced suction
- Optional Carbon.Zeo filter kit (KACL.949#IF) / Filters (KACL.934)




LUMEN ISOLA 175


MODEL	CODE	WIDTH	CFM
LUMEN ISOLA RIGHT	FDLUM70I5SS-2R	70"	500
LUMEN ISOLA LEFT	FDLUM70I5SS-2L	70"	500

FEATURES

- Scotch brite stainless steel (AISI 304)
- Perimetric suction
- LED lighting strip
- Double electronic control on one side only*
- 4-speed touch controls
- Metallic grease filter, removable and washable
- Charcoal filter included
- Optional duct extension (KACL.557#I)



*FDLUM70I5SS-2R



*FDLUM70I5SS-2L



LUMINA NRS

MODEL	CODE	WIDTH	CFM
LUMINA NRS	FNLUM36I5SS	36"	500

FEATURES

- Scotch brite stainless steel (AISI 304) + Tempered glass with steel finish
- NRS technology for a quieter kitchen
- Perimeter suction
- 4-speed touch controls + 24 h function
- Fluorescent ambient light
- Metallic grease filter, removable and washable
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension (KACL.572#I)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS



MERCURIO



MODEL	CODE	WIDTH	CFM
MERCURIO	FPMEX36I6SS-R	36"	600
MERCURIO	FPMEX42I6SS-R	42"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- 4-speed electronic controls
- LED lighting: 4 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



MIRA



MODEL	CODE	WIDTH	CFM
MIRA	FDMIR15I5SS-R	16"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- Perimeter Suction
- 4-speed electronic controls
- LED lighting: 4 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)



PLANE NRS



MODEL	CODE	WIDTH	CFM
PLANE NRS	FNPLS36I5SS-R	36"	500
PLANE NRS	FNPLS48I5SS-R	48"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel (AISI 304)
- NRS® technology for quieter kitchen
- 4-speed electronic controls
- LED lighting: 4 X 1,2W
- AirFalmec filter for balanced suction
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension (KACL.572#I)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS



PLANE TOP

MODEL	CODE	WIDTH	CFM
PLANE TOP	FFPLN36I5FS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite Fasteel no finger print
- Perimeter Suction
- 4-speed electronic controls
- LED lighting: 4 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQC0BL)
- Optional duct extension (KACL.557#X)



POLAR

MODEL	CODE	WIDTH	CFM
POLAR (Stainless)	FDPLR15I5SS-R	15"	500
POLAR (Matte Black)	FDPLR15I5MB-R	15"	500

FEATURES

- Speed Reduction System (SRS)
- Optional glass canopy (FDPGL36I0TG)
- ScotchBrite stainless steel (AISI 304)
- 4-speed electronic controls
- LED lighting: 3 X 1,2W
- Top filter, removable and washable
- Optional charcoal filter (FFCHAR3C0BL)



PYRAMID PRO

MODEL	CODE	WIDTH	CFM
PYRAMID PRO	FPDPR36I9SS-3	36"	1000

FEATURES

- ScotchBrite stainless steel AISI 304
- Knob controls
- LED lighting
- Professional baffle filters
- Removable liquid collector

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

DOWN DRAFTS



DOWN DRAFT

MODEL	CODE	WIDTH	CFM
DOWNDRAFT (black)	FDDOW36T6SGB	36"	600*
DOWNDRAFT (stainless)	FDDOW36T6SS	36"	600*

FEATURES

- Scotch brite stainless steel (AISI 304) + Tempered glass (black or stainless steel panel)
- Perimeter suction
- 4-speed touch controls + 24 h function
- LED strip lighting (4000K)
- Top filter, removable and washable
- Optional remote control (105080053)
- Optional Carbon.Zeo filter (KACL.931)

***The compatible blower, model FDNUVMTR600, is not included with the hood and therefore sold separately.**

BUILT-IN HOODS



DANILO

MODEL	CODE	WIDTH	CFM
DANILO	FIDAN28B6SS-3	28"	600
DANILO	FIDAN28B9SS-3	28"	1000

FEATURES

- ScotchBrite stainless steel AISI 304
- 4-speed knob controls
- LED lighting: 2 X 1,2W (3200K)
- Labyrinth filters
- Optional charcoal filter (FFCHAR3COBL)



GRUPPO INCASSO NRS

MODEL	CODE	WIDTH	CFM
INCASSO NRS	FNINS20B5SS-R	20"	500
INCASSO NRS	FNINS28B5SS-R	28"	500

FEATURES

- Speed Reduction System (SRS)
- Scotch brite stainless steel (AISI 304)
- NRS technology for a quieter kitchen
- 4-speed electronic controls
- Dynamic LED lighting
- Metallic grease filter, removable and washable
- Optional Carbon.Zeo filter (KACL.961)
- Optional remote control (105080053)



MARA

MODEL	CODE	WIDTH	CFM
MARA	FIMAR22B6SS	22"	600
MARA	FIMAR28B6SS	28"	600

FEATURES

- ScotchBrite stainless steel AISI 304
- 3-speed slider controls
- LED lighting: 2 X 1,2W (3200K)
- Top filter, removable and washable
- Optional charcoal filter (FFCHAR3COBL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS



MASSIMO PRO

MODEL	CODE	WIDTH	CFM
MASSIMO PRO	FIMAS34B6SS-3	34"	600
MASSIMO PRO	FIMAS34B9SS-3	34"	1000
MASSIMO PRO	FIMAS46B9SS-3	46"	1000
MASSIMO PRO 22"D	FIMAX34B6SS-3	34"	600
MASSIMO PRO 22"D	FIMAX34B9SS-3	34"	1000
MASSIMO PRO 22"D	FIMAX46B9SS-3	46"	1000

FEATURES

- ScotchBrite stainless steel AISI 304
- Knob controls
- LED lighting: 2 X 1,2W (600 CFM) 4 x 1,2W (1000 CFM)
- Professional baffle filters
- Optional charcoal filter (FFCHAR3COBL)

Transition required to go from 2x6" round duct to 1x8" round duct is included with all dual motor units.



MASSIMO PRO NRS

MODEL	CODE	WIDTH	CFM
MASSIMO PRO NRS	FNMAS30W6SS	30"	600
MASSIMO PRO NRS	FNMAS36W6SS	34"	600

FEATURES

- ScotchBrite stainless steel AISI 304
- NRS technology for a quieter kitchen
- 4-speed touch controls + 24h function
- LED lighting: 2 X 1,2W (30") / 4 x 1,2W (36")
- Professional baffle filters
- Optional Carbon.Zeo filter (KACL.961)



MERCURIO BUILT-IN

MODEL	CODE	WIDTH	CFM
MERCURIO BUILT-IN	FPMEU24B3SS	24"	280
MERCURIO BUILT-IN	FPMEU30B3SS	30"	280
MERCURIO BUILT-IN	FPMEU36B3SS	36"	280

FEATURES

- ScotchBrite stainless steel
- 3-speed electronic controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHASQCOBL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS



MOVE

MODEL	CODE	WIDTH	CFM
MOVE	FDMOV30W5SB	30"	500
MOVE	FDMOV36W5SB	36"	500

FEATURES

- Scotch brite stainless steel (AISI 304) + black tempered glass
- 4-speed electronic controls
- Metallic grease filter, removable and washable
- Possible to duct wall mounted from rear
- Dynamic LED Lighting (2700K - 5600K)
- Optional duct cover (H=7.25" - KCVJN.00#3 / H=4.75" - KCVJN.01#3)
- Optional glass shelf (KACL.107)
- Optional Carbon.Zeo filter (KACL.961)



SABINA

MODEL	CODE	WIDTH	CFM
SABINA	FISAB22B3SS-1	22"	280
SABINA	FISAB28B3SS-1	28"	280

FEATURES

- ScotchBrite stainless steel AISI 304
- 3-speed slider controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHAR2COBL)



VALENTINA

MODEL	CODE	WIDTH	CFM
VALENTINA	FIVAL28B5SS-R	28"	500
VALENTINA	FIVAL34B5SS-R	34"	500
VALENTINA (black)	FIBUR28B5BK-R	28"	500
VALENTINA (white)	FIBUR28B5WH-R	28"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304 / Painted stainless steel (for black & white)
- Perimeter suction
- 4-speed electronic controls
- Dynamic LED Lighting (2700K - 5600K)
- Metallic filters, removable and washable
- Optional charcoal filter (FFCHAR3COBL)
- Optional Carbon.Zeo filter unit (KACL.950)
- Optional remote control (105080053)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS



VIRGOLA

MODEL	CODE	WIDTH	CFM
VIRGOLA	FDVRG24W5SS-R	24"	500
VIRGOLA	FDVRG36W5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- Scotch brite stainless steel + tempered turning glass with sloping front panel
- 3-speed electronic controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional Carbon.Zeo filter (KACL.961)
- Possible to duct wall mounted from rear
- Optional duct cover (H=7.25" - KCVJN.00#3 / H=4.75" - KCVJN.01#3)



VITTORIO PRO

MODEL	CODE	WIDTH	CFM
VITTORIO PRO	FVIT34B6SS	34"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Electronic controls
- LED strip lighting
- Professional baffle filters
- Remote control included
- Optional charcoal filter (FFCHAR3COBL)



ITEM	CODE
MAGIC WIPES	KACL.815

- Master Pack of Magic Wipes for stainless steel - 10 individual packages

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OUTDOOR HOODS



LINE OUTDOOR

MODEL	CODE	WIDTH	CFM
LINE OUTDOOR	FOLIN36W120S	36"	1200
LINE OUTDOOR	FOLIN42W120S	42"	1200
LINE OUTDOOR	FOLIN48W120S	48"	1200

FEATURES

- Scotch brite stainless steel (AISI 304)
- Professional knob controls
- LED Strip lighting (3000 K)
- Professional baffle filters
- Removable liquid collector
- Optional duct cover extension (KCPHN.007#IF)



PYRAMID OUTDOOR

MODEL	CODE	WIDTH	CFM
PYRAMID OUTDOOR	FOPYR36W120S	36"	1200
PYRAMID OUTDOOR	FOPYR42W120S	42"	1200
PYRAMID OUTDOOR	FOPYR48W120S	48"	1200

FEATURES

- Scotch brite stainless steel (AISI 304)
- Professional knob controls
- LED Strip lighting (3000 K)
- Professional baffle filters
- Removable liquid collector
- Optional duct cover extension (KCPHN.007#IF)



ZEUS OUTDOOR

MODEL	CODE	WIDTH	CFM
ZEUS OUTDOOR	FOZEU36W120S	36"	1200
ZEUS OUTDOOR	FOZEU42W120S	42"	1200
ZEUS OUTDOOR	FOZEU48W120S	48"	1200

FEATURES

- Scotch brite stainless steel (AISI 304)
- Professional knob controls
- LED Strip lighting (3000 K)
- Professional baffle filters
- Removable liquid collector
- Optional duct cover extensions:
 - KCPHN.001#IF - 36" Duct Cover extension
 - KCPHN.002#IF - 42" Duct Cover extension
 - KCPHN.003#IF - 48" Duct Cover extension
 - KCPHN.007#IF - 30" + 30" Duct Cover extension

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

FILTRATION

Anti-grease Filters.




Metallic Filters.

These filters have an internal multi-layer aluminum structure of corrugated mesh to maximize the filtering surface.



Professional Baffle Filters.

Professional baffle filters come standard in all hoods in the Professional Collection. Their criss-cross structure effectively collects oils and vapors that can easily be removed and cleaned.



Top Filters.

Much like the Metallic Filters, the Top Filters effectively trap grease with the addition of a "chessboard" frame in Scotch Brite steel.

Anti-odor filters.



Active Charcoal Filters.

Charcoal filters contain active carbons that absorb odors created by cooking. It is recommended to be replaced at least every 4 months.

Type 3 (rectangular)
code FFCHASQCOBL

Type 2 (round)
code FFCHAR2COBL (pair)


Type 6 (round)
code FFCHAR3COBL (pair)



Combined High Performance Filters (Silence - NRS Collection).

Wash in dishwasher with your usual detergent at a temperature not exceeding 149°F, if possible with no other contents. After washing, regenerate the filter in the oven at 176°F for 20 minutes.

Verso NRS
code KACL.959



Carbon.Zeo Filters.

The Carbon.Zeo combined filter has a guaranteed minimum life of 3 years, but is expected to last 5 years under conditions of normal use. We recommend that it be regenerated every 18 months by placing it in an oven at 392°F for two hours.

Lumina NRS
Gruppo Incasso NRS
Plane NRS
Line Pro NRS
Massimo Pro NRS
Move
code KACL.961

FILTERING INNOVATION

Accessories for better filtration.

Carbon.Zeo technology.

Carbon.Zeo filters use active carbon and zeolite - a natural volcanic mineral - that are proven to be highly effective in absorbing fumes and odors. When in contact with vapors, zeolite releases heat that help reduce moisture caused by cooking.



Ceiling.


Ceiling filter unit kit.



This kit enables Falmec ceiling hoods to be installed in recirculation mode. This is installed flush-mounted on the same false ceiling area as the hood. And thanks to the white painted steel frame and white satin glass inner panel, it integrates harmoniously with the kitchen environment.

Carbon.Zeo

Filter unit
KACL.939#BF
Spare part
KACL.928




Cut-out size
15 9/16" x 15 9/16"

Wall.

Filter unit for sloped hoods.


This kit is designed to enhance performance of sloped hoods in recirculation mode.



Carbon.Zeo


This accessory can also be used with previously installed hoods to enhance performance. The unit is created in stainless steel (AISI 304) for long-lasting use and to facilitate cleaning.

Filter unit
KACL.941
Filter replacement
KACL.943




Filter unit for t-shaped wall hoods.

This kit is designed to enhance extraction and recirculation for all Falmec wall hoods.



Carbon.Zeo


Filter unit
KACL.948#IF



Island.


Filter unit for island hoods.

This kit is designed to enhance extraction and recirculation for all Falmec island hoods.



Carbon.Zeo

Filter unit
KACL.949#IF
Filter replacement
KACL.934




Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

Built-in/Wall.




Filter unit for Built-in hoods.

This kit is designed to enhance extraction and recirculation for all Falmec built-in hoods.



Carbon.Zeo

Filter unit
KACL.950
Filter replacement
KACL.934



Downdraft.




Downdraft filter unit.

This kit is equipped with Carbon. Zeo technology and are installed under the kitchen plinth.

Carbon.Zeo

Under base filter unit
KACL.930
Filter replacement
KACL.931



FILTER CHARTS

Hood	Carbon filter	Carbon.Zeo filtering kit	Carbon.Zeo filtering kit Spare part
Afrodite	FFCHAR3C0BL	-	-
Built-in Mercurio	FFCHASQC0BL	-	-
Danilo	FFCHAR3C0BL	-	-
Down Draft	-	KACL.930	KACL.931
Eros	FFCHAR3C0BL	-	-
Gruppo Incasso Burano	FFCHAR3C0BL	KACL.950	KACL.934
Gruppo Incasso NRS	-	KACL.961	KACL.961
Line Pro NRS	-	KACL.961	KACL.961
Line Outdoor	-	-	-
Lumen Island	FFCHASQC0BL	KACL.949#IF	-
Lumen Wall	FFCHASQC0BL	KACL.948#IF	-
Lumen Island 175	FFCHASQC0BL	KACL.949#IF	-
Lumina NRS	-	KACL.961	KACL.961
Mara	FFCHAR3C0BL	-	-
Massimo Pro	FFCHAR3C0BL	-	-
Massimo Pro XL	2 x FFCHAR3C0BL	-	-
Massimo Pro NRS	-	KACL.961	KACL.961
Mercurio	FFCHASQC0BL	-	-
Mira Wall	FFCHASQC0BL	-	-
Mira Island	FFCHAR3C0BL	-	-
Move	-	KACL.961	KACL.961
Plane Top	FFCHASQC0BL	KACL.948#IF	-
Plane Black	FFCHASQC0BL	KACL.948#IF	-
Plane NRS	-	KACL.961	KACL.961
Polar	FFCHAR3C0BL	-	-
Polar Black/White	2 x FFCHAR3C0BL	-	-
Prisma	FFCHAR3C0BL	KACL.941	-
Pyramid Outdoor	-	-	-
Pyramid Pro	-	-	-
Pyramid Pro NRS	KACL.948#IF	-	-
Sabina	FFCHAR2C0BL	-	-
Valentina	FFCHAR3C0BL	-	-
Verso NRS	KACL.959	-	-
Virgola	FFCHASQC0BL	KACL.950	KACL.934
Vittorio Pro	FFCHAR3C0BL	-	-
Vulcano	FFCHASQC0BL	-	-
Zeus Pro	-	-	-
Zeus Pro NRS	KACL.948#IF	-	-
Zeus Outdoor	-	-	-

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WARRANTY

GENERAL TERMS OF SALE AND GUARANTEE

Guarantee: Falmec Spa guarantees its products for a period of 12 months starting from the date of delivery, exception made for the products for which different conditions are agreed upon on order. The guarantee doesn't cover the damages caused by wrong or incorrect maintenance, by improper use of the products, by fault or malice or by force majeure. The wooden components or details of any product indicated in the price list, in particular as regards vein, cut, porosity, polishing, are not covered by the guarantee either. The products which were not assembled by Falmec Spa are not guaranteed.

1 (800) 361-0799

NOTES

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

PRODUCT GUIDE **2023**

falmec
Life inspired.

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

HEAD OFFICE / WAREHOUSE / SHOWROOM

2025 Cunard, Laval (QC) H7S 2N1

PARTS & SERVICE

service@distinctive-online.com

800-561-7265

ORDER DESK

orderdesk@distinctive-online.com