








AVG
PRODUCT GUIDE 2023

TABLE OF CONTENTS






MODEL	PAGE	MODEL	PAGE
<hr/> VENTILATION <hr/>		<hr/> REFRIGERATION <hr/>	
POWER PACK	3		8-10
AVC-276PS2		ARBM150SE	
AVD-306PSB2		ARBM172BSE	
AVF-306PS		ARBM172SE	
AVM-278PS		ARBM184FSE	
AVM-368PS		ARBM188SE2	
AVP-286PPS		ARBM188WE2	
AVP-34108PS			
AVP-44108PS			
<hr/> UNDERCABINET <hr/>		<hr/> WINE CELLARS + BEVERAGE CENTRES <hr/>	
UNDERCABINET	4	BLACK SERIES	11
AVA-306RS		BSC27SB2	
AVA-366RS		BCS42DB2	
AVB-306RS		BSC46DB2	
AVB-366RS			
AVG-306CS		C-SERIES	12
AVK-306CS		CBC14OSS	
AVV-309S		CWC46DS	
AVV-369S		CWC54SS	
<hr/> WALL MOUNT <hr/>		VINOPAZZO SERIES	13
WALL MOUNT	5-6	VPC27SS2	
AVC-306CS3		VPC46DS2	
AVH-308CS		VWD42S	
AVH-368CS			
AVL-306CBS		TALL SERIES	14
AVL-306CS3		TBWC-168SS6	
AVN-308CS2		TBWC-168SS6L	
AVN-368CS2			
AVO-308CS2		MONDOVINO SERIES	14
AVO-368CS2		MVP46DS2	
AVW-308CS			
AVW-368CS			
<hr/> ISLAND <hr/>		WARRANTY	16
ISLAND	7		
AVI-366IS3			
AVI-369IS2			

VENTILATION

POWER PACK	MODEL	FINISH	SIZE (W x D)
 COLORADO	AVC-276PS2	403-GRADE SS	27-1/2" x 10-1/4"
	<ul style="list-style-type: none"> • Max. CFM blower: 600 • LED lights • 3-speed electronic controls 	<ul style="list-style-type: none"> • Aluminum micro-hole filters • 6" round duct (top) 	
 DAKOTA	AVD-306PSB2	BLACK GLASS	29-1/2" x 11-1/2"
	<ul style="list-style-type: none"> • Max. CFM blower: 600 • LED light strips • 5-speed soft touch electronic controls 	<ul style="list-style-type: none"> • Auto delay-off timer function • Aluminum micro-hole filter w/ peripheral plate • 6" round duct (top) 	
 FLORIDA	AVF-306PS	BLACK + SS FRAME	29-1/2" x 11-1/2"
	<ul style="list-style-type: none"> • Max. CFM blower: 600 CFM • LED light strips • 5-speed soft touch electronic controls 	<ul style="list-style-type: none"> • Auto delay-off timer function • Aluminum mesh filter w/ peripheral plate • 6" round duct (top) 	
 MONTANA	AVM-278PS AVM-368PS	201-GRADE SS	27-3/4" x 11-1/2" 35-1/2" x 11-3/4"
	<ul style="list-style-type: none"> • Max. CFM blower: 860 CFM • LED lights • 3-speed mechanical controls 	<ul style="list-style-type: none"> • Aluminum micro-hole filters & stainless steel baffle filters included in both sizes • 6" round duct (top) 	
 PENNSYLVANIA	AVP-286PPS AVP-34108PS AVP-44108PS	430-GRADE SS	27-13/16" x 18" 34-1/8" x 18" 44" x 18"
	<ul style="list-style-type: none"> • Max. CFM blower: (28") 600 CFM (34", 44") 1000 CFM • LED lights (frosted, 3500k) • 4-speed electronic push button controls with LCD display • Auto delay-off timer function 	<ul style="list-style-type: none"> • Aluminum micro-hole filters & stainless steel baffle filters included • 28" - 6" round duct (top) • 34", 44" - 8" and 10" round duct (top) - transition included 	

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

VENTILATION

UNDERCABINET	MODEL	FINISH	SIZE (W x D)
 ALASKA	AVA-306RS	201-GRADE SS	30" X 19-3/4"
	AVA-366RS		35.5 X 19-3/4"
 BOSTON	AVB-306RS	201-GRADE SS	30" x 19-3/4"
	AVB-366RS		35.5 x 19-3/4"
 GEORGIA	AVG-306CS	201-GRADE SS	30" x 22"
 KENTUCKY	AVK-306CS	201-GRADE SS	29-1/2" x 19-11/16"
 VIRGINIA	AVV-309S	201-GRADE SS	29-1/2" x 22"
	AVV-369S		35-7/16" x 22"

- Max. CFM blower: 600
- Dual motor
- 6" hood height
- LED lights
- 3-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & stainless steel baffle filters included
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)

- Max. CFM blower: 600
- Dual motor
- 6" hood height
- LED lights
- 3-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & stainless steel baffle filters included
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)





- Max. CFM blower: 600
- Dual motor
- 6" hood height
- LED lights
- 3-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & stainless steel baffle filters included
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)

- Max. CFM blower: 600
- Dual motor
- 2.36" hood height-undercabinet
- 5.79" height built in the cabinet
- LED lights
- 3-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & stainless steel baffle filters included
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)

- Max. CFM blower: 900 CFM
- Dual motor
- 9-13/16" hood height
- LED lights
- 4-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Stainless steel baffle filters
- 8" round duct (top)

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

VENTILATION

WALL MOUNT	MODEL	FINISH	SIZE (W x D)
	AVC-306CS3	430-grade SS + Black glass front trim	29-1/3" x 19-1/8"
CAROLINA	<ul style="list-style-type: none"> • Max. CFM blower: 600 • LED lights • 4-speed electronic controls with LED display • Auto delay-off timer function • Aluminum micro-hole filters & stainless steel baffle filters included • 6" round duct (top) • Chimney: up to 8' ceiling height 		
	AVH-308CS AVH-368CS	201-GRADE SS	29-1/2" x 19-3/4" 35-1/2" x 19-3/4"
HAWAII	<ul style="list-style-type: none"> • Max. CFM blower: 860 • LED lights • 6-speed soft touch controls with LCD display • Auto delay-off timer function • Clean filter reminder • Aluminum micro-hole filters & stainless steel baffle filters included • 6" round duct (top) • Chimney: up to 9' ceiling height • Optional duct extension: AD-884S (34.8"H) 		
	AVL-306CS3 AVL-306CBS	430-grade SS + Blk glass front 430-grade Blk SS + Blk glass front	29-1/2" x 19-1/8" 29-1/2" x 19-1/8"
LOUISIANA-CS3	<ul style="list-style-type: none"> • Max. CFM blower: 600 CFM • LED lights • 4-speed soft touch controls with LED display • Auto delay-off timer function • CS3 includes 3 aluminum micro-hole filters & stainless steel baffle filters • CBS includes 3 painted black aluminum micro-mesh filters • 6" round duct (top) • Chimney: up to 8' ceiling height 		
	LOUISIANA-CBS		

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

VENTILATION

WALL MOUNT

MODEL

FINISH

SIZE (W x D)



NEVADA

AVN-308CS2
AVN-368CS2

201-GRADE SS

29-1/2" x 19-3/4"
35-1/2" x 19-3/4"

- Max. CFM blower: 860 CFM
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Stainless steel baffle filters
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-884S-2 (34.8"H)



OREGON

AVO-308CS2
AVO-368CS2

201-GRADE SS

29-1/2" x 19-3/4"
35-1/2" x 19-3/4"

- Max. CFM blower: 860 CFM
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Stainless steel baffle filters
- Ducting options: 6" round (top); 3-1/4" x 10" rectangular (top or rear)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-780S-2 (30.7"H)



WYOMING



AVW-308CS2
AVW-368CS2

201-GRADE SS

29-1/2" x 19-3/4"
35-1/2" x 19-3/4"

- Max. CFM blower: 860
- LED lights
- 6-speed soft touch controls with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Aluminum micro-hole filters & SS baffle filters included
- 6" round duct (top)
- Chimney: up to 9' ceiling height
- Optional duct extension: AD-800S (31.5"H)

VENTILATION

ISLAND	MODEL	FINISH	SIZE (W x D)
 <p>IOWA</p>	AVI-366IS3	430-grade SS + Black front frame	35-1/4" x 23-5/8"
	<ul style="list-style-type: none"> • Max. CFM blower: 600 CFM • LED square lights at front & rear of hood • 4-speed soft touch controls with LED display at front & rear of hood* • Auto delay-off timer function 	<ul style="list-style-type: none"> • Aluminum micro-hole filter w/ peripheral plate • 6" round duct (top) • Chimney: up to 9' ceiling height 	
 <p>IDAHO</p>	AVI-369IS2	201-GRADE SS	35-1/2" x 23-5/8"
	<ul style="list-style-type: none"> • Max. CFM blower: 900 CFM • LED lights at front & rear of hood • 6-speed soft touch controls with LCD display at front & rear of hood* • Auto delay-off timer function 	<ul style="list-style-type: none"> • Clean filter reminder • Aluminum micro-hole filters • 6" round duct (top) • Chimney: up to 9' ceiling height • Optional duct extension: AD-860S (33.85"H) 	

*Both IOWA and IDAHO Island Hoods can be operated from the front and back side of the hood.

VENTILATION – MODEL NUMBER NOMENCLATURE

A	AVG
V	Ventilation
LETTER	Model name (1 st letter)
##	Size
#	CFM (1 st digit)
C / I / P	Type of Hood: Chimney, Island, Power Pack
BS / S	Color: Black Stainless / Stainless Steel
#	Generation

VENTILATION WARRANTY: 1-year parts and labor

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.


REFRIGERATION

FREE STANDING

MODEL

FINISH

SIZE (W x D x H)



ARBM150SE

STAINLESS STEEL

27.6" x 26.5" x 67.7"

- Freestanding, bottom-mount refrigerator-freezer
- Capacity: 14.8 cu.ft. (Ref: 10.58; Frz: 4.22)
- Slightly curved door design
- Counter-depth
- Recessed, pocket door handles
- Reversible doors
- Door open alarm
- Internal electronic soft touch controls
- Soft interior LED lighting
- Multi airflow, ambient cooling system
- Precise temperature control
- Super Cool and Super freeze function
- Adjustable, anti-overflow glass shelves
- 4 small adjustable door bins + 2 full width
- Large capacity crisper
- Freezer includes manual ice-maker with ice bin, 2 large drawers + 1 small tray
- Energy Star® rated
- R600 Refrigerant gas



ARBM172SE

STAINLESS STEEL

31.1" x 28.5" x 69.25"

ARBM172BSE

BLACK STAINLESS STEEL

31.1" x 28.5" x 69.25"

- Freestanding, bottom-mount refrigerator-freezer
- Capacity: 17.1 cu.ft. (Ref: 12.15; Frz: 4.95)
- Counter-depth
- Flat-door design
- Recessed handles
- Reversible doors
- Door open alarm
- Internal electronic touch controls
- Soft interior LED lighting
- Multi airflow cooling system
- Precise temperature control
- Super Cool and Super freeze function
- Adjustable, anti-overflow glass shelves
- Adjustable door shelves
- Large ball-bearing crisper drawer with divider
- Freezer includes manual ice-maker with ice bin, 2 large drawers + 1 small tray
- Energy Star® rated
- R600 Refrigerant gas



ARBM172BSE

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

REFRIGERATION

FREE STANDING	MODEL	FINISH	SIZE (W x D x H)
---------------	-------	--------	------------------



ARMB184FSE STAINLESS STEEL 29.5" x 31" x 66.6"

- Freestanding, bottom-mount, French-door, slide-out drawer freezer
- Capacity: 18.4 cu.ft.
- Flat-door design
- Recessed door handles
- Internal electronic touch controls
- Door open alarm
- LED lighting
- Precise temperature control
- 2 adjustable glass shelves
- 6 clear door bins (3 each side)
- 2 crispers with humidity control
- Freezer includes 1 white + 1 clear ball-bearing storage bins
- Energy Star® rated
- R600 Refrigerant gas



ARBM188SE2 STAINLESS STEEL 29.5" x 31" x 66.6"
ARBM188WE2 WHITE 29.5" x 31" x 66.6"

- Freestanding, bottom-mount, single-door slide-out drawer freezer
- Capacity: 18.7 cu.ft.
- Flat-door design
- Recessed door handles
- Reversible fridge door
- Door open alarm
- Internal electronic touch controls
- LED lighting
- Dual temperature control system
- 2 adjustable glass shelves
- 3 small adjustable door bins + 1 full width
- 2 crispers with humidity control
- Freezer includes 1 white + 1 clear ball-bearing storage bins
- Energy Star® rated
- R600 Refrigerant gas



ARBM188WE2

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

REFRIGERATION

REFRIGERATION - MODEL NUMBER NOMENCLATURE

A	AVG			
R	Refrigerator			
BM	Bottom-mount			
##	Capacity			
F	French Door	D	Drawer Bottom	
S	Stainless Steel	BS	Black Stainless Steel	W White
E	Energy Star			
2	2nd Generation			

WARRANTY: 2 years parts & labor plus 3 additional years on sealed system

WINE CELLARS & BEVERAGE CENTRES

BLACK (NOIRE) SERIES

MODEL

FINISH

SIZE (W x D* x H)



BSC27SB2

BLACK + GLASS

15" x 23-1/4" x 34-1/2"

- Made of vitrified black + tinted glass with Low E Argon gas
- Single-zone, temperature range: 39°- 64°F / 4-18°C
- Built in or freestanding
- Flush installation
- Capacity: 27 bottles
- Door open alarm
- High-temperature alarm
- Reversible door
- Soft-touch electronic controls
- Tubular style stainless steel handle
- White LED lighting
- Stainless steel kick plate
- 6 full-extension, ball-bearing metal racks with black-stained wooden front trim



BSC42DB2

BLACK + GLASS

23-3/4" x 23-1/4" x 34-1/2"

- Made of vitrified black glass + tinted glass with Low E Argon gas
- Dual-zone, temperature range per zone: 39°- 64°F / 4-18°C
- Built in or freestanding
- Flush installation
- Capacity: 21 bottles + 60 cans
- Door open alarm
- High-temperature alarm
- French-door configuration
- Soft-touch electronic controls
- Tubular style stainless steel handle
- White LED lighting
- Stainless steel kick plate
- 6 full-extension, ball-bearing metal racks with black-stained wooden front trim + 3 glass shelves



BSC46DB2

BLACK + GLASS

23-3/4" x 23-1/4" x 34-1/2"

- Made of vitrified black + tinted glass with Low E Argon gas
- Dual-zone, temperature range per zone: 39°- 64°F / 4-18°C
- Built in or freestanding
- Flush installation
- Capacity: 46 bottles
- Door open alarm
- High-temperature alarm
- Reversible door
- Soft-touch electronic controls
- Tubular style stainless steel handle
- White LED lighting
- Stainless steel kick plate
- 6 full-extension, ball-bearing metal racks with black-stained wooden front trim

*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

WINE CELLARS & BEVERAGE CENTRES

C-SERIES

MODEL

FINISH

SIZE (W x D* x H)



CBC140SS

SS + SMOKED GLASS

23.5" x 23.7" x 33.95"

- Single-zone, temperature range: 34° - 50°F / 1 - 10°C
- Built in or freestanding
- Flush installation
- Capacity: 140 cans
- Seamless, stainless steel door - field reversible
- Door open alarm
- High-temperature alarm
- Electronic touch controls
- Smoked, tinted glass with Low E Argon gas
- Brushed SS tubular curved handle
- White LED lighting
- Black kick plate
- 3 glass shelves



CWC46DS

SS + SMOKED GLASS

23.5" x 23.7" x 33.95"

- Dual-zone, temperature range per zone: 41° - 64°F / 5 - 18° C
- Built in or freestanding
- Flush installation
- Capacity: 46 bottles
- Seamless, stainless steel door - field reversible
- Door open alarm
- High-temperature alarm
- Electronic touch controls
- Smoked, tinted glass with Low E Argon gas
- Brushed SS tubular curved handle
- White LED lighting
- Black kick plate
- 5 soft-closing, full-extension, ball-bearing metal racks with wood front trim



CWC54SS

SS + SMOKED GLASS

23.5" x 23.7" x 33.95"

- Single-zone, temperature range: 41° - 68°F / 5 - 20°C
- Built in or freestanding
- Flush installation
- Capacity: 54 bottles
- Seamless, stainless steel door - field reversible
- Door open alarm
- High-temperature alarm
- Electronic touch controls
- Smoked, tinted glass with Low E Argon gas
- Brushed SS tubular curved handle
- White LED lighting
- Black kick plate
- 6 soft-closing, full-extension, ball-bearing metal racks with wood front trim

*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

WINE CELLARS & BEVERAGE CENTRES

VINOPAZZO SERIES

MODEL

FINISH

SIZE (W x D* x H)



VPC27SS2

SS + GLASS

15" x 23-1/2" x 34-1/8"

- Single-zone temperature range: 39° - 64°F / 4 - 18°C
- Built in or freestanding
- Flush installation
- Capacity: 27 bottles
- Seamless, stainless steel door - field reversible
- Door open alarm
- High-temperature alarm
- Soft-touch electronic controls
- Tinted glass with Low E Argon gas
- Tubular Pro handle
- White LED lighting
- Stainless steel kick plate
- 6 full-extension, ball-bearing wooden shelves with stainless steel front trim
- Optional rectangular stainless steel handle: DG14-1117-1



VPC46SS2

SS + GLASS

23-3/4" x 23-1/2" x 34-1/8"

- Dual-zone temperature range per zone: 39° - 64°F / 4 - 18°C
- Built in or freestanding
- Flush installation
- Capacity: 46 bottles
- Seamless, stainless steel door - field reversible
- Door open alarm
- High-temperature alarm
- Soft-touch electronic controls
- Tinted glass with Low E Argon gas
- Tubular Pro handle
- White LED lighting
- Stainless steel kick plate
- 5 full-extension, ball-bearing wooden shelves with stainless steel front trim
- Optional rectangular stainless steel handle: DG14-1117-1



VWD42S

SS + GLASS

23-3/4" x 23-1/4" x 34-1/2"

- French-door configuration
- Each side convertible to wine or beverage cooler
- Dual-zone temp. range per zone: 39° - 64°F / 4 - 18°C
- Built in or freestanding
- Flush installation
- Capacity: 42 bottles or 21 bottles + 64 cans
- Door open alarm
- High-temperature alarm
- Soft-touch electronic controls
- Seamless, stainless steel doors
- Tinted glass with Low E Argon gas
- Tubular Pro handle
- LED lighting color options: White, Blue, Orange
- Stainless steel kick plate
- 12 wooden shelves with stainless steel front trim
- Includes 3 glass shelves for beverage configuration
- Sabbath mode

*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

WINE CELLARS & BEVERAGE CENTRES

TALL SERIES

MODEL

FINISH

SIZE (W x D* x H)



TBWC-168SS6 (RH)
TBWC-168SSL (LH)

SS + GLASS

23-1/2" x 26-3/4" x 73-7/8"


- Dual-zone, temperature range: (upper zone) 41° - 50°F / 5 - 10°C (lower zone) 50° - 65°F / 10 - 18°C
- Built in or freestanding
- Flush installation
- Capacity: 168 bottles
- Seamless, stainless steel door
- Door lock on kick plate
- Stainless steel kick plate
- Soft touch electronic controls with lock
- Blue LED lighting on each zone
- Tinted glass with Low E Argon gas
- 16 soft-closing, full-extension, ball-bearing wooden racks with stainless steel front trim
- Jiaxipera compression - quieter and environmentally friendly
- Carbon filter
- Curved handle

MONDOVINO SERIES

MODEL

FINISH

SIZE (W x D* x H)



MVP46DS2

BLK + SS + GLASS

23-3/4" x 24" x 34-1/8"

- Dual-zone, temperature range per zone: 39° - 64°F / 4 - 18°C
- Built in or freestanding
- Flush installation
- Capacity: 46 bottles
- Black cabinet door with stainless top & bottom bands
- Reversible door
- Door open alarm
- High-temperature alarm
- Electronic touch controls
- Smoked, tinted glass with Low E Argon gas
- Rectangular handle
- White LED lighting
- Black kick plate
- 5 full-extension, ball-bearing wooden racks with stainless steel front trim

*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to AVG website for latest updates.

WINE CELLARS & BEVERAGE CENTRES

WINE CELLARS & BEVERAGE CENTRES - MODEL NUMBER NOMENCLATURE

T	Tall (Grande)
VP / BS / MVP / C	(Series) Vinopazzo / Black (Noire) / Mondovino / C Series
C / B / WC	Cellar / Beverage / Wine Cellar
NUMBER	Capacity (# of bottles)
S / D	Single or Dual Zone
S / B	Stainless Steel or Black
2	2 nd Generation

WARRANTY: 2 years parts & labor plus 3 additional years on sealed system

WARRANTY

VENTILATION

We warrant our hood against defects in materials and workmanship under ordinary residential use for one (1) full year from the date of original retail purchase. This limited warranty applies to any repair and /or replacement parts. This limited warranty is not subject to improper installation, accident, misuse, neglect, fire or other external causes, alterations, repair or commercial use.

REFRIGERATION and WINE & BEVERAGE CENTRES

AVG refrigerators, wine cellars and beverage centres carry a two (2) year limited warranty on both parts and labor. AVG warrants for two (2) years, to the purchaser of every new unit, the cabinet and all parts thereof, to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by AVG and upon proper installation and start-up in accordance with the instruction manual supplied with the AVG unit. Any parts covered under this warranty that are determined by AVG to have been defective, within the above said period, are limited to the repair or replacement, including labor charges, of defective parts or assemblies.

In addition to the 2 year warranty period stated above, AVG warrants its hermetically sealed compressor to be free from defects in both material and workmanship, under normal and proper use and maintenance, for a period of an additional 36 months (a total of 5 years on hermetically sealed compressor). The above said extended compressor warranty applies only to hermetically sealed parts of the compressor and DOES NOT apply to any other parts or components, including, but not limited to, cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, or any other electrical component, etc.

PRODUCT GUIDE 2023



T 800 361 0799

F 450 682 7943

www.distinctive-online.com

info@distinctive-online.com

HEAD OFFICE & WAREHOUSE

2025 Cunard Street

Laval QC H7S 2N1

PARTS & SERVICE

service@distinctive-online.com

800 561 7265

ORDER DESK

orderdesk@distinctive-online.com