



 **FABER**
FRANKE'S AIR EXPERT

PRODUCT GUIDE **2024**

TABLE OF CONTENTS

WALL

DAMA	9
NEW STILO SUPREMA	9
STILO GLASS	10
STILO	10
NOVA PRO	11
CLASSICA PLUS	11
TENDER	12
TRATTO	12

ISLAND & CEILING

DAMA ISOLA	14
HIGH-LIGHT WH	14
NEW STRATUS ISOLA	15

INTEGRATED

CRISTAL	30
FLEXA	30

DOWN DRAFT

SCIROCCO LUX	32
SCIROCCO PLUS	33

GUIDES

ACCESSORY GUIDE	39
CEILING HEIGHTS	41

INSERT

INCA PRO PLUS	17
INCA SD	18
INCA HC	18
INCA PRO 18	19
INCA IN-LIGHT	19
INCA LUX	20
INCA LUX PLUS	21
INCA SMART SS	22
INCA SMART GR	22

PRO & UNDER CABINET

CAMINO PRO	24
BREVA PRO 18	25
BREVA PRO 11	26
LEVANTE E	27
LEVANTE II	27
LEVANTE G	28
TIVANO	28

ICONIC

ZOOM	36
CHLOE	36
CYLINDRA	37
CYLINDRA ISOLA	37

WARRANTY

WARRANTY	42
-----------------	----



SOUND PRO TECHNOLOGY

FLUID DYNAMIC OPTIMIZATION

Thanks to an innovative design, the new blower significantly reduces turbulence and vortex of the internal airflow.

NOISE REDUCTION AND SOUND QUALITY OPTIMIZATION

At maximum power, the new technology limits the noise threshold of the hood up to -6db*, but it doesn't stop there. It also optimizes the sound produced, reducing the disturbance caused by high frequencies.

NOW AVAILABLE IN THESE FABER MODELS:

NEW



STILO SUPREMA



DAMA



STILO GLASS

NEW




STRATUS WHITE



INCA LUX

NEW



STRATUS STAINLESS



INCA LUX PLUS

*Data varies depending on the model in which the blower is installed.



THE FABER CLOUD APP

TAKE CONTROL WITH:

- FABER CLOUD
- AMAZON ALEXA
- GOOGLE HOME
- APPLE SIRI



- Adjust light setting
- Change fan speed
- Activate boost mode
- Set 24-hour mode
- Check filter life status
- Operate auto-off timer

Faber Cloud seamlessly connects the Wi-Fi enabled Faber range hoods to any Android or iOS smart device so you can control your kitchen's environment from anywhere.

Control your Wi-Fi enabled Faber range hood with Amazon Alexa, Google Home, or Siri to use voice commands to turn the hood on and off, adjust blower speed and set the auto-timer.

NOW AVAILABLE IN THESE FABER MODELS:



NEW STILO SUPREMA



NEW STRATUS STAINLESS



NEW STRATUS WHITE



STILO GLASS



INCA LUX PLUS



BREVA PRO




TUNABLE, PERSONALIZED LIGHTING

CHOOSE THE LIGHTING COLOR THAT IS RIGHT FOR YOU.

Faber tunable white LED lighting is a versatile lighting solution that offers six controllable colors and three levels of intensity, allowing you to create the perfect lighting environment for your kitchen activities.

The ability to adjust the color temperature of the lighting allows you to switch between warm and cool tones, depending on your needs.

Warm Lighting can create a cozy, inviting atmosphere, perfect for relaxed gatherings or evening meals, while **Cool Lighting** can provide a bright energizing space, ideal for tasks that require focus and concentration, such as cooking or meal preparation.



NOW AVAILABLE IN THESE FABER MODELS:



INCA LUX PLUS



STRATUS WHITE

NEW



STRATUS STAINLESS

NEW



STILO SUPREMA

NEW

TECHNOLOGIES THAT IMPROVE AIR QUALITY IN YOUR HOME

FABER RANGE HOODS ARE CAPABLE OF REMOVING UP TO 95% OF COOKING ODORS.

Breathing clean air inside our homes is essential to our well-being and overall quality of life.

Faber range hoods use technologies that eliminate cooking pollutants for safe, clean and improved air quality in your kitchen.



SELF-START

A special sensor automatically turns the hood on as soon as the air temperature reaches 130°F (or 54°C), making sure the air environment in your kitchen is comfortable.



24-HOUR

The 24-hour feature automatically turns the hood on for 10 minutes every hour, keeping your kitchen fresh and odor free all day long.



FILTER ALARM

The filter saturation alarm takes out the guesswork and will warn you when it is time to clean the grease filters or replace the charcoal filters (for recirculating applications).

MODELS WITH SELF-START TECHNOLOGY



BREVA PRO



CAMINO PRO

MODELS WITH 24-HOUR TECHNOLOGY



NEW STILO SUPREMA



BREVA PRO



ZOOM



STILO GLASS



INCA LUX PLUS

MODELS WITH FILTER ALARM TECHNOLOGY



NEW STILO SUPREMA



BREVA PRO



HIGH-LIGHT



STILO GLASS



CYLINDRA



STRATUS ISOLA



INCA LUX PLUS



CHLOE

WALL RANGE HOODS



WALL CANOPY RANGE HOODS



DAMA

MODEL	SIZE	COLOR	MOTOR CLASS
DAMA30SSV2	30"	Stainless	295/395/600 CFM
DAMA36SSV2	36"	Stainless	295/395/600 CFM

ACCESSORIES

HIGH4	High Ceiling Kit (up to 12')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box

PYRAMID SHAPE

Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	15 Minutes
Canopy Depth / Height	20" D / 6 5/16" H	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - WITH DUCT4	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Remote Control Option	Purchase Separately
Lighting	2 X 1 (W) LED - 1 Level	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top	6" Round	Power Cord Included	Yes
Grease Filters	Dishwasher Safe SS Baffle	Sound Pro blower	Yes



STILO SUPREMA

MODEL	SIZE	COLOR	MOTOR CLASS
STSP30SSV	30"	Stainless/Glass Front	295/395/600 CFM
STSP36SSV	36"	Stainless/Glass Front	295/395/600 CFM

ACCESSORIES


HIGH4	High Ceiling Kit (up to 12')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box

T SHAPE

FEATURES

Min. / Max. Ceiling Height	See page 41	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Canopy Depth / Height	17 7/8" D x 2 3/8" H	Controls	4 Speed Digital LED Behind Glass
Convertible to Recirculation	Yes - WITH DUCT4 kit	Intensive Speed	6 minutes
Ducting Top	6" Round	Auto Delay Shut-Off	15 minutes
Grease Filters	Stainless Steel Mesh - Dishwasher safe	24 Hour Anti Pollution Mode	Yes
Filter Wash Alarm	Yes	ADA Compliant	Yes- With Remote Control or Faber Cloud Add
Lighting	1 x 4 (W) LED Bar - 2 level	Remote Control Option	Purchase Separately
Tunable Lights	Change light temperature from warm to cool	Faber Cloud App	Control with Mobile Device
Perimeter Aspiration	Yes	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Sound Pro	Yes	Power Cord	Included

STILO



T SHAPE

MODEL	SIZE	COLOR	MOTOR CLASS
STIL24SSV2	24"	Stainless	295/395/600 CFM
STIL30SSV2	30"	Stainless	295/395/600 CFM
STIL36SSV2	36"	Stainless	295/395/600 CFM
STIL48SSV2	48"	Stainless	295/395/600 CFM

ACCESSORIES	
HIGH4	High Ceiling Kit Stainless (up to 12')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box

FEATURES			
Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	15 Minute
Canopy Depth / Height	18 1/2" D / 2 3/8" H	Intensive Speed	10 Minute
Convertible to Ductless	Yes - WITH DUCT4	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe Mesh		

STILO GLASS



T SHAPE

MODEL	SIZE	COLOR	MOTOR CLASS
STGL30SSV	30"	Stainless/Glass Front	295/395/600 CFM
STGL36SSV	36"	Stainless/Glass Front	295/395/600 CFM

ACCESSORIES	
HIGH4	High Ceiling Kit Stainless (up to 12')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
REMORIG	Remote Control
WIREBOX2	Fixed Wiring Box

FEATURES			
Min. / Max. Ceiling Height	See page 41	Convertible to Recirculating	Yes - With DUCT4
Canopy Depth / Height	17 7/8" D x 2 3/8" H	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Controls	4 Speed Digital LED Behind Glass	ADA Compliant	Yes - With Remote Control or Faber Cloud App
Auto Delay Shut-Off	15 Minutes	Remote Control	Purchase Separately
Intensive Speed	6 Minutes	Faber Cloud App	Control with Mobile Device
24 Hour Anti Pollution Mode	Yes	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Filter Wash Alarm	Yes	Power Cord Included	Yes
Lighting	2 LED bulbs - 1 Watt - 1 Level	Sound Pro blower	Yes
Grease Filters	Stainless Steel Mesh - Dishwasher safe		
Ducting Top	6" Round		



PYRAMID SHAPE

NOVA PRO

MODEL	SIZE	COLOR	MOTOR CLASS
NOPR30SSV	30"	Stainless	295/395/600 CFM
NOPR36SSV	36"	Stainless	295/395/600 CFM

ACCESSORIES

HIGH4	High Ceiling Kit (up to 12')
DUCT5	Ductless Conversion Kit
FILTER1LL2	Long Lasting Replacement Charcoal Filter
FILTER1	Replacement Charcoal Filter
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See page 41	Intensive Speed	10 Minutes
Canopy Depth / Height	21 5/16" D / 10 3/8" H	Delay Auto Shut Off	15 Minutes
Convertible to Ductless	Yes - With DUCT5	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 5 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top or Rear Vent (Vari-Duct)	Yes - 6" Round	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe SS Baffle	Pro Motor W/ Metal Impellers	Yes



PYRAMID SHAPE

CLASSICA PLUS

MODEL	SIZE	COLOR	MOTOR CLASS
CLPL30SSV2	30"	Stainless	295/395/600 CFM
CLPL36SSV2	36"	Stainless	295/395/600 CFM

ACCESSORIES

HIGHCLPL	High Ceiling Kit (up to 11' 8")
DUCTCLPL	Ductless Conversion Kit
FILTER1	Replacement Charcoal Filter
FILTER1LL2	Long Lasting Charcoal Filter
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	15 Minutes
Canopy Depth / Height	18 1/2" D / 9 13/16" H	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - With DUCTCLPL	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe Mesh		



TENDER

MODEL	SIZE	COLOR	MOTOR CLASS
TEND30SSV	30"	Stainless	295/395/600 CFM
TEND36SSV	36"	Stainless	295/395/600 CFM

ACCESSORIES	
HIGHTNDR	High Ceiling Kit Stainless (up to 11' 3")
DUCTCLPL	Ductless Conversion Kit
FILTER1	Replacement Charcoal Filter
FILTER1LL2	Long Lasting Charcoal Filter
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

CURVED CANOPY

FEATURES

Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	15 Minutes
Canopy Depth / Height	19 2 ¹ / ₂ " D / 9 7 ¹ / ₁₆ " H	Intensive Speed	10 Minutes
Convertible To Ductless	Yes - WITH DUCTCLPL	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe Mesh		

TRATTO



MODEL	SIZE	COLOR	MOTOR CLASS
TRAT30SSV	30"	Glass & SS	295/395/600 CFM
TRAT36SSV	36"	Glass & SS	295/395/600 CFM

ACCESSORIES	
HIGH4	High Ceiling Kit (up to 12')
DUCT4	Ductless Conversion Kit
FILTER2	Replacement Charcoal Filter
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

GLASS CANOPY

FEATURES

Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	15 Minutes
Canopy Depth / Height	18 1 ¹ / ₂ " D / 1 11 ¹ / ₁₆ " H	Intensive Speed	10 Minutes
Convertible To Ductless	Yes - With DUCT4	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 X 1 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe Mesh		

ISLAND CANOPY & CEILING RANGE HOODS

ISLAND CANOPY & CEILING RANGE HOODS



DAMA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
DAMAI36SSV	36"	Stainless	295/395/600 CFM
ACCESSORIES			
HIGH2	High Ceiling Kit (up to 10' 10")		
DUCT2	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
REMORIG	Wireless Remote Control		
MUDAMPER6	6" Make Up Air Kit		
MUDAMPER8	8" Make Up Air Kit		

ISLAND

FEATURES

Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	15 Minutes
Canopy Depth / Height	27 1/2" D / 5 1/16" H	Intensive Speed	10 Minutes
Convertible to Ductless	Yes - With DUCT2	ADA Compliant	Yes - With Remote Control
Controls	4 Speed Electronic W/ White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	4 X 5 (W) LED - 1 Level	Power Cord Included	Yes
Ducting Top	6" Round	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe SS Baffle	Fixed Wiring Box	Yes
		Seamless Welded Chimney	Yes



WHITE MATTE



STAINLESS

HIGH-LIGHT

MODEL	SIZE	COLOR	MOTOR CLASS
HILTIS36SSNB	36"	Stainless Steel	No Blower
HILTIS36WHNB	36"	White Matte	No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
FLANGE10	10" Blower Flange (Required for external blowers, excluding RB900 / RB1200.)
FLANGE3	10" round to 3 1/4" x 10" Flange
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit

Note: If desired you may use your own external blower, purchased separately, rated 2.7 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

CEILING

FEATURES

Min. / Max. Ceiling Height	See page 41	Auto Delay Shut Off	30 Minutes
Convertible to Ductless	Yes - With FILTER1 / FILTER1LL2	Intensive Speed	10 Minutes
Controls	4 Speed LED Digital Touch Control	ADA Compliant	Yes - With Remote Control
Lighting	3 (W) LED Light Panel - 2 Level	Remote Control	Yes - Included
Light Dimmer	Yes	Fixed Wiring Box	Yes
Ducting	6" Round / 10" 4-Way Venting	Perimeter Aspiration	Yes

NEW STRATUS ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
STRTIS36WHV	36"	White Glass	295 / 395 / 600 CFM
STRTIS48WHV	48"	White Glass	295 / 395 / 600 CFM
STRTIS36SSV	36"	Stainless Steel	295 / 395 / 600 CFM
STRTIS48SSV	48"	Stainless Steel	295 / 395 / 600 CFM

ACCESSORIES

FILTER2	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
MUDAMPER6	6" Make-up Air Kit
MUDAMPER8	8" Make-up Air Kit



STAINLESS STEEL




WHITE GLASS

CEILING

FEATURES

Min. / Max. Ceiling Height	See page 41	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Convertible to Recirculation	Yes - FILTER1 / FILTER1LL2	Controls	4 Speed LED Digital Touch Control
Ducting	6" Round	Intensive Speed	6 Minutes
Grease Filters	Dishwasher-safe Mesh	Auto Delay Shut-Off	15 Minutes
Filter Wash Alarm	Yes	24 Hour Anti Pollution Mode	Yes
Lighting	2 x 4 (W) LED Bar - 2 level	ADA Compliant	Yes - With Remote Control of Faber Cloud Add
Tunable lights	Change light temperature from warm to cool	Remote Control	Yes - Included
Light Dimmer	Yes	Faber Cloud App	Control with Mobile Device
Perimeter Aspiration	Yes	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Sound Pro	Yes	Power Cord	Yes
		Fixed Wiring Box	Yes



PERIMETRIC FILTER SYSTEM

What's the most effective air extraction technology? It's PERIMETER ASPIRATION, and it's an exclusive FABER technology, of course. Forcing air to speed up through a narrow gap around the perimeter of the panel, purifying the air, reducing noise and improving efficiency.

INSERT RANGE HOODS

INSERT RANGE HOODS





PRO LINER

*Use your own external blower, purchased separately, rated 4.2amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the INLBKIT to connect to the hood.

INCA PRO PLUS

MODEL	SIZE	MOTOR CLASS
-------	------	-------------

PICK A LINER

INPL3019SSNB-B	30" W x 19"	No Blower
INPL3619SSNB-B	36" W x 19"	No Blower
INPL4219SSNB-B	42" W x 19"	No Blower
INPL4819SSNB-B	48" W x 19"	No Blower
INPL3622SSNB-B	36" W x 22"	No Blower
INPL4822SSNB-B	48" W x 22"	No Blower

PICK A BLOWER

IB300	Internal Blower 300 CFM
IB400	Internal Blower 400 CFM
IB600	Internal Blower 600 CFM PRO
IB1200	Internal Blower 1200 CFM PRO
RB900	Remote Blower 900 CFM
RB1200	Remote Blower 1200 CFM

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
INLBKIT	In-Line Blower Connector (Required for external blowers, excludes RB900 / RB1200)
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit (900 / 1200 CFM)

FEATURES


Cabinet Cut Out	Width: 28 5/8", 34 3/4", 40 3/4", 46 3/4" Depth: 19 7/8" or 22 7/8"	Ducting Top	6" Round or 10" Round
Height Inside Cabinet	11"	Grease Filters	Dishwasher Safe Pro SS Baffle
Convertible to Recirculating	Yes - With FILTER1 / FILTER1LL2	ADA Compliant	With A Separate Wall Switch
Controls	Variable Speed Dial	Fixed Wiring Box	Yes
Lighting	2 x 5 (W) LED - 1 Level	Installation Mounting Hardware	Easy Snap Mounting Clips

INCA SD

MODEL	SIZE	COLOR	MOTOR CLASS
INSD29SSV	29"	Stainless	295/395/600 CFM
INSD35SSV	35"	Stainless	295/395/600 CFM

ACCESSORIES

LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INSD29
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INSD29
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INSD35
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit



NO LOGO ON HOOD

PRO INSERT

FEATURES


Cabinet Cut Out 29"	27 5/8" W / 13 9/16" D	Grease Filters	Dishwasher Safe SS Mesh
Cabinet Cut Out 35"	33 5/8" W / 13 9/16" D	Auto Delay Shut Off	15 Minute
Height Inside Cabinet	12 15/16"	ADA Compliant	Yes - With Remote Control
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Power Cord Included	Yes
Controls	4 Speed Electronic W/White LED	Remote Control Option	Purchase Separately
Lighting	2 x 5 (W) LED - 1 Level	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Installation Mounting Hardware	Easy Snap Mounting Clips
Intensive Speed	10 Minutes	Pro Motor W/ Metal Impellers	Yes

INCA HC

MODEL	SIZE	COLOR	MOTOR CLASS
INHC29SSV	29"	Stainless	295 / 395 / 600 CFM
INHC35SSV	35"	Stainless	295 / 395 / 600 CFM

ACCESSORIES

LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INHC29
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INHC29
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INHC35
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
REMORIG	Wireless Remote Control
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit



NO LOGO ON HOOD

INSERT

FEATURES

Cabinet Cut Out 29"	27 5/8" W / 13 9/16" D	Auto Delay Shut Off	15 Minute
Cabinet Cut Out 35"	33 5/8" W / 13 9/16" D	Intensive Speed	10 Minute
Height Inside Cabinet	12 15/16"	ADA Compliant	Yes - With Remote Control
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Power Cord Included	Yes
Controls	4 Speed Electronic W/White LED	Remote Control Option	Purchase Separately
Lighting	2 x 5 (W) LED - 1 Level	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Installation Mounting Hardware	Easy Snap Mounting Clips
Grease Filters	Dishwasher Safe SS Mesh		



INCA PRO 18

MODEL	SIZE	COLOR	MOTOR CLASS
INPL32SS1200	32"	Stainless	1200 PRO BLOWERS
INPL44SS1200	44"	Stainless	1200 PRO BLOWERS

ACCESSORIES	
FILTER1	Charcoal Filter Kit (2 Kits Required)
FILTER1LL2	Long Lasting Charcoal Filter Kit (2 Kits Required)
MUDAMPER10	10" Make-up Air Kit (900/1200 CFM)
REMORIG	Remote Control
WIREBOX	Fixed Wiring Box

PRO LINER

FEATURES			
Cabinet Cut Out 32"	31 7/8" W x 17 3/8" D	Grease Rail	Yes - Dishwasher Safe
Cabinet Cut Out 44"	43 1/16" W x 17 3/8" D	Installation Mounting	Easy Snap Mounting Clips
Height Inside Cabinet	11 1/8" (5" more for transition)	Hardware	
Controls	4 Speed Electronic with White LED	Ducting Top	10" Round
Auto Delay Shut-Off	15 Minutes	Convertible to Recirculating	Yes - With FILTER1 / FILTER1LL2
Intensive Speed	10 Minutes	ADA Compliant	Yes - With Remote Control
Lighting	(32") 2 LED bulbs - 1 Watt - 1 Level (44") 4 LED bulbs - 1 Watt - 1 Level	Remote Control	Purchase Separately
Grease Filters	Dishwasher Safe Pro Stainless Steel Baffle	Power Cord Included	Yes



INCA IN-LIGHT

MODEL	SIZE	COLOR	MOTOR CLASS
INLT21SSV	21"	Stainless	295/395/600 CFM
INLT28SSV	28"	Stainless	295/395/600 CFM
INLT35SSV	35"	Stainless	295/395/600 CFM

ACCESSORIES	
LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INLT28
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INLT28
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INLT35
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
WIREBOX	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)
LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)

LINSPT301228 & LINSPT361228 For Use with INLT28

INSERT

FEATURES			
Cabinet Cut Out 21" /28"	19 1/2" or 26 9/16" W x 10 1/4" D	Intensive Speed	10 Minute
Cabinet Cut Out 35"	32 7/8" W x 10 1/4" D	ADA Compliant	Yes With Remote Control
Height Inside Cabinet	13 1/16"	Power Cord Included	Yes
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Remote Control	Yes - Included
Controls	4 Speed Electronic W/White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	1 x 3 (W) LED Bar - 1 Level	Installation Mounting	Easy Snap Mounting Clips
Ducting Top	6" Round	Hardware	
Grease Filters	Dishwasher Safe Mesh	Perimeter Aspiration	Yes
Auto Delay Shut Off	15 Minute		

INCA LUX




INSERT

MODEL	SIZE	COLOR	MOTOR CLASS
INLX21SSV2	21"	Stainless	295/395/600 CFM
INLX28SSV2	28"	Stainless	295/395/600 CFM
INLX35SSV2	35"	Stainless	295/395/600 CFM

ACCESSORIES	
LINE30ST	30" SS Liner (16 - 17 7/8" D) - Use with INLX28
LINE36ST	36" SS Liner (16 - 17 7/8" D) - Use with INLX28
LINE36PT	36" SS Liner (16 - 17 7/8" D) - Use with INLX35
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
REMORIG	Wireless Remote Control
WIREBOX3	Fixed Wiring Box
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)
LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)

LINSPT301228 & LINSPT361228 For Use with INLX28

FEATURES			
Cabinet Cut Out 21" /28"	19 1/2" or 26 9/16" W x 10 1/4" D	Intensive Speed	10 Minute
Cabinet Cut Out 35"	32 7/8" W x 10 7/16" D	ADA Compliant	Yes - With Remote Control
Height Inside Cabinet	12 3/4"	Power Cord Included	Yes
Convertible to Recirculating Controls	Yes - With FILTER1/FILTER1LL2	Remote Control Option	Purchase Separately
Lighting	4 Speed Electronic W/White LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top	2 x 4 (W) LED Bar - 1 Level	Installation Mounting Hardware	Easy Snap Mounting Clips
Grease Filters	6" Round	Perimeter Aspiration	Yes
Auto Delay Shut Off	Dishwasher Safe Mesh	Sound Pro Blower	Yes
	15 Minute		



INCA LUX PLUS

MODEL	SIZE	COLOR	MOTOR CLASS
INLP28SSV	28"	Stainless	295/395/600 CFM

ACCESSORIES


LINE30ST	30" SS Liner (16 - 17 7/8" D)
LINE36ST	36" SS Liner (16 - 17 7/8" D)
LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)
LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
REMORIG	Remote Control
WIREBOX3	Fixed Wiring Box
MUDAMPER6	6" Make-up Air Kit
MUDAMPER8	8" Make-up Air Kit

INSERT

FEATURES

Cabinet Cut Out	26 9/16" W x 10 7/16" D	Filter Wash Alarm	Yes
Height Inside Cabinet	12 3/4"	Installation Mounting Hardware	Easy Snap Mounting Clips
Controls	4 Speed Electronic with White LED	Ducting Top	6" Round
Auto Delay Shut-Off	15 Minutes	Convertible to Recirculating	Yes - With FILTER1 / FILTER1LL2
Intensive Speed	6 Minutes	ADA Compliant	Yes - With Remote Control or Faber Cloud App
24 Hour Anti-Pollution Mode	Yes	Remote Control Option	Purchase Separately
Lighting	1 x 4 (W) LED Bar - 2 Level	Faber Cloud App	Control with Mobile Device
Tunable Lights	Change light temperature from warm to cool	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Light Dimmer	Yes	Power Cord Included	Yes
Grease Filters	Dishwasher Safe Mesh	Sound Pro blower	Yes

INCA LUX PLUS: PREMIUM, FLUSH-MOUNTED INSERT





INCA SMART SS

MODEL	SIZE	COLOR	MOTO CLASS
INSP28SS240	28"	Stainless Steel	240 CFM
INSP28SS400	28"	Stainless Steel	400 CFM
INSP28SS600	28"	Stainless Steel	600 CFM

ACCESSORIES

LINE30ST	30" SS Liner (16 - 17 7/8" D)		
LINE36ST	36" SS Liner (16 - 17 7/8" D)		
FILTER4	Charcoal Filter Kit (240 CFM Only)		
FILTER1	Charcoal Filter Kit (400/600 CFM Only)		
FILTER1LL2	Long Lasting Charcoal Filter Kit (400/600 CFM ONLY)		
WIREBOX	Fixed Wiring Box (400/600 CFM Only)		
LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)		
LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)		

INSERT

FEATURES

Cabinet Cut Out	26 5/8" W X 10 1/2" D	Lighting	2 x 4 (W) LED - 1 Level
Body Width/Depth	25 5/8" W X 10 1/4" D	Duct Top	6" Round (SS400 & 600)
Height Inside Cabinet	7 1/6" (28SS240) 12 3/4" (28SS400/600)	Duct Top	5" Round (SS240)
Convertible to Recirculating	Yes - With FILTER1/ FILTER1LL2 (SS400/600) FILTER4 (SS240)	Grease Filters	Dishwasher Safe Mesh
Controls	4 Speed Electronic Button With LED	Intensive Speed	10 Minutes
		ADA Compliant	No
		Power Cord included	Yes
		Installation Mounting Hardware	Easy Snap Mounting Clips



INCA SMART GR

MODEL	SIZE	COLOR	MOTOR CLASS
INSM21GR240	21"	Painted Gray	240 CFM
INSM28GR240	28"	Painted Gray	240 CFM

ACCESSORIES

LINE30ST	30" SS Liner (16 - 17 7/8")		
LINE36ST	36" SS Liner (16 - 17 7/8")		
FILTER4	Charcoal Filter Kit		
LINSPT301228	30" Self Supporting Liner (17 1/2" - 20 1/2" D)		
LINSPT361228	36" Self Supporting Liner (17 1/2" - 20 1/2" D)		

LINSPT301228 & LINSPT361228 For Use with INSM28GR240

INSERT

FEATURES

Cabinet Cut Out 21"	19 9/16" W x 10 1/2" D	Lighting	2 x 4 (W) LED - 1 Level
Cabinet Cut Out 28"	26 9/16" W x 10 1/2" D	Duct Top	5" Round
Body Width/Depth	20 9/16" or 27 5/8" W x 10 1/4" D	Grease Filters	Dishwasher Safe Mesh
Height Inside Cabinet	7 1/6"	ADA Compliant	Separate Wall Switch Required
Convertible to Recirculating	Yes - With FILTER4	Power Cord included	Yes
Controls	3 Speed Slider	Installation Mounting Hardware	Easy Snap Mounting Clips

PRO & UNDER CABINET RANGE HOODS

PRO & UNDER CABINET RANGE HOODS





NO LOGO ON HOOD

PRO CANOPY

CAMINO PRO

MODEL	SIZE	COLOR	MOTOR CLASS
CAPR36SS600	36"	Stainless	600 CFM PRO METAL IMPELLERS
CAPR36SS1200	36"	Stainless	1200 CFM PRO METAL IMPELLERS
CAPR48SS1200	48"	Stainless	1200 CFM PRO METAL IMPELLERS

CHOOSE YOUR DUCT COVER

CHIM2224	36" Camino Chimney 8' - 9' Ceiling
CHIM2248	36" Camino Chimney 9' - 11' Ceiling
CHIM3424	48" Camino Chimney 8' - 9' Ceiling
CHIM3448	48" Camino Chimney 9' - 11' Ceiling

ACCESSORIES

CFMRED	CFM Reducer Kit 300 CFM
CFMRED2	CFM Reducer Kit 400 CFM
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
FILTER1	Replacement Charcoal Filter Kit (2 x 1200 CFM)
FILTERILL2	Long Lasting Charcoal Filter Kit (2 x 1200 CFM)

FEATURES

Min./Max. Ceiling Height	See page 41	Grease Filters	Dishwasher Safe Pro SS Baffle
Canopy Depth/Height	24" D / 18" H	Auto Delay Shut Off	10 Minute
Convertible to Recirculating	Yes - FILTER1 / FILTERILL2	Intensive Speed	10 Minute
Controls	4 Speed Electronic Rotary Knob	ADA Compliant	No
Lighting	2 (36") or 4 (48") X 5 (W) LED - 2 Level Yes	Fixed Wiring Box	Yes
Light Dimmer	Yes	Pro Motor W/ Metal Impellers	Yes
Ducting Top or Rear Vent (Vari-Duct) 600CFM*	6" Round	Self Start Heat Sensor Transition	Yes 10" Included
Ducting Top 1200 CFM*	2 (6")1200 CFM or 1 (10") Round		

*Vari-Duct rear venting only available on Camino Pro 36" 600 CFM

SELF-START HEAT SENSOR TECHNOLOGY

Electronic rotary knob changes LED colors for each speed and blinks for functions. The Self-Start Heat Sensor Technology activates your hood automatically when the air temperature reaches 130°F (54°C).



BREVA PRO 18



WALL

MODEL	SIZE	COLOR	MOTOR CLASS
BREV308SS600	30"	Stainless	295/395/600 CFM PRO METAL IMPELLERS
BREV368SS600	36"	Stainless	295/395/600 CFM PRO METAL IMPELLERS
BREV48SS1200	48"	Stainless	1200 CFM PRO METAL IMPELLERS

ACCESSORIES

TELEPRO30	Telescopic Chimney Kit 30"
TELEPRO36	Telescopic Chimney Kit 36"
TELEPRO48	Telescopic Chimney Kit 48"
FILTER6	Charcoal Filter
BACK30	Backsplash 30"
BACK36	Backsplash 36"
BACK48	Backsplash 48"
WIREBOX2	Fixed Wire Box
DUCTGRT304	Ductless Vent Grate Recirc. Kit 30" (Adds 4" Height)
DUCTGRT364	Ductless Vent Grate Recirc. Kit 36" (Adds 4" Height)
IB600PR	1200 CFM Pro Motor (For BREV368SS600 - Adds a Second Blower)
REMORIG	Remote Control
MUDAMPER8	8" Make-up Air Kit
MUDAMPER10	10" Make-up Air Kit

FEATURES

Canopy Depth / Height Controls	25" D x 18" H 5 Speed LED Digital Electronic Control	Ducting Top or Rear Vent (Vari-Duct)	8" Round With 2nd blower, 10" Round
Self-Start Heat Sensor	Yes	Convertible to Recirculating Variable Air Management	Yes - With DUCTGR Kit Yes (set to 295, 395, 600 CFM)
Auto Delay Shut-Off	30 Minutes	ADA Compliant	Yes - With Remote Control or Faber Cloud App
Intensive Speed Lighting	2 Levels x 6 Minutes 2 LED Bulbs - 1 Watt - 3 Level on 30" 3 LED Bulbs - 1 Watt - 3 Level on 36" 4 LED Bulbs - 1 Watt - 3 Level on 48"	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe Pro Stainless Steel Baffle	Faber Cloud App	Control with Mobile Device
Filter Wash Reminder	Yes	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Grease Rail	Yes- Dishwasher Safe	Power Cord Included	Yes
		24 Hour Anti Pollution Mode	Yes



UNDER CABINET

BREVA PRO 11

MODEL	SIZE	COLOR	MOTOR CLASS
BREV301SS600	30"	Stainless	295/395/600 CFM PRO METAL IMPELLERS
BREV361SS600	36"	Stainless	295/395/600 CFM PRO METAL IMPELLERS

ACCESSORIES	
TELEPRO30	Telescopic Chimney Kit 30"
TELEPRO36	Telescopic Chimney Kit 36"
FILTER6	Charcoal Filter
BACK30	Backsplash 30"
BACK36	Backsplash 36"
WIREBOX2	Fixed Wire Box
DUCTGRT304	Ductless Vent Grate Recirc. Kit 30" (Adds 4" Height)
DUCTGRT364	Ductless Vent Grate Recirc. Kit 36" (Adds 4" Height)
REMORIG	Remote Control
MUDAMPER8	8" Make-up Air Kit

FEATURES			
Canopy Depth / Height	23" D x 11" H	Ducting Top or Rear Vent (Vari-Duct)	8" Round
Controls	5 Speed LED Digital Electronic Control	Convertible to Recirculating Variable Air Management	Yes - With DUCTGR Kit Yes (set to 295, 395, 600 CFM)
Heat Sensor	Yes	ADA Compliant	Yes - With Remote Control or Faber Cloud App
Auto Delay Shut-Off	30 Minutes	Remote Control Option	Purchase Separately
Intensive Speed	2 Levels x 6 Minutes	Faber Cloud App	Control with Mobile Device
Lighting	2 LED Bulbs - 1 Watt - 3 Level on 30" 3 LED Bulbs - 1 Watt - 3 Level on 36"	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Grease Filters	Dishwasher Safe Pro Stainless Steel Baffle	Power Cord Included	Yes
Filter Wash Alarm	Yes	24 Hour Anti Pollution Mode	Yes
Grease Rail	Yes - Dishwasher Safe		



LEVANTE E

MODEL	SIZE	COLOR	MOTOR CLASS
LEVE24SS200	24"	Stainless	200 CFM
LEVE24WH200	24"	White	200 CFM
LEVE30SS200	30"	Stainless	200 CFM
LEVE30WH200	30"	White	200 CFM

ACCESSORIES	
FILTER8	Charcoal Filter Kit

UNDER CABINET

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Grease Filters	Dishwasher Safe Mesh
Controls	2-speed Rocker Switch	ADA Compliant	Yes - with Separate Wall Switch
Lighting	1 X 40 (W) Incandescent - 1 Level	Fixed Wiring Box	Yes
Ducting Top	7" Round	Convertible to Ductless	Yes - with Charcoal Filter Kit (one included)
Ducting Top or Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle		



LEVANTE II

MODEL	SIZE	COLOR	MOTOR CLASS
LEVT30SS395	30"	Stainless	395 CFM PRO
LEVT36SS395	36"	Stainless	395 CFM PRO

ACCESSORIES	
FILTER5	Charcoal Filter Kit
REMORIG	Wireless Remote Control

UNDER CABINET

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Auto Delay Auto Off	15 Minute
Controls	4 Speed Electric W/ White LED	Intensive Speed	10 Minute
Lighting	2 X 5 (W) LED - 1 Level	Remote Control Option	Purchase Separately
Ducting Top	7" Round	ADA Compliant	Yes - With Remote Control
Ducting Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle	Fixed Wiring Box	Yes
Grease Filters	Dishwasher Safe SS Mesh	Convertible to Recirculating	Yes - With FILTER5

IMPORTANT NOTE: The LEVE and LEVT have grills for ductless installation on the front slope of the hood.

LEVANTE G

MODEL	SIZE	COLOR	MOTOR CLASS
LEVG24SS300	24"	Stainless	300 CFM
LEVG30SS300	30"	Stainless	300 CFM

ACCESSORIES	
FILTER5	Charcoal Filter Kit



UNDER CABINET


FEATURES			
Canopy Depth / Height	21" D / 5 ½" H	Grease Filters	Dishwasher Safe Mesh
Controls	4 Speed Electronic Push Button	Intensive Speed	10 Minute
Lighting	2 X 35 (W) Halogen - 1 Level	ADA Compliant	No
Ducting Top	7" Round	Fixed Wiring Box	Yes
Ducting Rear Vent (Vari-Duct)	3 ¼" X 10" Rectangle	Convertible to Ductless	Yes
		Convertible to Recirculating	Yes - With FILTER5

IMPORTANT NOTE: The LEVG has grills for ductless installation on the front slope of the hood.

TIVANO

MODEL	SIZE	COLOR	MOTOR CLASS
TVNO30SS395	30"	Stainless	395 CFM
TVNO36SS395	36"	Stainless	395 CFM

ACCESSORIES	
FILTER5	Charcoal Filter Kit
REMORIG	Remote Control



UNDER CABINET

FEATURES			
Canopy Depth / Height	23" D x 9" H	Ducting Top or Rear Vent (Vari-Duct)	7" round (top), 3 ¼" x 10" Rectangle (top/back)
Controls	4 Speed Electronic with White LED	Convertible to Recirculating	Yes - With FILTER5
Auto Delay Shut-Off	15 Minutes	ADA Compliant	Yes - With Remote Control
Intensive Speed	10 Minutes	Remote Control Option	Purchase Separately
Lighting	2 LED bulbs - 5 Watts - 1 Level	Fixed Wiring Box	Yes
Grease Filters	Stainless Steel Mesh - Dishwasher safe		

INTEGRATED RANGE HOODS





SLIDE OUT

CRISTAL

MODEL	SIZE	COLOR	MOTOR CLASS
CRIS30SS600	30"	Stainless	600 CFM
CRIS36SS600	36"	Stainless	600 CFM
CRIS30SS400	30"	Stainless	400 CFM
CRIS36SS400	36"	Stainless	400 CFM
CRIS30SS300	30"	Stainless	300 CFM
CRIS36SS300	36"	Stainless	300 CFM

ACCESSORIES	
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
WIREBOX	Fixed Wiring Box

FEATURES			
Cabinet Cut Out 30"	25 1/8" W X 10" D	ADA Compliant	Yes With Separate Wall Switch
Cabinet Cut Out 36"	31 1/8" W X 10" D	Power Cord Included	Yes
Convertible to Recirculating Controls	Yes - with FILTER1 / FILTER1LL	Installation Mounting Hardware	Easy Snap Mounting Clips
Lighting	3 Speed Slider	Auto On / Off	Yes - Fan/Lights Activate When Pulled-out and Pushed-in
Ducting Top or Rear Vent (Vari-Duct)	2 X 5 (W) LED - 1 Level 6" Round	Front Panel Integration	Front strip can be replaced with material to match your cabinets.
Grease Filters	Dishwasher Safe Mesh		



SLIDE OUT

FLEXA

MODEL	SIZE	COLOR	MOTOR CLASS
FLEX24SS300	24"	Stainless	300 CFM
FLEX30SS300	30"	Stainless	300 CFM

ACCESSORIES	
FILTER7	Charcoal Filter Kit

FEATURES			
Cabinet Cut Out 24"	19 3/4" W X 10 3/8" D	ADA Compliant	Yes With Separate Wall Switch
Cabinet Cut Out 30"	23 1/16" W X 10 3/8" D	Power Cord Included	Yes
Convertible to Recirculating Controls	Yes - With FILTER7	Installation Mounting Hardware	Easy Snap Mounting Clips
Lighting	3 Speed Slider	Auto On / Off	Yes - Fan/Lights Activate When Pulled-out and Pushed-in
Ducting Top	2 X 4 (W) LED - 1 Level 5" Round	Front Panel Integration	Front strip can be replaced with material to match your cabinets.
Grease Filters	Dishwasher Safe Mesh		

DOWN DRAFT RANGE HOODS

DOWN DRAFT RANGE HOODS





NO LOGO ON HOOD

DOWNDRAFT

SCIROCCO LUX

15" TALL RISE / 4" DEEP

MODEL	SIZE	COLOR	MOTOR CLASS
SCLX3015BKNB-B	30"	Blk Glass w/SS	No Blower
SCLX3615BKNB-B	36"	Blk Glass w/SS	No Blower

BLOWERS

IBDD600-B	Internal Blower 600 CFM PRO
RB900	Remote Blower 900 CFM (Requires WIREBOXCLX)
RB1200	Remote Blower 1200 CFM (Requires WIREBOXCLX)

ACCESSORIES

MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit
DUCTSCIR	Ductless Conversion Kit
REMORIG	Wireless Remote Control
WIREBOXSCLX	Wire Box for Remote & In-Line Blowers
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
FLANGE10	10" Blower Flange (Required for external blowers, excluding RB900 / RB1200.)
FLANGE3	10" Round to 3 1/4" x 10" Flange

MUDAMPER10 for use with 900 / 1200 CFM motors

WIREBOXSCLX - Required for SCLX with external blowers

FEATURES

Convertible to Ductless Controls	Yes With DUCTSCIR	Intensive Speed	10 Minute
Lighting	4-speed Electronic Soft Touch Controls	24 Hour Anti-Pollution Mode	Yes
Ducting (Vari-Duct)	Led Light Bar - 2 Level	ADA Compliant	Yes - With Remote Control
Multiple Ducting Options	6" Round (Internal) or 10" Round (Remote)	Power Cord Included	Yes
Grease Filters	Yes	Remote Control Option	Purchased Separately
Auto Delay Shut Off	Dishwasher Safe Mesh	Reversible Motor Box	Yes
	30 Minute	Perimeter Aspiration	Yes
		Built-in Safety Features	Yes

SCIROCCO PLUS

14" TALL RISE / 2 ½" DEEP

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

SCIR3014SSNB-B	30"	Stainless Steel	No Blower
-----------------------	-----	-----------------	-----------

SCIR3614SSNB-B	36"	Stainless Steel	No Blower
-----------------------	-----	-----------------	-----------

BLOWERS

IBDD600-B	Internal Blower 600 CFM PRO
------------------	-----------------------------

RB900	Remote Blower 900 CFM
--------------	-----------------------

RB1200	Remote Blower 1200 CFM
---------------	------------------------

ACCESSORIES

MUDAMPER6	6" Make Up Air Kit
------------------	--------------------

MUDAMPER8	8" Make Up Air Kit
------------------	--------------------

MUDAMPER10	10" Make Up Air Kit
-------------------	---------------------

DUCTSCIR	Ductless Conversion Kit
-----------------	-------------------------

CFMRED	CFM Reducer Kit (300 CFM)
---------------	---------------------------

CFMRED2	CFM Reducer Kit (400 CFM)
----------------	---------------------------

FLANGE10	10" Blower Flange (Required for external blowers, excluding RB900 / RB1200.)
-----------------	--

FLANGE3	10" Round to 3 ¼" x 10" Flange
----------------	--------------------------------

MUDAMPER10 for use with 900 / 1200 CFM motors



NO LOGO ON HOOD

DOWNDRAFT


FEATURES

Convertible to Controls	Ductless	Yes With DUCTSCIR Variable Speed Slider With On/Off Button	Built-in Safety Features	Yes
			Grease Filters	Dishwasher Safe SS Mesh
			Reversible Motor Box	Yes
Ducting (Vari-Duct)		6" Round (Internal) or 10" Round (Remote)		
Multiple Ducting Options		Yes		

ICONIC RANGE HOODS



ZOOM UP AND DOWN MOTION RANGEHOOD



THERE'S A HOOD: IT'S IN THE LIGHT FITTING.

With the Up & Down technology, Faber perfectly integrates hood and light fitting, combining the needs of aspiration with those of design and lighting.

AN AMAZING SPACE-SAVING SOLUTION.

These hoods are excellent space-saving solutions capable of illuminating and enhancing any type of environment, from the most linear to the most sophisticated.

The Zoom Island hoods are technologically advanced and perfectly shaped, offering freedom of movement within the cooking zone. It revolutionizes the concept of cooktop hood lighting, transforming it into a real point of light for the kitchen.



ZOOM

MODEL	SIZE	COLOR	MOTOR CLASS
ZOOMIS16SS400-B	16"	Stainless	400 CFM

ACCESSORIES	
FILTER1	Replacement Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit

ICONIC

FEATURES			
Min./Max. Ceiling Height	7' min - 9' max	Auto Delay Shut Off	30 Minute
Maximum Zoom Movement	34"	Intensive Speed	10 Minute
Up/Down Technology	Yes	24 Hour Anti-Pollution Mode	Yes
Controls	5 Speed LED Digital Control	ADA Compliant	Yes - With Remote Control
Lighting (Zoom Hood)	4 x 1 (W) LED - 1 Level	Perimetric Aspiration	Yes
Ducting	Recirculating Only - Charcoal Filter Kit included	Remote Control	Yes - Included
Grease Filters	Dishwasher Safe Mesh	Fixed Wiring Box	Yes



CHLOE

MODEL	SIZE	COLOR	MOTOR CLASS
CHLO28BK600	28"	Painted Black	600 CFM
CHLO36BK600	36"	Painted Black	600 CFM

ACCESSORIES	
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
CHIMCHBK	Black Chimney Kit (14 15/16" - 29 5/8" H)
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMORIG	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit
MUDAMPER10	10" Make Up Air Kit

ICONIC

FEATURES			
Min. / Max. Ceiling Height	See page 41	Grease Filters	Dishwasher Safe Mesh
Canop Depth / Height	13 3/4" D / 12 5/8" H	Filter Wash Alarm	Yes
Convertible To Ductless	Yes With FILTER1/FILTER1LL2	Intensive Speed	10 Minutes
Controls	4 Speed LED Digital Control	ADA Compliant	Yes - With Remote Control
Lighting	1 x 3 (W) LED Light Bar 2 Level	Remote Control Option	Purchase Separately
Light Dimmer	Yes	Perimeter Aspiration	Yes
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Rear Mounting Bracket	Included
		Fixed Wiring Box	Yes



CYLINDER

CYLINDRA

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

CYLN15SS600	15"	Stainless	600 CFM PRO
--------------------	-----	-----------	-------------

ACCESSORIES

FILTER2	Charcoal Filter Kit
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMORIG	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min. / Max. Ceiling Height	See page 41	Intensive Speed	10 minute
Convertible to Recirculating	Yes With FILTER2	24 Hour Anti-Pollution Mode	Yes
Controls	4 Speed LED Digital Control	ADA Compliant	Yes With Remote Control
Lighting	2 x 1 (W) LED - 2 Level	Remote Control Option	Purchase Separately
Ducting Top or Rear Vent	6" Round	Pro Motor W/ Metal Impellers	Yes
Vari-Duct	Yes	Perimeter Aspiration	Yes
Grease Filters	Dishwasher Safe Mesh	Fixed Wiring Box	Yes
Grease Filter Wash Alarm	Yes		



ISLAND

CYLINDRA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
-------	------	-------	-------------

CYLNIS15SS600	15"	Stainless	600 CFM PRO
----------------------	-----	-----------	-------------

ACCESSORIES

FILTER2	Charcoal Filter Kit
CFMRED	CFM Reducer Kit (300 CFM)
CFMRED2	CFM Reducer Kit (400 CFM)
REMORIG	Remote Control
MUDAMPER6	6" Make Up Air Kit
MUDAMPER8	8" Make Up Air Kit

FEATURES

Min./Max. Ceiling Height	See page 41	Intensive Speed	10 Minute
Convertible to Recirculating	Yes With FILTER2	24 Hour Anti-Pollution Mode	Yes
Controls	4 Speed LED Digital Control	ADA Compliant	Yes - With Remote Control
Lighting	2 x 1 (W) LED - 2 Level	Remote Control Option	Purchase Separately
Ducting Top	6" Round	Pro Motor W/ Metal Impellers	Yes
Grease Filters	Dishwasher Safe Mesh	Perimeter Aspiration	Yes
Grease Filter Wash Alarm	Yes	Fixed Wiring Box	Yes

FABER MODEL NUMBER SYSTEM

Model Example	Model				Island		Width		Depth or Height		Color		CFM Class			VAM	Model Year	
ZOOMIS16SS400-B	Z	O	O	M	I	S	1	6			S	S		4	0	0		-B
BREV48SS1200	B	R	E	V			4	8			S	S	1	2	0	0		
NOPR30SSV	N	O	P	R			3	0			S	S					V	
Blower Needed													N	B				
Island					I	S												
Stainless Steel											S	S						
White											W	H						
Gray											G	R						
Black											B	K						

FABER FACTS

FABER TECHNOLOGIES



FILTER1LL2

LONG LASTING CHARCOAL FILTER

- A Faber first! Wash and recharge charcoal filters up to 8 times
- Lasts up to 4 years vs. the normal charcoal filter that lasts 6 months



Vari-Duct

ADDS DUCTING FLEXIBILITY TO YOUR INSTALLATION!

- Look for the "Vari-Duct" phrase in the Product Guide
- Duct up (vertical) or rotate the blower to the back (horizontal)
- Reduce ducting when on an outside wall and improves performance

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
BACK30	Backsplash 30"	Telescoping backsplash and hardware	Breva Pro 30" ONLY
BACK36	Backsplash 36"	Telescoping backsplash and hardware	Breva Pro 36" ONLY
BACK48	Backsplash 48"	Telescoping backsplash and hardware	Breva Pro 48" ONLY
CFMRED	Cfm Reducer Kit	Reducer	Camino Pro, Chloe, Cylindra, Cylindra Isola, Scirocco Plus, Scirocco Lux
CFMRED2	Cfm Reducer Kit	Reducer	Camino Pro, Chloe, Cylindra, Cylindra Isola, Scirocco Plus, Scirocco Lux
CHIM2224	SS Chimney Kit 36" - 8 - 9'	Chimney And Hardware	Camino Pro 36 ONLY
CHIM2248	SS Chimney Kit 36" - 9 - 11'	Chimney And Hardware	Camino Pro 36 ONLY
CHIM3424	SS Chimney Kit 48" - 8 - 9'	Chimney And Hardware	Camino Pro 48 ONLY
CHIM3448	SS Chimney Kit 48" - 9 - 11'	Chimney And Hardware	Camino Pro 48 ONLY
CHIMCHBK	Black Chimney Kit	Chimney And Hardware	Chloe
DUCT2	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	Dama Isola
DUCT4	Ductless Kit	Charcoal, Diverter	Dama, Stilo, Stilo Glass, Stilo Suprema, Tratto
DUCT5	Ductless Kit	Charcoal, Diverter	Nova Pro
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus, Tender
DUCTGRT304	Ductless Vent Grate Recirc. Kit 30" (adds 4" Height)	Ductless Grate, Charcoal Filters, Hardware	Breva Pro 30" ONLY
DUCTGRT364	Ductless Vent Grate Recirc. Kit 36" (adds 4" Height)	Ductless Grate, Charcoal Filters, Hardware	Breva Pro 36" ONLY
DUCTSCIR	Ductless Kit	Transition Box, Kick Plate, Charcoal	Scirocco Lux, Scirocco Plus
FILTER1	Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Lux Plus, Inca Pro 18, Inca Pro Plus, Inca Smart SS, High-Light, Nova Pro, Stratus, Tender, Zoom
FILTER1LL2	Long Lasting Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Lux Plus, Inca Pro 18, Inca Pro Plus, Inca Smart SS, High-Light, Nova Pro, Stratus, Tender, Zoom
FILTER2	Charcoal Filter	Charcoal	Cylindra, Cylindra Isola, Dama, Dama Isola, Stilo, Stilo Glass, Stilo Suprema, Tratto
FILTER4	Charcoal Filter	Charcoal	Inca Smart GR / SS 240 cfm
FILTER5	Charcoal Filter	Charcoal	Levante G, Levante II, Tivano
FILTER6	Charcoal Filter	Charcoal	Breva Pro
FILTER7	Charcoal Filter Round	Charcoal	Flexa
FILTER8	Charcoal Filter	Charcoal	Levante E
FLANGE3	3 ¼ x 10" transition	10" Round to 3 ¼ x 10" Rectangle Flange	High-Light, Scirocco Lux, Scirocco Plus
FLANGE10	Duct Plate	10" Duct plate	High-Light, Scirocco Lux, Scirocco Plus
HIGH2	High Ceiling Chimney Kit	1 Tall Upper Chimney And Internal Structure	Dama Isola

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
HIGH4	High Ceiling Chimney Kit	2 Tall Chimneys	Dama, Nova Pro, Stilo, Stilo Glass, Stilo Suprema, Tratto
HIGHCLPL	High Ceiling Chimney Kit	2 Tall Chimneys	Classica Plus
HIGHTNDR	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender
INLBKIT	In-Line Blower Kit	10" Duct Plate With Wiring Box	Inca Pro Plus
LINE30ST	Standard Liner 30"	Liner With Hardware	Inca HC 29 , Inca In Light 28, Inca Lux 28, Inca Lux Plus, Inca SD 29, Inca Smart 28
LINE36ST	Standard Liner 36"	Liner With Hardware	Inca HC 29 ,Inca In Light 28, Inca Lux 28 , Inca SD 29, Inca Smart 28, Inca Lux Plus
LINE36PT	Pro Liner 36"	Liner With Hardware	Inca HC 35 ,Inca In Light 35, Inca Lux 35, Inca SD 35
LINSPT301228	Self Supporting Liner 30 x 12	30" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28 , Inca In Light 28, Inca Lux 28, Inca Lux Plus
LINSPT361228	Self Supporting Liner 36 x 12	36" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28 , Inca In Light 28, Inca Lux 28, Inca Lux Plus
MUDAMPER6	6" Make Up Air Damper	Damper, Switch And Transformer	Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Inca Lux Plus, Nova Pro, Scirocco Lux, Scirocco Plus, Stilo, Stilo Glass, Stilo Suprema, Stratus Isola, Tender, Tratto
MUDAMPER8	8" Make Up Air Damper	Damper, Switch And Transformer	Breva Pro, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra, Cylindra Isola, Dama, Dama Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Inca Lux Plus, Nova Pro, Scirocco Lux, Scirocco Plus, Stilo, Stilo Glass, Stilo Suprema, Stratus Isola, Tender, Tratto
MUDAMPER10	10" Make Up Air Damper	Damper, Switch And Transformer	High-Light, Inca Pro Plus, Breva Pro, Inca Pro 18, Inca Pro Plus, Scirocco Lux, Scirocco Plus, Camino Pro
REMORIG	Wireless Remote Control	Remote Control	Breva Pro, Chloe, Classica Plus, Cylindra, Cylindra Isola, Dama, Dama Isola, Inca HC, Inca Lux, Inca Lux Plus, Inca Pro 18, Inca SD, Levante II, Nova Pro, Scirocco Lux, Stilo, Stilo Glass, Stilo Suprema, Tender, Tivano, Tratto
TELEPRO30	Telescopic Chimney Kit 30"	(2) Telescopic chimneys and hardware	Breva Pro 30" ONLY
TELEPRO36	Telescopic Chimney Kit 36"	(2) Telescopic chimneys and hardware	Breva Pro 36" ONLY
TELEPRO48	Telescopic Chimney Kit 48"	(2) Telescopic chimneys and hardware	Breva Pro 48" ONLY
WIREBOX	Fixed Wiring Box	Wiring Box With Hood Cabling	Classica Plus, Cristal, Dama, Inca HC, Inca Lux, Inca Lux Plus, Inca In Light, Inca Pro 18, Inca SD, Inca Smart, Nova Pro, Stilo, Stilo Glass, Stilo Suprema, Tender, Tratto
WIREBOX2	Fixed Wiring Box	Wiring Box With Hood Cabling	Breva Pro ONLY
WIREBOX3	Fixed Wiring Box	Wiring Box With Hood Cabling	Inca Lux, Inca Lux Plus
WIREBOXSCLX	Fixed Wire Box (RB Only)	Wiring Box With Hood Cabling	Scirocco Lux

CEILING MINIMUM / MAXIMUM HEIGHTS

	Ducted Minimum 24" OFF	Ducted Maximum 30" OFF	Recirculating Minimum 24" OFF	Recirculating Maximum 30" OFF	High Ceiling Minimum 24" OFF	High Ceiling Maximum 30" OFF
WALL CHIMNEY						
Breva Pro 11 *	6' 11"	8' 4"	6' 11"	8' 4"	N/A	N/A
Breva Pro 18 *	7' 6"	8' 11"	7' 6"	8' 11"	N/A	N/A
Chloe*	7' 2 3/8"	8' 8 3/16"	7' 2 3/8"	8' 8 3/16"	N/A	N/A
Camino 24" tall *	7' 7"	8' 11 7/8"	7' 7"	8' 11 7/8"	N/A	N/A
Camino 48" tall *	8' 1"	10' 11 7/8"	8' 1"	10' 11 7/8"	N/A	N/A
Classica Plus	7' 5 9/16"	9' 5 1/4"	7' 9 1/16"	9' 5 1/4"	8' 11 1/16"	11' 8 1/16"
Cylindra	7' 11 1/16"	8' 5 1/16"	7' 11 1/16"	8' 5 1/16"	N/A	N/A
Dama	7' 2 5/16"	9' 2 1/4"	7' 6 9/16"	9' 2 1/4"	9' 7 3/8"	12' 5 1/8"
Nova Pro	7' 5"	8' 11 3/8"	7' 5 15/16"	8' 11 11/16"	9' 11 3/16"	12' 8 15/16"
Stilo	7' 8 1/16"	9' 3/4"	7' 8 1/16"	9' 3/4"	9' 3 1/2"	12' 3/8"
Stilo Glass	7' 8 1/16"	9' 3/4"	7' 8 1/16"	9' 3/4"	9' 3 1/2"	12' 3/8"
Stilo Suprema	7' 8 1/16"	9' 3/4"	7' 8 1/16"	9' 3/4"	9' 3 1/2"	12' 3/8"
Tender	7' 7 1/2"	9' 10 3/4"	8' 2 3/16"	9' 10 3/4"	9' 6 1/16"	11' 3 1/16"
Tratto	7' 8 1/8"	9' 3/16"	7' 8 1/8"	9' 3/16"	9' 2 13/16"	12' 3/8"
ISLAND CHIMNEY						
Cylindra Isola	7' 6 5/16"	8' 11 13/16"	7' 10 1/4"	8' 11 13/16"	N/A	N/A
Dama Isola	7' 8 1/4"	9' 3"	8' 5/8"	9' 3"	10' 3/16"	10' 10 1/8"

	Ducted Minimum 35" OFF	Ducted Maximum 72" OFF	Recirculating Minimum 35" OFF	Recirculating Maximum 72" OFF	High Ceiling Minimum N/A	High Ceiling Maximum N/A
CEILING HOOD						
High-Light Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A
Stratus Isola	5' 11"	9' 0"	5' 11"	9' 0"	N/A	N/A

NOTES:

- All minimums at 24" off the stove, maximums at 30" off the stove (except ceiling hoods).
- *Chloe & Camino includes Chimney Duct Cover Accessory (sold separately)
- Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.
- For planning purposes only, see install instructions for final heights

FABER CONSUMER WARRANTY & SERVICE

All Faber products are warranted against any defect in materials or workmanship for the original purchaser for a period of two (2) years from the date of original purchase (requires proof of purchase). This warranty covers labour and replacement parts. Faber, at its option, may repair or replace the product or components necessary to restore the product to good working condition. To obtain warranty service, contact the dealer from whom you purchased the range hood or Distinctive Appliances at 1-800-561-7265.

The Warranties do not cover, and Faber shall not be liable for the following:

1. Service calls to correct the installation of your range hood, to instruct you on how to use your range hood, to replace or repair house fuses or to correct house wiring or plumbing.
2. Service calls to repair or replace range hood light bulbs, fuses, or filters. These consumable parts are excluded from warranty coverage.
3. Repairs when your range hood is used for other than normal, single-family household use.
4. Damage resulting from an accident, alteration, misuse, abuse, fire, flood, acts of God, improper installation, installation not in accordance with electrical or plumbing codes or Faber documentation, or use of products not approved by Faber.
5. Replacement parts or repair labour costs for units operated outside the United States or Canada, including any non-UL or C-UL approved Faber range hoods.
6. Repairs to the hood resulting from unauthorized modifications made to the range hood.
7. Expenses for travel and transportation for product service in remote locations and pickup and delivery charges. Faber range hoods should be serviced in the home.

This warranty does not allow recovery of incidental or consequential damages, including, without limitation, direct, indirect, incidental, special or consequential damages, personal injury/wrongful death, or lost profits. The Faber warranty is limited to the above conditions and to the warranty period specified herein and is exclusive. Except as expressly specified in this agreement, Faber disclaims all express or implied conditions, representations, and warranties including, without limitation, any implied warranties of merchantability or fitness for a particular purpose. This warranty gives you specific legal rights that may vary from state to state.

PRODUCT GUIDE **2024**

 **FABER**

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

EASTERN CANADA

Head Office & Warehouse
2025 Cunard Street
Laval, QC H7S 2N1

PARTS & SERVICE

service@distinctive-online.com
1-800-561-7265

ORDER DESK

orderdesk@distinctive-online.com