



FRANKE'S ALR EXPERT

PRODUCT GUIDE 2025

Faber is a **Distinctive** brand




FLUID DYNAMIC OPTIMIZATION

Thanks to an innovative design, the new blower significantly reduces turbulence and vortex of the internal airflow.

NOISE REDUCTION AND SOUND QUALITY OPTIMIZATION

At maximum power, the new technology limits the noise threshold of the hood up to -6db^{*}, but it doesn't stop there. It also optimizes the sound produced, reducing the disturbance caused by high frequencies.

AVAILABLE IN THESE FABER MODELS:



*Data varies depending on the model in which the blower is installed.





Faber Cloud seamlessly connects the Wi-Fi enabled Faber range hoods to any Andoid or iOS smart device so you can control your kitchen's environment from anywhere.

Control your Wi-Fi enabled Faber range hood with Amazon Alexa, Google Home, or Siri to use voice commands to turn the hood on and off, adjust blower speed and set the auto-timer.

AVAILABLE IN THESE FABER MODELS:




TUNABLE, PERSONALIZED LIGHTNING

CHOOSE THE LIGHTING COLOR THAT IS RIGHT FOR YOU.


Faber tunable white LED lighting is a versatile lighting solution that offers five controllable colors and two levels of intensity, allowing you to create the perfect lighting environment for your kitchen activities.

The ability to adjust the color temperature of the lighting allows you to switch between warm and cool tones, depending on your needs.

Warm Lighting can create a cozy, inviting atmosphere, perfect for relaxed gatherings or evening meals, while **Cool Lighting** can provide a bright energizing space, ideal for tasks that require focus and concentration, such as cooking or meal preparation.



AVAILABLE IN THESE FABER MODELS:



TECHNOLOGIES THAT IMPROVE AIR QUALITY IN YOUR HOME

FABER RANGE HOODS ARE CAPABLE OF REMOVING UP TO 95% OF COOKING ODORS.

Breathing clean air inside our homes is essential to our well-being and overall quality of life.

Faber range hoods use technologies that eliminate cooking pollutants for safe, clean and improved air quality in your kitchen.



SELF-START

A special sensor automatically turns the hood on as soon as the air temperature reaches 130°F (or 54°C), making sure the air environment in your kitchen is comfortable.



24-HOUR

The 24-hour feature automatically turns the hood on for 10 minutes every hour, keeping your kitchen fresh and odor free all day long.



FILTER ALARM

The filter saturation alarm takes out the guesswork and will warn you when it is time to clean the grease filters or replace the charcoal filters (for recirculating applications).

MODELS WITH SELF-START TECHNOLOGY



BREVA PRO 11




BREVA PRO 18




CAMINO PRO

MODELS WITH 24-HOUR TECHNOLOGY



MODELS WITH FILTER ALARM TECHNOLOGY



6

TABLE OF CONTENTS

WALL

DAMA	9
STILO SUPREMA	9
STILO GLASS	10
STILO	10
NOVA PRO	11
CLASSICA PLUS	11
TENDER	12

ISLAND & CEILING

red	DAMA ISOLA	14
	HIGH-LIGHT WH	14
	STRATUS ISOLA	15

INSER

INCA PRO PLUS	17
INCA SD	18
INCA HC	18
INCA PRO 18	19
INCA IN-LIGHT	19
INCA LUX	20
INCA LUX PLUS	21
INCA SMART SS	22
INCA SMART GR	22

PRO & UNDER CABINET

24
25
26
27
27
28
28

INTEGRATED

CRISTAL	30
FLEXA	30

DOWN DRAFT

SCIROCCO LUX	32
SCIROCCO PLUS	33

ICONIC

NEW T-SHELF	36
NEW GRAZIOSA ISOLA	36
CYLINDRA ISOLA	37
CHLOE	37

GUIDES

ACCESSORY GUIDE	39
CEILING HEIGHTS	41

VARRANT

WARRANTY

WALL RANGE HOODS

FABER

* •



DAMA

MODEL	SIZE	COLOR	MOTOR CLASS
DAMA30SSV2	30″	Stainless	295/395/600 CFM
DAMA36SSV2	36″	Stainless	295/395/600 CFM
ACCESSORIES	5		
HIGH4	High Ceilir	ng Kit (up to 12'))
DUCT4	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
MUDAMPER6	6″ Make Up Air Kit		
MUDAMPER8	8″ Make Up Air Kit		
REMORIG	Wireless F	Remote Control	
WIREBOX	Fixed Wir	ing Box	

PYRAMID SHAPE

FEATURES

Min. / Max. Ceiling Height Canopy Depth / Height Convertible to Ductless Controls

Lighting Ducting Top Grease Filters See page 41 20" D / 6 %6" H Yes - WITH DUCT4 4 Speed Electronic W/ White LED 2 X 1 (W) LED - 1 Level 6" Round Dishwasher Safe SS Baffle Auto Delay Shut Off Intensive Speed ADA Compliant Remote Control Option Variable Air Management Power Cord Included Sound Pro blower 15 Minutes 10 Minutes Yes - With Remote Control Purchase Separately Yes (set to 295, 395, 600 CFM) Yes Yes



STILO SUPREMA

MODEL	SIZE	COLOR	MOTOR CLASS
STSP30SSV STSP36SSV	30" 36"	Stainless/Glass Front Stainless/Glass Front	295/395/600 CFM 295/395/600 CFM
ACCESSORIES	5		
HIGH4	High (Ceiling Kit (up to 12')	
DUCT4	Ductless Conversion Kit		
FILTER2	Replacement Charcoal Filter		
MUDAMPER6	6″ Make Up Air Kit		
MUDAMPER8	8″ Make Up Air Kit		
REMORIG	Wirele	ess Remote Control	
WIREBOX	Fixed	Wiring Box	

T SHAPE

FEATURES

Min. / Max. Ceiling Height Canopy Depth / Height Convertible to Recirculation Ducting Top Grease Filters	See page 41 17 %" D x 2 %" H Yes - WITH DUCT4 kit 6" Round Stainless Steel Mesh - Dishwasher safe	Variable Air Management Controls Intensive Speed Auto Delay Shut-Off 24 Hour Anti Pollution Mode ADA Compliant	Yes (set to 295, 395, 600 CFM) 4 Speed Digital LED Behind Glass 6 minutes 15 minutes Yes Yes- With Remote Control
Filter Wash Alarm Lighting Tunable Lights Perimeter Aspiration Sound Pro Blower	Yes 1 x 4 (W) LED Bar - 2 level 5 Settings from 2700K to 6500K Yes Yes	Remote Control Option Faber Cloud App Voice Activated Power Cord	or Faber Cloud Add Purchase Separately Control with Mobile Device Apple Siri, Google Home or Amazon Alexa Included



STILO

MODEL	SIZE	COLOR	MOTOR CLASS	
STIL24SSV2	24″	Stainless	295/395/600 CFM	
STIL30SSV2	30″	Stainless	295/395/600 CFM	
STIL36SSV2	36″	Stainless	295/395/600 CFM	
STIL48SSV2	48″	Stainless	295/395/600 CFM	
ACCESSORIES	5			
HIGH4	High (Ceiling Kit Stainle	ss (up to 12')	
DUCT4	Ductless Conversion Kit			
FILTER2	Replacement Charcoal Filter			
MUDAMPER6	6 6″ Make Up Air Kit			
MUDAMPER8	8" Ma	ke Up Air Kit		
REMORIG	Wirele	ess Remote Contr	ol	
WIREBOX	Fixed	Wiring Box		

T SHAPE

FEATURES

Min. / Max. Ceiling Height Canopy Depth / Height Convertible to Ductless Controls Lighting Ducting Top Grease Filters See page 41 18 ½" D / 2 ¾" H Yes - WITH DUCT4 4 Speed Electronic with LED 2 X 1 (W) LED - 1 Level 6" Round Dishwasher Safe Mesh

Auto Delay Shut Off Intensive Speed ADA Compliant Variable Air Management Power Cord Included Remote Control Option 15 Minute 10 Minute Yes - With Remote Control Yes (set to 295, 395, 600 CFM) Yes Purchase Separately



STILO GLASS

MODEL	SIZE	COLOR	MOTOR CLASS	
STGL30SSV	30″	Stainless/Glass Front	295/395/600 CFM	
STGL36SSV	36″	Stainless/Glass Front	295/395/600 CFM	
ACCESSORIES	5			
HIGH4	High (High Ceiling Kit Stainless (up to 12')		
DUCT4	Ductless Conversion Kit			
FILTER2	Replacement Charcoal Filter			
MUDAMPER6	6″ Make Up Air Kit			
MUDAMPER8	8″ Make Up Air Kit			
REMORIG	Remote Control			
WIREBOX2	Fixed Wiring Box			

T SHAPE

FEATURES

	2 11		
Min. / Max. Ceiling Height	See page 41	Convertible to Recirculating	Yes - With DUCT4
Canopy Depth / Height	17 1/8" D x 2 3/8" H	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Controls	4 Speed Digital LED Behind Glass	ADA Compliant	Yes - With Remote Control
Auto Delay Shut-Off	15 Minutes		or Faber Cloud App
Intensive Speed	6 Minutes	Remote Control	Purchase Separately
24 Hour Anti Pollution Mode	Yes	Faber Cloud App	Control with Mobile Device
Filter Wash Alarm	Yes	Voice Activated	Apple Siri, Google Home or
Lighting	2 LED bulbs - 1 Watt - 1 Level		Amazon Alexa
Grease Filters	Stainless Steel Mesh -	Power Cord Included	Yes
	Dishwasher safe	Sound Pro blower	Yes
Ducting Top	6" Round		



NOVA PRO

MODEL	SIZE	COLOR	MOTOR CLASS	
NOPR30SSV	30″	Stainless	PRO 295/395/600 CFM	
NOPR36SSV	36″	Stainless	PRO 295/395/600 CFM	
ACCESSORIES	5			
HIGH4	High C	eiling Kit (up to	12')	
DUCT5	Ductle	Ductless Conversion Kit		
FILTER1LL2	Long Lasting Replacement			
	Charcoal Filter			
FILTER1	Replacement Charcoal Filter			
REMORIG	Wireles	Wireless Remote Control		
WIREBOX	Fixed \	Fixed Wiring Box		
MUDAMPER6	6" Mak	6″ Make Up Air Kit		
MUDAMPER8	8″ Make Up Air Kit			

PYRAMID SHAPE

FEATURES

Min. / Max. Ceiling Height Canopy Depth / Height Convertible to Ductless Controls Lighting Ducting Top or Rear Vent (Vari-Duct) Grease Filters See page 41 21%6" D/10%" H Yes - With DUCT5 4 Speed Electronic with LED 2 X 5 (W) LED - 1 Level Yes - 6" Round

Dishwasher Safe SS Baffle

Intensive Speed Delay Auto Shut Off ADA Compliant Variable Air Management Power Cord Included Remote Control Option Pro Motor W/ Metal Impellers 10 Minutes 15 Minutes Yes - With Remote Control Yes (set to 295, 395, 600 CFM) Yes Purchase Separately Yes



CLASSICA PLUS

MODEL	SIZE	COLOR	MOTOR CLASS		
CLPL30SSV2	30″	Stainless	295/395/600 CFM		
CLPL36SSV2	36″	Stainless	295/395/600 CFM		
ACCESSORIES	5				
HIGHCLPL	High C	High Ceiling Kit (up to 11′ 8″)			
DUCTCLPL	Ductle	Ductless Conversion Kit			
FILTER1	Replacement Charcoal Filter				
FILTER1LL2	Long Lasting Charcoal Filter				
REMORIG	Wireles	Wireless Remote Control			
WIREBOX	Fixed Wiring Box				
MUDAMPER6	6" Mak	6″ Make Up Air Kit			
MUDAMPER8	8″ Make Up Air Kit				

PYRAMID SHAPE

FEATURES

Min. / Max. Ceiling Height Canopy Depth / Height Convertible to Ductless Controls Lighting Ducting Top Grease Filters

See page 41 18 ½" D / 9 ¹³/₁₆" H Yes - With DUCTCLPL 4 Speed Electronic LED 2 X 1 (W) LED - 1 Level 6" Round Dishwasher Safe Mesh Auto Delay Shut Off Intensive Speed ADA Compliant Variable Air Management Power Cord Included Remote Control Option 15 Minutes 10 Minutes Yes - With Remote Control Yes (set to 295, 395, 600 CFM) Yes Purchase Separately



TENDER

MODEL	SIZE	COLOR	MOTOR CLASS		
TEND30SSV	30″	Stainless	295/395/600 CFM		
TEND36SSV	36″	Stainless	295/395/600 CFM		
ACCESSORIES	;				
HIGHTNDR	High (High Ceiling Kit Stainless (up to 11' 3")			
DUCTCLPL	Ductle	Ductless Conversion Kit			
FILTER1	Replacement Charcoal Filter				
FILTER1LL2	Long Lasting Charcoal Filter				
REMORIG	Wireless Remote Control				
WIREBOX	Fixed Wiring Box				
MUDAMPER6	6″ Make Up Air Kit				
MUDAMPER8	8″ Make Up Air Kit				

CURVED CANOPY

FEATURES

Min. / Max. Ceiling HeightSee page 41Canopy Depth / Height19 21/32" D /9Convertible To DuctlessYes - WITH DControls4 Speed ElectLighting2 X 1 (W) LEDucting Top6" RoundGrease FiltersDishwasher 3

See page 41 19 ${}^{21}\!\!{}_{32}''$ D /9 ${}^{7}\!\!{}_{16}''$ H Yes - WITH DUCTCLPL 4 Speed Electronic with LED 2 X 1 (W) LED - 1 Level 6'' Round Dishwasher Safe Mesh

Auto Delay Shut Off Intensive Speed ADA Compliant Variable Air Management Power Cord Included Remote Control Option 15 Minutes 10 Minutes Yes - With Remote Control Yes (set to 295, 395, 600 CFM) Yes Purchase Separately

ISLAND CANOPY & CEILING RANGE HOODS

Models & specifications are subject to change without notice. Please refer to Faber's website for latest updates.





UPDATED DAMA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS	
DAMAIS36SSV2	36″	Stainless	295/395/600 CFM	
ACCESSORIES				
HIGH2	High Ceiling Kit (up to 10′ 10″)			
DUCT2	Ductless Conversion Kit			
FILTER2	Replacement Charcoal Filter			
REMORIG	Wireless Remote Control			
MUDAMPER6	6″ Make Up Air Kit			
MUDAMPER8	8″ Make Up Air Kit			

ISLAND

FEATURES

Canopy Depth / Height **Convertible to Ductless** Controls Lighting **Ducting Top Grease Filters** Sound Pro Blower

Min. / Max. Ceiling Height See page 41 27 1/2" D / 5 11/16" H Yes - With DUCT2 4 Speed Electronic W/ White LED 4 X 4 (W) LED - 1 Level 6" Round Dishwasher Safe SS Baffle Yes

Auto Delay Shut Off **Intensive Speed** ADA Compliant Variable Air Management Power Cord Included **Remote Control Option Fixed Wiring Box** Seamless Welded Chimney 15 Minutes 10 Minutes Yes - With Remote Control Yes (set to 295, 395, 600 CFM) Yes **Purchase Separately** Yes Yes



STAINLESS

HIGH-LIGHT

MODEL	SIZE	COLOR	MOTOR CLASS		
HILTIS36SSNB	36″	Stainless Steel	No Blower		
HILTIS36WHNB	36″	White Matte	No Blower		
PICK A BLOWER	2				
IB300	Intern	al Blower 300 C	FM		
IB400	Intern	al Blower 400 C	CFM		
IB600	Internal Blower 600 CFM PRO				
RB900	Remote Blower 900 CFM				
RB1200	Remote Blower 1200 CFM				
ACCESSORIES					
FILTER1	Charcoal Filter Kit				
FILTER1LL2	Long Lasting Charcoal Filter				
FLANGE10	10" Blower Flange				
	(Required for external blowers, excluding RB900 / RB1200.)				
FLANGE3	10" round to 3 ¼" x 10" Flange				
MUDAMPER6	6″ Make Up Air Kit				
MUDAMPER8	8″ Make Up Air Kit				
MUDAMPER10	10″ Make Up Air Kit				
Note: If desired you	ı mav u	ise vour own exte	rnal blower, purchased separately.		

Note: If desired you may use your own external blower, purchased separately, rated 2.7 amp maximum suitable for use with solid state variable speed control. FLANGE10 would be required with this installation.

CEILING **FEATURES**

Min. / Max. Ceiling Height
Convertible to Ductless
Controls
Lighting
Light Dimmer
Ducting

t See page 41 Yes - With FILTER1 / FILTER1LL2 4 Speed LED Digital Touch Control 3 (W) LED Light Panel - 2 Level Yes 6" Round / 10" 4-Way Venting

Auto Delay Shut Off **Intensive Speed ADA Compliant** Remote Control Fixed Wiring Box **Perimeter Aspiration** **30** Minutes 10 Minutes Yes - With Remote Control Included Yes Yes





STRATUS ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS
STRTIS36WHV	36″	White Glass	295 / 395 / 600 CFM
STRTIS48WHV	48″	White Glass	295 / 395 / 600 CFM
STRTIS36SSV	36″	Stainless Steel	295 / 395 / 600 CFM
STRTIS48SSV	48″	Stainless Steel	295 / 395 / 600 CFM

ACCESSORIES

Charcoal Filter Kit
Long Lasting Charcoal Filter
6″ Make-up Air Kit
8″ Make-up Air Kit

CEILING

FEATURES

Min. / Max. Ceiling Height Convertible to Recirculation Ducting **Grease Filters** Filter Wash Alarm Lighting **Tunable lights** Light Dimmer

Perimetter Aspiration

Sound Pro Blower

6" Round Dishwasher-safe Mesh Yes 2 x 4 (W) LED Bar - 2 level 5 Settings From 2700K to 6500K Yes Yes Yes

Yes - FILTER1 / FILTER1LL2

See page 41

Variable Air Management Controls Intensive Speed Auto Delav Shut-Off 24 Hour Anti Pollution Mode **ADA Compliant Remote Control**

Faber Cloud App Voice Activated Power Cord **Fixed Wiring Box**

Yes (set to 295, 395, 600 CFM) 4 Speed LED Digital Touch Control 6 Minutes 15 Minutes Yes Yes - With Remote Control or Faber Cloud Add Included

Control with Mobile Device Apple Siri, Google Home or Amazon Alexa Yes Yes



PERIMETRIC FILTER SYSTEM

What's the most effective air extraction technology? It's PERIMETER ASPIRATION, and it's an exclusive FABER technology, of course. Forcing air to speed up through a narrow gap around the perimeter of the panel, purifing the air, reducing noise and improving efficiency.

INSERT RANGE HOODS



Models & specifications are subject to change without notice. Please refer to Faber's website for latest updates. **INSERT RANGE HOODS**

5



PRO LINER

*Use your own external blower, purchased separately, rated 4.2amps maximum, suitable for use with solid state variable speed control. If you are using your own external blower with this hood, you need to order the INLBKIT to connect to the hood.

INCA PRO PLUS

MODEL	SIZE	MOTOR CLASS	
PICK A LINER			
INPL3019SSNB-B	30" W x 19"	No Blower	
INPL3619SSNB-B	36" W x 19"	No Blower	
INPL4219SSNB-B	42" W x 19"	No Blower	
INPL4819SSNB-B	48" W x 19"	No Blower	
INPL3622SSNB-B	36" W x 22"	No Blower	
INPL4822SSNB-B	48" W x 22"	No Blower	
PICK A BLOWER			
IB300	Internal Blower 300 CFM		
IB400	Internal Blower 400 CFM		
IB600	Internal Blower 600 CFM PRO		
IB1200	Internal Blower 1200 CFM PRO		
RB900	Remote Blower 900 CFM		
RB1200	Remote Blower 1200 CFM		

ACCESSORIES

FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter
INLBKIT	In-Line Blower Connector
	(Required for external blowers, excludes RB900 / RB1200)
MUDAMPER6	6″ Make Up Air Kit
MUDAMPER8	8″ Make Up Air Kit
MUDAMPER10	10″ Make Up Air Kit (900 / 1200 CFM)

FEATURES

Cabinet Cut Out	Width : 28 %", 34 ¾",	Ducting Top	6" Round or 10" Round
	40 ¾, 46 ¾	Grease Filters	Dishwasher Safe Pro SS Baffle
	Depth: 19 1/8" or 22 1/8"	ADA Compliant	With A Separate Wall Switch
Height Inside Cabinet	11″	Fixed Wiring Box	Yes
Convertible to Recirculating	Yes - With FILTER1 / FILTER1LL2	Installation Mounting	Easy Snap Mounting Clips
Controls	Variable Speed Dial	Hardware	
Lighting	2 x 5 (W) LED - 1 Level		



INCA SD

MODEL	SIZE	COLOR	MOTOR CLASS	
INSD29SSV	29″	Stainless	PRO 295/395/600 CFM	
INSD35SSV	35″	Stainless	PRO 295/395/600 CFM	
ACCESSORIES	;			
LINE30ST	30" SS Liner (16 - 17 %" D) - Use with INSD29			
LINE36ST	36" SS Liner (16 - 17 1/8" D) - Use with INSD29			
LINE36PT	36" SS Liner (16 - 17 1/8" D) - Use with INSD35			
FILTER1	Charcoal Filter Kit			
FILTER1LL2	Long Lasting Charcoal Filter Kit			
REMORIG	Wireless Remote Control			
WIREBOX	Fixed Wiring Box			
MUDAMPER6	6" Ma	ke Up Air Kit		
MUDAMPER8	8" Ma	ke Up Air Kit		

PRO INSERT

FEATURES

Cabinet Cut Out 29"	27 5⁄8″ W / 13 9⁄16″ D	Grease Filters	Dishwasher Safe Pro SS Baffle
Cabinet Cut Out 35"	33 5⁄8″ W / 13 %16″ D	Auto Delay Shut Off	15 Minute
Height Inside Cabinet	12 ¹⁵ /16″	ADA Compliant	Yes - With Remote Control
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Power Cord Included	Yes
Controls	4 Speed Electronic W/White LED	Remote Control Option	Purchase Separately
Lighting	2 x 5 (W) LED - 1 Level	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Installation Mounting Hardware	Easy Snap Mounting Clips
Intensive Speed	10 Minutes	Pro Motor W/ Metal Impellers	Yes



INCA HC

MODEL	SIZE	COLOR	MOTOR CLASS		
INHC29SSV	29″	Stainless	295/395/600 CFM		
INHC35SSV	35″	Stainless	295/395/600 CFM		
ACCESSORIES	5				
LINE30ST	30″ SS	5 Liner (16 - 17 ¾"	D) - Use with INHC29		
LINE36ST	36″ SS	36" SS Liner (16 - 17 1/8" D) - Use with INHC29			
LINE36PT	36" SS Liner (16 - 17 1/8" D) - Use with INHC35				
FILTER1	Charcoal Filter Kit				
FILTER1LL2	Long Lasting Charcoal Filter Kit				
REMORIG	Wirele	Wireless Remote Control			
WIREBOX	Fixed	Fixed Wiring Box			
MUDAMPER6	6" Ma	ke Up Air Kit			
MUDAMPER8	8" Ma	ke Up Air Kit			

INSERT

FEATURES

Cabinet Cut Out 29"	27 5/8" W / 13 9/16" D	Auto Delay Shut Off	15 Minute
Cabinet Cut Out 35″	33 5⁄8″ W / 13 9⁄16″ D	Intensive Speed	10 Minute
Height Inside Cabinet	12 ¹⁵ /16″	ADA Compliant	Yes - With Remote Control
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Power Cord Included	Yes
Controls	4 Speed Electronic W/White LED	Remote Control Option	Purchase Separately
Lighting	2 x 5 (W) LED - 1 Level	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Ducting Top or Rear Vent	6" Round	Installation Mounting	Easy Snap Mounting Clips
(Vari-Duct)		Hardware	
Grease Filters	Dishwasher Safe SS Mesh		



PRO LINER

FEATURES

Cabinet Cut Out 32" Cabinet Cut Out 44" Height Inside Cabinet Controls Auto Delay Shut-Off **Intensive Speed** Lighting

31 7/8" W x 17 3/8" D 43 11/16" W x 17 3/8" D 11 ¹/₈" (5" more for transition) 4 Speed Electronic with White LED 15 Minutes 10 Minutes (32") 2 LED bulbs - 1 Watt - 1 Level (44") 4 LED bulbs - 1 Watt - 1 Level Dishwasher Safe Pro Stainless Steel Baffle

Grease Rail Installation Mounting Hardware Ducting Top Convertible to Recirculating ADA Compliant Remote Control **Power Cord Included**

Yes - Dishwasher Safe Easy Snap Mounting Clips

10" Round Yes - With FILTER1 / FILTER1LL2 Yes - With Remote Control Purchase Separately Yes





INSERT

INCA IN-LIGHT

INCA PRO 18

32"

SIZE COLOR

Remote Control

Fixed Wiring Box

Stainless

Stainless

Charcoal Filter Kit (2 Kits Required)

10" Make-up Air Kit (900/1200 CFM)

Long Lasting Charcoal Filter Kit (2 Kits Required)

MOTOR CLASS

1200 PRO BLOWERS

1200 PRO BLOWERS

MODEL

FILTER1

FILTER1LL2

REMORIG

WIREBOX

INPL32SS1200

ACCESSORIES

MUDAMPER10

INPL44SS1200 44"

MODEL	SIZE	COLOR	MOTOR CLASS	
INLT21SSV INLT28SSV INLT35SSV	21" 28" 35"	Stainless Stainless Stainless	295/395/600 CFM 295/395/600 CFM 295/395/600 CFM	
ACCESSORIES				
LINE30ST LINE36ST LINE36PT FILTER1 FILTER1LL2 WIREBOX MUDAMPER6 MUDAMPER8 LINSPT301228 LINSPT361228	36" SS 36" SS Charce Long L Fixed 6" Mal 8" Mal 30" Se	Liner (16 - 17 7 Liner (16 - 17 7 Dal Filter Kit Lasting Charco Wiring Box ke Up Air Kit ke Up Air Kit lf Supporting Li	's" D) - Use with INLT28 's" D) - Use with INLT28 's" D) - Use with INLT35 al Filter Kit iner (17 ½" - 20 ½" D) ner (17 ½" - 20 ½" D)	

LINSPT301228 & LINSPT361228 For Use with INLT28

FEATURES

Cabinet Cut Out 21" /28" Cabinet Cut Out 35" **Height Inside Cabinet** Controls Lighting **Ducting Top Grease Filters** Auto Delay Shut Off

19 $\frac{1}{2}$ or 26 $\frac{9}{16}$ W x 10 $\frac{1}{4}$ D 32 7⁄8" W x 10 1⁄4" D 13 1/16" Convertible to Recirculating Yes - With FILTER1/FILTER1LL2 4 Speed Electronic with LED 1x3(W) LED Bar - 1 Level 6" Round Dishwasher Safe Mesh 15 Minute

Intensive Speed	10 Minute
ADA Compliant	Yes With Remote Control
Power Cord Included	Yes
Remote Control	Included
Variable Air Management	Yes (set to 295, 395, 600 CFM)
Variable Air Management Installation Mounting	Yes (set to 295, 395, 600 CFM) Easy Snap Mounting Clips
•	
Installation Mounting	



INSERT

INCA LUX

MODEL	SIZE	COLOR	MOTOR CLASS
INLX21SSV2	21″	Stainless	295/395/600 CFM
INLX28SSV2	28″	Stainless	295/395/600 CFM
INLX35SSV2	35″	Stainless	295/395/600 CFM
ACCESSORIES			
LINE30ST	30" SS Liner (16 - 17 %" D) - Use with INLX28		

LINE30ST	30" SS Liner (16 - 17 7_8 " D) - Use with INLX28
LINE36ST	36" SS Liner (16 - 17 %" D) - Use with INLX28
LINE36PT	36" SS Liner (16 - 17 1/8" D) - Use with INLX35
FILTER1	Charcoal Filter Kit
FILTER1LL2	Long Lasting Charcoal Filter Kit
REMORIG	Wireless Remote Control
WIREBOX3	Fixed Wiring Box
MUDAMPER6	6″ Make Up Air Kit
MUDAMPER8	8″ Make Up Air Kit
LINSPT301228	30" Self Supporting Liner (17 ½" - 20 ½" D)
LINSPT361228	36" Self Supporting Liner (17 $\frac{1}{2}$ " - 20 $\frac{1}{2}$ " D)

LINSPT301228 & LINSPT361228 For Use with INLX28

FEATURES

Cabinet Cut Out 21" /28"	19 ½" or 26 %16" W x 10 ¼" D	Intensive Speed	10 Minute
Cabinet Cut Out 35"	32 ½" W x 10 ½6" D	ADA Compliant	Yes - With Remote Control
Height Inside Cabinet	12 3/4"	Power Cord Included	Yes
Convertible to Recirculating	Yes - With FILTER1/FILTER1LL2	Remote Control Option	Purchase Separately
Controls	4 Speed Electronic with LED	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Lighting	2 x 4 (W) LED Bar - 1 Level	Installation Mounting	Easy Snap Mounting Clips
Ducting Top	6" Round	Hardware	
Grease Filters	Dishwasher Safe Mesh	Perimeter Aspiration	Yes
Auto Delay Shut Off	15 Minute	Sound Pro Blower	Yes



INCA LUX PLUS


MODEL	SIZE	COLOR	MOTOR CLASS			
INLP28SSV	28"	Stainless	295/395/600 CFM			
ACCESSORIES						
LINE30ST	30″ SS	Liner (16 - 17 7	⁄8″ D)			
LINE36ST	36″ SS	Liner (16 - 17 7	⁄8″ D)			
LINSPT301228	30" Sel	30" Self Supporting Liner (17 ½" - 20 ½" D)				
LINSPT361228	36" Self	36" Self Supporting Liner (17 ½" - 20 ½" D)				
FILTER1	Charcoal Filter Kit					
FILTER1LL2	Long Lasting Charcoal Filter Kit					
REMORIG	Remote	Remote Control				
WIREBOX3	Fixed V	Fixed Wiring Box				
MUDAMPER6	6" Make	6" Make-up Air Kit				
MUDAMPER8	8" Make	e-up Air Kit				

INSERT

FEATURES

Cabinet Cut Out	26 %16" W x 10 7⁄16" D	Filter Wash Alarm	Yes
Height Inside Cabinet	12 3⁄4″	Installation Mounting Hardware	Easy Snap Mounting Clips
Controls	4 Speed Electronic with LED	Ducting Top	6" Round
Auto Delay Shut-Off	15 Minutes	Convertible to Recirculating	Yes - With FILTER1 / FILTER1LL2
Intensive Speed	6 Minutes	ADA Compliant	Yes - With Remote Control
24 Hour Anti-Pollution Mode	Yes		or Faber Cloud App
Lighting	1 x 4 (W) LED Bar - 2 Level	Remote Control Option	Purchase Separately
Tunable Lights	5 Settings From	Faber Cloud App	Control with Mobile Device
	2700K to 6500K	Voice Activated	Apple Siri, Google Home or
Light Dimmer	Yes		Amazon Alexa
Grease Filters	Dishwasher Safe Mesh	Power Cord Included	Yes
		Sound Pro blower	Yes

INCA LUX PLUS: PREMIUM, FLUSH-MOUNTED INSERT





INSERT

INCA SMART SS

MODEL	SIZE	COLOR	MOTO CLASS			
INSP28SS240	28″	Stainless Steel	240 CFM			
INSP28SS400	28″	Stainless Steel	400 CFM			
INSP28SS600	28″	Stainless Steel	600 CFM			
ACCESSORIES						
LINE30ST	30″ S	S Liner (16 - 17 7/8"	D)			
LINE36ST	36″ S	36" SS Liner (16 - 17 1/8" D)				
FILTER4	Charc	Charcoal Filter Kit (240 CFM Only)				
FILTER1	Charco	oal Filter Kit (400/	(600 CFM Only)			
FILTER1LL2	Long Lasting Charcoal Filter Kit (400/600 CFM ONLY)					
	30″ S	Wiring Box (400/ elf Supporting Lin elf Supporting Lin	ner (17 ½" - 20 ½" D)			

FEATURES

Cabinet Cut Out Body Width/Depth Height Inside Cabinet	26 5%" W 10 ½" D 25 5%" W X 10 ¼" D 7 ¼6" (28SS240) 12 3⁄4" (28SS400/600)	Lighting Ducting Top Ducting Top Grease Filters	2 x 4 (W) LED - 1 Level 6" Round (SS400 & 600) 5" Round (SS240) Dishwasher Safe Mesh
Convertible to Recirculating	Yes - With FILTER1/ FILTER1LL2 (SS400/600) FILTER4 (SS240)	Intensive Speed ADA Compliant Power Cord included	10 Minutes No Yes
Controls	4 Speed Electronic Button With LED	Installation Mounting Hardware	Easy Snap Mounting Clips



INCA SMART GR

MODEL	SIZE	COLOR	MOTOR CLASS
INSM21GR240	21″	Painted Gray	240 CFM
INSM28GR240	28″	Painted Gray	240 CFM

ACCESSORIES

LINE30ST	30" SS Liner (16 - 17 1/8")
LINE36ST	36" SS Liner (16 - 17 ¾")
FILTER4	Charcoal Filter Kit
LINSPT301228	30" Self Supporting Liner (17 $\frac{1}{2}$ " - 20 $\frac{1}{2}$ " D)
LINSPT361228	36" Self Supporting Liner (17 ½" - 20 ½" D)

LINSPT301228 & LINSPT361228 For Use with INSM28GR240

INSERT

FEATURES

Cabinet Cut Out 21" Cabinet Cut Out 28" Body Width/Depth Height Inside Cabinet Convertible to Recirculating Controls $\begin{array}{l} 19 \ \%_6'' \ W \ x \ 10 \ \%'' \ D \\ 26 \ \%_6'' \ W \ x \ 10 \ \%'' \ D \\ 20 \ \%_6'' \ or \ 27 \ \%'' \ W \ x \ 10 \ \%'' \ D \\ 7 \ \%_6'' \ Yes - With \ FILTER4 \\ 3 \ Speed \ Slider \end{array}$

Lighting2 x 4 (W) LED - 1 LevelDucting Top5" RoundGrease FiltersDishwasher Safe MeshADA CompliantSeparate Wall Switch RequiredPower Cord includedYesInstallation Mounting HardwareEasy Snap Mounting Clips

PRO & UNDER CABINET RANGE HOODS

Models & specifications are subject to change without notice. Please refer to Faber's website for latest updates. -----



NO LOGO ON HOOD

PRO CANOPY

CAMINO PRO

MODEL	SIZE	COLOR	MOTOR CLASS
CAPR36SS600 CAPR36SS1200 CAPR48SS1200	36″	Stainless Stainless Stainless	600 CFM PRO METAL IMPELLERS 1200 CFM PRO METAL IMPELLERS 1200 CFM PRO METAL IMPELLERS
CHOOSE YOUR D	ист со	OVER	
CHIM2224 CHIM2248 CHIM3424 CHIM3448 ACCESSORIES	36" Camino Chimney 8' - 9' Ceiling 36" Camino Chimney 9' - 11' Ceiling 48" Camino Chimney 8' - 9' Ceiling 48" Camino Chimney 9' - 11' Ceiling		
CFMRED CFMRED2 MUDAMPER6 MUDAMPER8 MUDAMPER10 FILTER1	CFM Reducer Kit 300 CFM CFM Reducer Kit 400 CFM 6" Make Up Air Kit 8" Make Up Air Kit 10" Make Up Air Kit Replacement Charcoal Filter Kit (2 x 1200 CFM) Long Lasting Charcoal Filter Kit (2 x 1200 CFM)		


FEATURES

Min./Max. Ceiling Height	See page 41	Grease Filters	Dishwasher Safe Pro SS Baffle
Canopy Depth/Height	24" D/18" H	Auto Delay Shut Off	10 Minute
Convertible to Recirculating	Yes - FILTER1 / FILTER1LL2	Intensive Speed	10 Minute
Controls	4 Speed Electronic Rainbow Knob	ADA Compliant	No
Lighting	2 (36") or 4 (48") X 5 (W)	Fixed Wiring Box	Yes
Light Dimmer	LED - 2 Level Yes	Pro Motor W/ Metal Impellers	Yes
Ducting Top or Rear Vent (Vari-Duct) 600CFM*	6" Round	Self Start Heat Sensor Transition	Yes 10" Included
Ducting Top 1200 CFM*	2 (6")1200 CFM or 1 (10") Round		

*Vari-Duct rear venting only available on Camino Pro 36" 600 CFM

SELF-START HEAT SENSOR TECHNOLOGY

Electronic rainbow knob changes LED colors for each speed and blinks for functions. The Self-Start Heat Sensor Technology activates your hood automatically when the air temperature reaches 130°F (54°C).





WALL

BREVA PRO 18

MODEL	SIZE	COLOR	MOTOR CLASS			
BREV308SS600 BREV368SS600	30″ 36″	Stainless Stainless	295/395/600 CFM PRO METAL IMPELLERS 295/395/600 CFM PRO METAL IMPELLERS			
BREV48SS1200	48″	Stainless	1200 CFM PRO METAL IMPELLERS			
ACCESSORIES						
TELEPRO30	Teleso	copic Chimr	ney Kit 30"			
TELEPRO36	Teleso	copic Chimr	ney Kit 36″			
TELEPRO48	Telescopic Chimney Kit 48″					
FILTER6	Charc	oal Filter				
BACK30	Backs	Backsplash 30″				
BACK36	Backsplash 36″					
BACK48	Backsplash 48″					
WIREBOX2	Fixed Wire Box					
DUCTGRT304	Ductless Vent Grate Recirc. Kit 30" (Adds 4" Height)					
DUCTGRT364	Ductless Vent Grate Recirc. Kit 36" (Adds 4" Height)					
IB600PR	1200 CFM Pro Motor (For BREV368SS600 - Adds a Second Blower)					
REMORIG	Remote Control					
MUDAMPER8	8″ Make-up Air Kit					
MUDAMPER10	10" M	ake-up Air I	Kit			

FEATURES

Min./Max. Ceiling Height	See page 41	Ducting Top or Rear Vent	8" Round
Canopy Depth / Height	25" D x 18" H	(Vari-Duct)	With 2nd blower, 10" Round
Controls	5 Speed Electronic with LED	Convertible to Recirculating	Yes - With DUCTGR Kit
Self-Start Heat Sensor	Yes	Variable Air Management	Yes (set to 295, 395, 600
Auto Delay Shut-Off	30 Minutes		CFM)
Intensive Speed	2 Levels x 6 Minutes	ADA Compliant	Yes - With Remote Control
Lighting	2 LED Bulbs - 1 Watt - 3 Level on 30"		or Faber Cloud App
	3 LED Bulbs - 1 Watt - 3 Level on 36"	Remote Control Option	Purchase Separately
	4 LED Bulbs - 1 Watt - 3 Level on 48"	Faber Cloud App	Control with Mobile Device
Grease Filters	Dishwasher Safe Pro Stainless Steel Baffle	Voice Activated	Apple Siri, Google Home or Amazon Alexa
Filter Wash Reminder	Yes	Power Cord Included	Yes
Grease Rail	Yes- Dishwasher Safe	24 Hour Anti Pollution Mode	Yes



UNDER CABINET

BREVA PRO 11

MODEL	SIZE	COLOR	MOTOR CLASS			
BREV301SS600	30″	Stainless	295/395/600 CFM PRO METAL IMPELLERS			
BREV361SS600	36″	Stainless	295/395/600 CFM PRO METAL IMPELLERS			
ACCESSORIES						
TELEPRO30	Teles	copic Chim	ney Kit 30"			
TELEPRO36	Teles	copic Chim	ney Kit 36″			
FILTER6	Charo	Charcoal Filter				
BACK30	Backs	Backsplash 30″				
BACK36	Backs	Backsplash 36″				
WIREBOX2	Fixed Wire Box					
DUCTGRT304	Ductless Vent Grate Recirc. Kit 30" (Adds 4" Height)					
DUCTGRT364	Ductl	Ductless Vent Grate Recirc. Kit 36" (Adds 4" Height)				
REMORIG	Remo	Remote Control				
MUDAMPER8	8" Ma	ke-up Air Ki	t			

FEATURES

Canopy Depth / Height	23" D x 11" H	Ducting Top or Rear Vent	8" Round
Controls	5 Speed Electronic with LED	(Vari-Duct)	
Self-Start Heat Sensor	Yes	Convertible to Recirculating	Yes - With DUCTGR Kit
Auto Delay Shut-Off	30 Minutes	Variable Air Management	Yes (set to 295, 395, 600 CFM)
Intensive Speed	2 Levels x 6 Minutes	ADA Compliant	Yes - With Remote Control
Lighting	2 LED Bulbs - 1 Watt - 3 Level on 30"		or Faber Cloud App
	3 LED Bulbs - 1 Watt - 3 Level on 36"	Remote Control Option	Purchase Separately
Grease Filters	Dishwasher Safe Pro Stainless	Faber Cloud App	Control with Mobile Device
	Steel Baffle	Voice Activated	Apple Siri, Google Home or
Filter Wash Alarm	Yes		Amazon Alexa
Grease Rail	Yes - Dishwasher Safe	Power Cord Included	Yes
		24 Hour Anti Pollution Mode	Yes



LEVANTE E

MODEL	SIZE	COLOR	MOTOR CLASS
LEVE24SS200	24″	Stainless	200 CFM
LEVE30SS200	30″	Stainless	200 CFM

ACCESSORIES

FILTER8

Charcoal Filter Kit

UNDER CABINET

FEATURES

Canopy Depth / Height 21" D / 5 1/2" H **Grease Filters** Dishwasher Safe Mesh Controls 2-speed Rocker Switch **ADA Compliant** Yes - with Separate Wall Switch Lighting 1 X 40 (W) Incandescent - 1 Level Fixed Wiring Box Yes 7" Round Ducting Top **Convertible to Ductless** Yes - with Charcoal Filter Kit (one included) Ducting Top or Rear Vent 3 1/4" X 10" Rectangle (Vari-Duct)



LEVANTE II

MODEL	SIZE	COLOR	MOTOR CLASS
LEVT30SS395	30″	Stainless	395 CFM PRO
LEVT36SS395	36″	Stainless	395 CFM PRO
ACCESSORIES			
FILTER5	Charcoal Filter Kit		
REMORIG	Wireless Remote Control		

UNDER CABINET

FEATURES

Canopy Depth / Height	21" D / 5 1/2" H	Auto Delay Auto Off	15 Minute
Controls	4 Speed Electronic W/ White LED	Intensive Speed	10 Minute
Lighting	2 X 5 (W) LED - 1 Level	Remote Control Option	Purchase Separately
Ducting Top	7" Round	ADA Compliant	Yes - With Remote Control
Ducting Rear Vent (Vari-Duct)	3 1/4" X 10" Rectangle	Fixed Wiring Box Convertible to Recirculating	Yes Yes - With FILTER5
Grease Filters	Dishwasher Safe SS Mesh		

IMPORTANT NOTE: The LEVE and LEVT have grills for ductless installation on the front slope of the hood.



LEVANTE G

MODEL	SIZE	COLOR	MOTOR CLASS
LEVG24SS300	24″	Stainless	300 CFM
LEVG30SS300	30″	Stainless	300 CFM
ACCESSORIES			
FILTER5	Char	oal Filter K	it

Charcoal Filter Kit

UNDER CABINET

FEATURES

Canopy Depth / Height Controls Lighting **Ducting Top Ducting Rear Vent** (Vari-Duct)

21" D / 5 ½" H 4 Speed Electronic Push Button 2 X 35 (W) Halogen - 1 Level 7" Round 3 ¼" X 10" Rectangle

Grease Filters Intensive Speed ADA Compliant Fixed Wiring Box Convertible to Recirculating Dishwasher Safe Mesh 10 Minute No Yes Yes - With FILTER5

IMPORTANT NOTE: The LEVG has grills for ductless installation on the front slope of the hood.



TIVANO

MODEL	SIZE	COLOR	MOTOR CLASS
TVNO30SS395	30″	Stainless	395 CFM
TVNO36SS395	36″	Stainless	395 CFM
ACCESSORIES			
FILTER5 REMORIG	0	oal Filter Kit te Control	t

UNDER CABINET

FEATURES

Canopy Depth / Height
Controls
Auto Delay Shut-Off
Intensive Speed
Lighting
Grease Filters

23" D x 9" H 4 Speed Electronic with White LED 15 Minutes 10 Minutes 2 LED bulbs - 5 Watts - 1 Level Stainless Steel Mesh - Dishwasher safe

Ducting Top or Rear Vent (Vari-Duct) **Convertible to Recirculating** ADA Compliant **Remote Control Option Fixed Wiring Box**

7" round (top), 3 ¼" x 10" Rectangle (top/back) Yes - With FILTER5 Yes - With Remote Control **Purchase Separately** Yes

INTEGRATED RANGE HOODS

Models & specifications are subject to change without notice. Please refer to Faber's website for latest updates.



CRISTAL

MODEL	SIZE	COLOR	MOTOR CLASS			
CRIS30SS600	30″	Stainless	600 CFM			
CRIS36SS600	36″	Stainless	600 CFM			
CRIS30SS400	30″	Stainless	400 CFM			
CRIS36SS400	36″	Stainless	400 CFM			
CRIS30SS300	30″	Stainless	300 CFM			
CRIS36SS300	36″	Stainless	300 CFM			
ACCESSORIES						
FILTER1	Charco	oal Filter Kit				
FILTER1LL2	Long L	Long Lasting Charcoal Filter Kit				
MUDAMPER6	6″ Make Up Air Kit					
MUDAMPER8	8″ Make Up Air Kit					
WIREBOX	Fixed \	Fixed Wiring Box				

SLIDE OUT

FEATURES

Cabinet Cut Out 30"	25 1⁄8" W X 10" D	ADA Compliant	Yes With Separate Wall Switch
Cabinet Cut Out 36"	31 1⁄8" W X 10" D	Power Cord Included	Yes
Convertible to Recirculating	Yes - with FILTER1 / FILTER1LL	Installation Mounting Hardware	Easy Snap Mounting Clips
Controls	3 Speed Slider	Auto On / Off	Yes - Fan/Lights Activate
Lighting	2 X 5 (W) LED - 1 Level		When Pulled-out and Pushed-in
Ducting Top or Rear Vent (Vari-Duct)	6" Round	Front Panel Integration	Front strip can be replaced with material to match
Grease Filters	Dishwasher Safe Mesh		your cabinets.



FLEXA

MODEL	SIZE	COLOR	MOTOR CLASS
FLEX24SS300 FLEX30SS300	24" 30"	Stainless Stainless	300 CFM 300 CFM
ACCESSORIES			
FILTER7	Charc	oal Filter Kit	

SLIDE OUT

FEATURES

Cabinet Cut Out 24"19 ¾" W X 10 ¾" DCabinet Cut Out 30"23 ¼6" W X 10 ¾" DConvertible to RecirculatingYes - With FILTER7Controls3 Speed SliderLighting2 X 4 (W) LED - 1 LevelDucting Top5" RoundGrease FiltersDishwasher Safe Mesh

ADA Compliant Power Cord Included Installation Mounting Hardware Auto On / Off


Front Panel Integration

Yes With Separate Wall Switch Yes Easy Snap Mounting Clips

Yes - Fan/Lights Activate When Pulled-out and Pushed-in

Front strip can be replaced with material to match your cabinets.

DOWN DRAFT RANGE HOODS



800 361-0799 nfo@distinctive-online.com

10000



DOWNDRAFT

SCIROCCO LUX

15" TALL RISE / 4" DEEP

MODEL	SIZE	COLOR	MOTOR CLASS
SCLX3015BKNB-B		Blk Glass w/SS	
SCLX3615BKNB-B BLOWERS	36″	Blk Glass w/SS	No Blower
IBDD600-B	Intorr	al Blower 600 CF	
RB900	Remo	ote Blower 900 CF ires WIREBOXCLX)	
RB1200		ote Blower 1200 C ires WIREBOXCLX)	FM
ACCESSORIES			
MUDAMPER6	6" Ma	ike Up Air Kit	
MUDAMPER8	8" Ma	ike Up Air Kit	
MUDAMPER10	10" M	ake Up Air Kit	
DUCTSCIR	Ductl	ess Conversion Ki	t
REMORIG	Wirel	ess Remote Contr	ol
WIREBOXSCLX		Box for Remote 8 le Blowers	κ.
CFMRED	CFM	Reducer Kit (300	CFM)
CFMRED2	CFM	Reducer Kit (400	CFM)
FLANGE10	10" Bl	ower Flange (Rec	uired for external
	blowe	ers, excluding RB9	00 / RB1200.)
FLANGE3	10" R	ound to 3 ¼" x 10"	' Flange

MUDAMPER10 for use with 900 / 1200 CFM motors

WIREBOXSCLX - Required for SCLX with external blowers

FEATURES

Convertible to Ductless	Yes With DUCTSCIR	Intensive Speed	10 Minute
Controls	4-speed Digital LED Behind Glass	24 Hour Anti-Pollution Mode	Yes
Lighting	Led Light Bar - 2 Level	ADA Compliant	Yes - With Remote Control
Ducting (Vari-Duct)	6" Round (Internal) or	Power Cord Included	Yes
	10" Round (Remote)	Remote Control Option	Purchased Separately
Multiple Ducting	Yes	Reversible Motor Box	Yes
Options		Perimeter Aspiration	Yes
Grease Filters Auto Delay Shut Off	Dishwasher Safe Mesh 30 Minute	Built-in Safety Features	Yes



SCIROCCO PLUS

14" TALL RISE / 2 ½" DEEP

MODEL	SIZE	COLOR	MOTOR CLASS		
SCIR3014SSNB-B	30″	Stainless Steel	No Blower		
SCIR3614SSNB-B	36″	Stainless Steel	No Blower		
BLOWERS					
IBDD600-B	Intern	al Blower 600 CF	M PRO		
RB900	Remo	te Blower 900 CF	M		
RB1200	Remo	te Blower 1200 Cl	=M		
ACCESSORIES					
MUDAMPER6	6" Ma	ke Up Air Kit			
MUDAMPER8	8" Ma	ke Up Air Kit			
MUDAMPER10	10″ Make Up Air Kit				
DUCTSCIR	Ductless Conversion Kit				
CFMRED	CFM Reducer Kit (300 CFM)				
CFMRED2	CFM	Reducer Kit (400	CFM)		
FLANGE10	10" Bl	ower Flange (Req	uired for external		
	blowe	ers, excluding RB9	00 / RB1200.)		
FLANGE3	10" Ro	ound to 3 ¼" x 10"	Flange		

MUDAMPER10 for use with 900 / 1200 CFM motors

FEATURES

Convertible to Ductless Controls

Yes With DUCTSCIR Variable Speed Slider With On/Off Button

Built-in Safety Features Grease Filters Reversible Motor Box

Yes Dishwasher Safe SS Mesh Yes

Ducting (Vari-Duct) Multiple Ducting Options Yes

6" Round (Internal) or 10" Round (Remote)

ICONIC RANGE HOODS

Models & specifications are subject to change without notice. Please refer to Faber's website for latest updates.



The new Faber T-Shelf island hood adds an extra touch of design in your kitchen. Its matte black finish and sleek smoked glass shelves create an open, inviting ambiance, to elevate any kitchen space.

T-SHELF

Double LED bar lights, with dimmer and tunable functions, allow you to adjust both brightness and color temperature.

QUIET EXTRACTION

Equipped with Sound Pro blower, it operates quietly yet powerfully. The Intensive Speed function boosts extraction power for 6 minutes, ensuring fresh air in your kitchen.

EXTRA SPACE

Three open smoked-glass shelves surrounded by matte black frame turns cooking area into a beautiful curated space.

360° USABILITY

Symmetrical design allows for 360° usability, offering effortless access and control.



The Graziosa Isola is a revolutionary hood that blends cutting-edge connectivity with premium kitchen aesthetics. Featuring a matte black finish and side-flush illumination, it gives the elegance of a sophisticated chandelier.

GRAZIOSA ISOLA

INNOVATIVE DESIGN

The design conceals grease filters behind a perimeter panel, ensuring a clean and polished look, while effectively removing cooking particles and odors.

SMART CONNECTIVITY & ACCESSIBILITY

Control the hood using Touch, Remote, or the Faber Cloud App for efficient and convenient connectivity.

24-HOUR FRESHNESS

The 24-hour function activates the hood for 10 minutes every hour, ensuring continuous air circulation to keep your kitchen fresh and odor-free.

OPTIMAL ILLUMINATION

The dimmable LED lighting at the bottom and the accent LED lights on the side panels allow you to set the perfect lighting for every occasion.



T-SHELF

MODEL	SIZE	COLOR	MOTOR CLASS			
TSHIS70BK600	70″	Matte Black	600 CFM			
ACCESSORIES						
FILTER2	Charco	Charcoal Filter Kit				
CFMRED	CFM F	CFM Reducer Kit (300 CFM)				
CFMRED2	CFM F	Reducer Kit	(400 CFM)			
MUDAMPER6	6" Mal	ke Up Air Kit				
MUDAMPER8	8" Mal	ke Up Air Kit				

ICONIC

FEATURES

Min. / Max. Ceiling Height	S
Canopy Depth / Height	2
Controls	4
Lighting	2
Tunable lights	5
	2

Ducting Top Convertible to Ductless Grease Filters

See page 41 20 1/2"D x 3 1/8"H Speed Electronic Rainbow Knob x 4 (W) LED Bar - 2 level Settings from 700K to 6500K 6" Round Yes - with FILTER2 Matte Black Mesh - Dishwasher safe

24 Hour Anti Pollution Mode	No
Sound Pro Blower	Yes
Intensive Speed	10 Minutes
ADA Compliant	No
Fixed Wiring Box	Yes
Shelf Material	Smoky Glass
Left Top Shelf Weight Limit (2)	Max. 11 lbs. each
Right Top Shelf Weight Limit	Max. 33 lbs.
Right Bottom Shelf	Max. 33 lbs.
Weight Limit	



GRAZIOSA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS			
GRAZIS30BKV	31″	Matte Black	600 CFM			
ACCESSORIES						
FILTER1 FILTER1LL2	Charcoal Filter Kit Long Lasting Charcoal Filter					

ICONIC

FEATURES			
Ceiling Height	6' 10 7/16" - 14' 5 11/16"	Perimeter Aspiration	Yes
Canopy Depth / Height	16" 15/16" D x 13" H	Sound Pro blower	Yes
Controls	4 Speed LED Digital Control	Intensive Speed	6 minutes
Lighting	1 x 4 (W) LED Bar - 2 level,	Auto Delay Shut-Off	30 minutes
	2 Side Accent LED Bars x 2 (W)	ADA Compliant	Yes - With Remote Control
Light Dimmer	Yes		or Faber Cloud App
Ducting	Recirculating Only	Remote Control	Included
	- Charcoal Filter Kit included	Faber Cloud App	Control with Mobile Device
Grease Filters	Matte Black Mesh	Voice Activated	Apple Siri, Google Home
	- Dishwasher safe		or Amazon Alexa
Filter Wash Alarm	Yes	Power Cord Included	Yes
24 Hour Anti Pollution Mode	Yes	Fixed Wiring Box	Yes



CYLINDRA ISOLA

MODEL	SIZE	COLOR	MOTOR CLASS			
CYLNIS15SS600	15″	Stainless	600 CFM PRO METAL IMPELLERS			
ACCESSORIES						
FILTER2	Charc	oal Filter Kit				
CFMRED	CFM I	Reducer Kit	(300 CFM)			
CFMRED2	CFM I	Reducer Kit	(400 CFM)			
REMORIG	Remo	te Control				
MUDAMPER6	6" Make Up Air Kit					
MUDAMPER8	8" Ma	ke Up Air Kit				

ISLAND

FEATURES

Min./Max. Ceiling Height See page 41 Convertible to Recirculating Yes With FILTER2 Controls Lighting **Ducting Top** 6" Round Grease Filters Grease Filter Wash Alarm Yes

4 Speed LED Digital Control 2 x 1 (W) LED - 2 Level Dishwasher Safe Mesh

CHLOE

CHLO28BK600

CHLO36BK600

ACCESSORIES

SIZE

28"

36"

MODEL

FILTER1

FILTER1LL2

СНІМСНВК CFMRED

CFMRED2

REMORIG

MUDAMPER6

MUDAMPER8

MUDAMPER10

Intensive Speed 24 Hour Anti-Pollution Mode **ADA Compliant Remote Control Option** Pro Motor W/ Metal Impellers Yes **Perimeter Aspiration Fixed Wiring Box**

COLOR

Charcoal Filter Kit

Remote Control

6" Make Up Air Kit

8" Make Up Air Kit

10" Make Up Air Kit

Painted Black 600 CFM

Painted Black 600 CFM

Long Lasting Charcoal Filter Kit Black Chimney Kit (14 15/16" - 29 %6" H)

CFM Reducer Kit (300 CFM)

CFM Reducer Kit (400 CFM)

10 Minute Yes Yes - With Remote Control **Purchase Separately** Yes Yes

MOTOR CLASS



ICONIC

FEATURES

Min. / Max. Ceiling Height Canop Depth / Height **Convertible To Ductless** Controls Lighting

Light Dimmer Ducting Top or Rear Vent (Vari-Duct)

See page 41 13 ¾" D / 12 ¾" H Yes With FILTER1/FILTER1LL2 4 Speed LED Digital Control 1 x 3 (W) LED Light Bar 2 Level Yes 6" Round

Grease Filters Filter Wash Alarm **Intensive Speed ADA Compliant Remote Control Option Perimeter Aspiration** Rear Mounting Bracket Fixed Wiring Box

Dishwasher Safe Mesh Yes 10 Minutes Yes - With Remote Control **Purchase Separately** Yes Included Yes

FABER MODEL NUMBER SYSTEM

Model Example		Мо	del		Isl	and	Wie	dth	th or ght	Col	or		CFM	Class		VAM	Model Year
ZOOMIS16SS400-B	z	0	0	м	1	S	1	6		S	S		4	0	0		-B
BREV48SS1200	в	R	E	V			4	8		S	S	1	2	0	0		
NOPR30SSV	N	0	Р	R			3	0		S	S					V	
Blower Needed												N	в				
Island					I	S											
Stainless Steel										S	S						
White										W	н						
Gray										G	R						
Black										В	к						

FABER FACTS FABER TECHNOLOGIES



FILTER1LL2

LONG LASTING CHARCOAL FILTER

- A Faber first! Wash and recharge charcoal filters up to 8 times
- Lasts up to 4 years vs. the normal charcoal filter that lasts 6 months



Vari-Duct

ADDS DUCTING FLEXIBILITY TO YOUR INSTALLATION!

- Look for the "Vari-Duct" phrase in the Product Guide
- Duct up (vertical) or rotate the blower to the back (horizontal)
- Reduce ducting when on an outside wall and improves performance

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
BACK30	Backsplash 30″	Telescoping backsplash and hardware	Breva Pro 30" ONLY
BACK36	Backsplash 36″	Telescoping backsplash and hardware	Breva Pro 36" ONLY
BACK48	Backsplash 48″	Telescoping backsplash and hardware	Breva Pro 48" ONLY
CFMRED	Cfm Reducer Kit	Reducer	Camino Pro, Chloe, Cylindra Isola, T-Shel Scirocco Plus, Scirocco Lux
CFMRED2	Cfm Reducer Kit	Reducer	Camino Pro, Chloe, Cylindra Isola, T-Shel Scirocco Plus, Scirocco Lux
CHIM2224	SS Chimney Kit 36" - 8 - 9'	Chimney And Hardware	Camino Pro 36 ONLY
CHIM2248	SS Chimney Kit 36" - 9 - 11'	Chimney And Hardware	Camino Pro 36 ONLY
CHIM3424	SS Chimney Kit 48" - 8 - 9'	Chimney And Hardware	Camino Pro 48 ONLY
CHIM3448	SS Chimney Kit 48" - 9 - 11'	Chimney And Hardware	Camino Pro 48 ONLY
СНІМСНВК	Black Chimney Kit	Chimney And Hardware	Chloe
DUCT2	Ductless Kit	Chimney, Diverter, Vent Grids, Charcoal	Dama Isola
DUCT4	Ductless Kit	Charcoal, Diverter	Dama, Stilo, Stilo Glass, Stilo Suprema
DUCT5	Ductless Kit	Charcoal, Diverter	Nova Pro
DUCTCLPL	Ductless Kit	Charcoal, Diverter	Classica Plus, Tender
DUCTGRT304	Ductless Vent Grate Recirc. Kit 30" (adds 4" Height)	Ductless Grate, Charcoal Filters, Hardware	Breva Pro 30" ONLY
DUCTGRT364	Ductless Vent Grate Recirc. Kit 36" (adds 4" Height)	Ductless Grate, Charcoal Filters, Hardware	Breva Pro 36" ONLY
DUCTSCIR	Ductless Kit	Transition Box, Kick Plate, Charcoal	Scirocco Lux, Scirocco Plus
FILTER1	Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Lux Plus, Inca Pro 18, Inca Pro Plus, Inca Smart SS, High-Light, Nova Pro,Stratus, Tender, Graziosa Isola
FILTER1LL2	Long Lasting Charcoal Filter	Charcoal	Camino Pro, Chloe, Classica Plus, Cristal, Inca HC, Inca SD, Inca In Light, Inca Lux, Inca Lux Plus, Inca Pro 18, Inca Pro Plus, Inca Smart SS, High-Light, Nova Pro,Stratus, Tender, Graziosa Isola
FILTER2	Charcoal Filter	Charcoal	Cylindra Isola, Dama, Dama Isola, Stilo, Stilo Glass, Stilo Suprema, T-Shelf
FILTER4	Charcoal Filter	Charcoal	Inca Smart GR / SS 240 cfm
FILTER5	Charcoal Filter	Charcoal	Levante G, Levante II, Tivano
FILTER6	Charcoal Filter	Charcoal	Breva Pro
FILTER7	Charcoal Filter Round	Charcoal	Flexa
FILTER8	Charcoal Filter	Charcoal	Levante E
FLANGE3	3 ¼ x 10" transition	10" Round to 3 ¼" x 10" Rectangle Flange	High-Light, Scirocco Lux, Scirocco Plus
FLANGE10	Duct Plate	10" Duct plate	High-Light, Scirocco Lux, Scirocco Plus

ACCESSORY GUIDE

Model #	Item Description	Includes	Models Compatible with
HIGH2	High Ceiling Chimney Kit	1 Tall Upper Chimney And Internal Structure	Dama Isola
HIGH4	High Ceiling Chimney Kit	2 Tall Chimneys	Dama, Nova Pro, Stilo, Stilo Glass, Stilo Suprema
HIGHCLPL	High Ceiling Chimney Kit	2 Tall Chimneys	Classica Plus
HIGHTNDR	High Ceiling Chimney Kit	1 Tall Upper Chimney	Tender
INLBKIT	In-Line Blower Kit	10" Duct Plate With Wiring Box	Inca Pro Plus
LINE30ST	Standard Liner 30"	Liner With Hardware	Inca HC 29 , Inca In Light 28, Inca Lux 28, Inca Lux Plus, Inca SD 29, Inca Smart 28
LINE36ST	Standard Liner 36"	Liner With Hardware	Inca HC 29 ,Inca In Light 28, Inca Lux 28 , Inca SD 29, Inca Smart 28, Inca Lux Plus
LINE36PT	Pro Liner 36"	Liner With Hardware	Inca HC 35 ,Inca In Light 35, Inca Lux 35, Inca SD 35
LINSPT301228	Self Supporting Liner 30 x 12	30" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28 , Inca In Light 28, Inca Lux 28, Inca Lux Plus
LINSPT361228	Self Supporting Liner 36 x 12	36" wide self supporting liner with hardware (check model compatibility)	Inca Smart 28 , Inca In Light 28, Inca Lux 28, Inca Lux Plus
MUDAMPER6	6" Make Up Air Damper	Damper, Switch And Transformer	Camino Pro, Chloe, Classica Plus, Cristal, Cylindra Isola, Dama, Dama Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Inca Lux Plus, Nova Pro, Scirocco Lux, Scirocco Plus, Stilo, Stilo Glass, Stilo Suprema, Stratus Isola, Tender, T-Shelf
MUDAMPER8	8" Make Up Air Damper	Damper, Switch And Transformer	Breva Pro, Camino Pro, Chloe, Classica Plus, Cristal, Cylindra Isola, Dama, Dama Isola, High-Light, Inca HC, Inca In Light, Inca Lux, Inca SD, Inca Pro Plus, Inca Lux Plus, Nova Pro Scirocco Lux, Scirocco Plus, Stilo, Stilo Glass, Stilo Suprema, Stratus Isola, Tender, T-Shelf
MUDAMPER10	10" Make Up Air Damper	Damper, Switch And Transformer	High-Light, Breva Pro, Inca Pro 18, Inca Pro Plus, Scirocco Lux, Scirocco Plus, Camino Pro
REMORIG	Wireless Remote Control	Remote Control	Breva Pro, Chloe, Classica Plus, Cylindra Isola, Dama, Dama Isola, Inca HC, Inca Lux, Inca Lux Plus, Inca Pro 18, Inca SD, Levante II, Nova Pro, Scirocco Lux, Stilo, Stilo Glass, Stilo Suprema, Tender, Tivano
TELEPRO30	Telescopic Chimney Kit 30"	(2) Telescopic chimneys and hardware	Breva Pro 30" ONLY
TELEPRO36	Telescopic Chimney Kit 36"	(2) Telescopic chimneys and hardware	Breva Pro 36" ONLY
TELEPRO48	Telescopic Chimney Kit 48"	(2) Telescopic chimneys and hardware	Breva Pro 48" ONLY
WIREBOX	Fixed Wiring Box	Wiring Box With Hood Cabling	Classica Plus, Cristal, Dama, Inca HC, Inca Lux, Inca Lux Plus, Inca In Light, Inca Pro 18, Inca SD, Inca Smart, Nova Pro, Stilo, Stilo Glass, Stilo Suprema, Tender
WIREBOX2	Fixed Wiring Box	Wiring Box With Hood Cabling	Breva Pro ONLY
WIREBOX3	Fixed Wiring Box	Wiring Box With Hood Cabling	Inca Lux, Inca Lux Plus
WIREBOXSCLX	Fixed Wire Box (RB Only)	Wiring Box With Hood Cabling	Scirocco Lux

CEILING MINIMUM / MAXIMUM HEIGHTS

	Ducted	Ducted	Recirculating	Recirculating	High Ceiling	High Ceiling
	Minimum	Maximum	Minimum	Maximum	Minimum	Maximum
	24" OFF	30" OFF	24" OFF	30" OFF	24" OFF	30" OFF
WALL CHIMNEY						
Breva Pro 11 *	6′ 11″	8′ 4″	6′ 11″	8′ 4″	N/A	N/A
Breva Pro 18 *	7' 6"	8′ 11″	7' 6"	8′ 11″	N/A	N/A
Chloe*	7′ 2 ¾″	8′ 8 ¾16″	7′ 2 ¾″	8′ 8 ³ ⁄16″	N/A	N/A
Camino 24" tall *	7' 7"	8′ 11 ⅔″	7' 7"	8′ 11 7⁄8″	N/A	N/A
Camino 48" tall *	8′ 1″	10′ 11 ⅔″	8′ 1″	10′ 11 7⁄8″	N/A	N/A
Classica Plus	7′ 5 %16″	9′ 5 ¼″	7′ 9 ¹ / ₁₆ ″	9′ 5 ¼″	8′ 11 ¹¼6″	11′ 8 1⁄16″
Dama	7' 2 5⁄16″	9' 2 ¼"	7′ 6 %6″	9' 2 ¼″	9′ 7 ¾″	12′5 1⁄8″
Nova Pro	7′ 5 ¹⁵ ⁄16″	8′ 11 ¹ 1⁄16″	7′ 5 ¹⁵ ⁄16″	8′ 11 ¹¼ı6″	9′ 11 ³ ⁄16″	12′ 8 ¹⁵ ⁄16″
Stilo	7′ 8 ¹ / ₁₆ ″	9' 3⁄4''	7′ 8 ¹¹ ⁄16″	9' 3⁄4"	9′ 3 ½″	12′ 3⁄8″
Stilo Glass	7′ 8 ¹ 1⁄16″	9' 3⁄4"	7′ 8 ¹¹ ⁄16″	9' 3⁄4"	9′ 3 ½″	12′ 3⁄8″
Stilo Suprema	7′ 8 ¹¹ ⁄16″	9' 3⁄4''	7′ 8 ¹¹ ⁄16″	9' 3⁄4"	9′ 3 ½″	12′ 3⁄8″
Tender	7' 7 ½"	9′ 10 ¾″	8′ 2 ¾6″	9′ 10 ¾″	9′ 6 ¹ 1⁄16″	11′ 3 ¹ /⁄16″
ISLAND CHIMNEY				·		
Cylindra Isola	7' 6 5/16"	8′ 11 ¹³ ⁄16″	7′ 10 ¼″	8′ 11 ¹³ ⁄16″	N/A	N/A
Dama Isola	7' 8 ¼″	9' 3"	8′ 5⁄8″	9′ 3″	10′ ³⁄16″	10′ 10 1⁄8″
T-Shelf	7' 7 1⁄8″	9′ 1 5⁄16″	8′ 1 ¾″	9′ 1 ⁵ ⁄16″	N/A	N/A

	Ducted Minimum	Ducted Maximum	Recirculating Minimum	Recirculating Maximum	High Ceiling Minimum	High Ceiling Maximum			
	35" OFF	72″ OFF	35" OFF	72″ OFF	N/A	N/A			
CEILING HOOD									
High-Light Isola	5′ 11″	9' 0"	5′ 11″	9' O"	N/A	N/A			
Stratus Isola	5′ 11″	9' 0"	5′ 11″	9' O"	N/A	N/A			
SUSPENDED HOOD									
Graziosa Isola	N/A	N/A	6′ 10 ⅔16″	14′ 5 ¹¹ ⁄16″	N/A	N/A			

NOTES:

- All minimums at 24" off the stove, maximums at 30" off the stove (except ceiling hoods and suspended hoods).
- *Breva Pro, Chloe & Camino include Chimney Duct Cover Accessory (sold separately)
- Island Hoods can be adjusted to lower min. Refer to specific model's U&C Guide.
- For planning purposes only, see install instructions for final heights

FABER CONSUMER WARRANTY & SERVICE

All Faber products are warranted against any defect in materials or workmanship for the original purchaser for a period of two (2) years from the date of original purchase (requires proof of purchase). This warranty covers labour and replacement parts. Faber, at its option, may repair or replace the product or components necessary to restore the product to good working condition. To obtain warranty service, contact the dealer from whom you purchased the range hood or Distinctive Appliances at 1-800-561-7265.

The Warranties do not cover, and Faber shall not be liable for the following:

- 1. Service calls to correct the installation of your range hood, to instruct you on how to use your range hood, to replace or repair house fuses or to correct house wiring or plumbing.
- 2. Service calls to repair or replace range hood light bulbs, fuses, or filters. These consumable parts are excluded from warranty coverage.
- 3. Repairs when your range hood is used for other than normal, single-family household use.
- 4. Damage resulting from an accident, alteration, misuse, abuse, fire, flood, acts of God, improper installation, installation not in accordance with electrical or plumbing codes or Faber documentation, or use of products not approved by Faber.
- 5. Replacement parts or repair labour costs for units operated outside the United States or Canada, including any non-UL or C-UL approved Faber range hoods.
- 6. Repairs to the hood resulting from unauthorized modifications made to the range hood.
- 7. Expenses for travel and transportation for product service in remote locations and pickup and delivery charges. Faber range hoods should be serviced in the home.

This warranty does not allow recovery of incidental or consequential damages, including, without limitation, direct, indirect, incidental, special or consequential damages, personal injury/wrongful death, or lost profits. The Faber warranty is limited to the above conditions and to the warranty period specified herein and is exclusive. Except as expressly specified in this agreement, Faber disclaims all express or implied conditions, representations, and warranties including, without limitation, any implied warranties of merchantability or fitness for a particular purpose. This warranty gives you specific legal rights that may vary from state to state.

NOTES



PRODUCT GUIDE 2025

GFABER

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

EASTERN CANADA

Head Office & Warehouse 2025 Cunard Street Laval, QC H7S 2N1

SERVICE DEPARTMENT

service@distinctive-online.com 1-800-561-7265

ORDER DESK

orderdesk@distinctive-online.com

Faber is a **Distinctive** brand