



falmec
Life inspired.

PRODUCT GUIDE 2025

Why Falmec.

Falmec style: Perfect balance between aesthetic and function.

Thanks to research and collaboration with leading designers, Falmec gives life to a variety of products designed to meet every taste and desire with elegance, attention to details and ergonomics, without compromising functionality.

The real “Made in Italy” since 1981.

Each Falmec product is designed, developed and made entirely in Vittorio Veneto, Italy (near Venice). From the initial concept, to the choice of materials, up to the final product, a constant search for perfection in every production stage is at work that today leads Falmec to be the qualitative reference in the world of extractor hoods.

Life inspired: Technologies & Innovations.

Filtering innovation.

Charcoal and Zeolite: filtering the way nature intended it to be. A Falmec exclusive, it uses materials of natural origin such as zeolite and activated charcoal to absorb odours with utmost effectiveness. It can last up to 3 years with normal use, and can be regenerated every 18 months.

Carbon.Zeo®

Silence, the importance of acoustic comfort.

The Noise Reduction System (NRS™) is the technology developed by Falmec that enabled them to create extremely quiet hoods. The NRS™ hoods reduce noise by up to 86% in sound level while giving the best results in removal of cooking fumes.



Speed reduction system - SRS.

The SRS system reduces the maximum air flow rate that can be set in the hood to make the hood compliant to local building regulations.



Winner of Prestigious Awards

Spanning over 4 decades of developing unique designs and technological innovations have earned Falmec's extractor hoods numerous world-renowned awards, showcasing their commitment to enhancing quality of life at home.





Circle.Tech: The New Shape of Filtration



Circle.Tech, a certified and patented technology.

Unlike traditional cooker hoods, Circle.Tech filtering units extract air horizontally rather than vertically. The outflowing air passes through a filtering unit (powered by Carbon.Zeo technology) surrounding the motor and is evenly distributed. Given its circular shape, the filtering surface reaches the maximum extension, thus achieving excellent performances in terms of suction capacity, top filtering results and extreme quietness.

Indeed, balanced distribution of outflowing air reduces turbulence and, consequently, the noise produced by the hood.

A unique innovation in several different shapes.


Circle.Tech is available
in these fine hoods:



DAMA



SPAZIO



Scan this QR Code
to see how
Circle.Tech works:



TABLE OF CONTENTS

falmec

WALL

Afrodite	6
Line Pro NRS™	6
Lumen	6
Lumen NRS™	7
Lumina NRS™	7
Mercurio.....	7
Mercurio XL.....	8
Mira	8
Plane NRS™	8
Plane Top	9
Plane Black.....	9
Polar	9
Prisma	10
Pyramid Pro	10
Pyramid Pro NRS™	10
Verso NRS™	11
Vulcano.....	11
Vulcano XL	11
Zeus Pro	12
Zeus Pro NRS™	12

UNDERCABINET

Eros.....	12
-----------	----

CEILING

Alba.....	13
Nube	13
Nuvola 140.....	13
Nuvola 90	14
Stella	14

ISLAND

Dama	15
Elle	15
Lumen NRS™	15
Lumen	16

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND

Lumen Isola 175.....	16
Lumina NRS™	16
Mercurio.....	17
Mira	17
Plane NRS™	17
Plane Top	18
Polar	18
Pyramid Pro	18
Spazio	19

DOWN DRAFTS

Downdraft.....	19
----------------	----

BUILT-IN

Danilo	20
Gruppo Incasso NRS™	20
Mara	20
Massimo Pro.....	21
Massimo Pro NRS™	21
Mercurio Built-in	21
Move	22
Sabina.....	22
Valentina	22
Virgola	23
Vittorio Pro.....	23

OUTDOOR

Line Outdoor	24
Pyramid Outdoor	24
Zeus Outdoor	24

Filtration.....	25
Filtering Innovation.....	26
Filter Charts	29
Warranty	30

WALL HOODS



AFRODITE

MODEL	CODE	WIDTH	CFM
AFRODITE	FPAFX30W6SS	30"	600
AFRODITE	FPAFX36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel AISI 430
- 3-speed slider controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)



LINE PRO NRS™

MODEL	CODE	WIDTH	CFM
LINE PRO NRS™	FNLIN30W6SS	30"	600
LINE PRO NRS™	FNLIN36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel AISI 304
- NRST™ technology for a quieter kitchen
- 4-speed touch controls + 24h function
- LED strip lighting
- Auto delay shut-off function
- Clean filter reminder Professional baffle filters
- Optional Carbon.Zeo filter kit for T-shaped wall hood (KACL.948#IF)
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional Carbon.Zeo Filter (KACL.961)
- Optional duct extension H=70cm (KACL.570#I) / H=96cm (KACL.571#I)



LUMEN

MODEL	CODE	WIDTH	CFM
LUMEN	FDLUM36W5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- 4-speed electronic controls
- LED strip lighting
- LED ambient light
- Auto delay shut-off function
- Air Falmec filter for balanced suction, removable and washable
- Optional Carbon.Zeo filter kit for T-shaped wall hood (KACL.948#IF)
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional duct extension H=70cm (KACL.510#I) / H=96cm (KACL.512#I)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS


LUMEN NRS™

MODEL	CODE	WIDTH	CFM
LUMEN NRS™	FNLUM36W5SS-R	36"	500

FEATURES

- NRS™ technology for a quieter kitchen
- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED strip lighting: 4000K
- LED ambient light
- Air Falmec filters, removable and washable
- Optional Carbon.Zeo Filter (KACL.961)


LUMINA NRS™

MODEL	CODE	WIDTH	CFM
LUMINA NRS™	FNLNA36W5SS	36"	500

FEATURES

- ScotchBrite stainless steel AISI 304 + Tempered glass
- NRS™ technology for a quieter kitchen
- 4-speed touch controls + 24 hour function
- Auto delay shut-off function
- Clean filter reminder
- Fluorescent lighting
- White fluorescent ambient light
- Metallic filters, removable and washable
- Perimeter suction
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension H=70cm (KACL.570#) / H=96cm (KACL.571#)


MERCURIO

MODEL	CODE	WIDTH	CFM
MERCURIO	FPMER24W3SS	24"	280
MERCURIO	FPMER30W3SS	30"	280
MERCURIO	FPMER36W3SS	36"	280

FEATURES

- ScotchBrite stainless steel AISI 430
- 3-speed mechanical controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional duct extension H=70cm (KACL.510#3) / H=96cm (KACL.512#3)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS


MERCURIO XL

MIRA

PLANE NRS™


MODEL	CODE	WIDTH	CFM
MERCURIO XL	FPMEX30W6SS-R	30"	600
MERCURIO XL	FPMEX36W6SS-R	36"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 430
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional duct extension H=70cm (KACL.510#3) / H=96cm (KACL.512#3)

MODEL	CODE	WIDTH	CFM
MIRA	FDMIR16W5SS-R	16"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Perimeter Suction
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)

MODEL	CODE	WIDTH	CFM
PLANE NRSTM	FNPLS30W5SS-R	30"	500
PLANE NRSTM	FNPLS36W5SS-R	36"	500
PLANE NRSTM	FNPLS48W5SS-R	48"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- NRSTM technology for a quieter kitchen
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting
- AirFalmec filter for balanced suction
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension H=70cm (KACL.570#1) / H=96cm (KACL.571#1)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS


PLANE TOP

MODEL	CODE	WIDTH	CFM
PLANE TOP	FFPLN36W5FS-R	36"	500
PLANE TOP	FFPLN48W5FS-R	48"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite Fasteel no finger print
- Perimeter Suction
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: (36") 2 X 1,2W / (48") 3 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filters, Type 3 (FFCHASQC0BL)
- Optional Carbon.Zeo filter kit (KACL.948#IF)
- Optional duct extension H=70cm (KACL.510#X) / H=96cm (KACL.512#X)


PLANE BLACK

MODEL	CODE	WIDTH	CFM
PLANE BLACK	FDPLN36W5MB-R	36"	500

FEATURES

- Matte black painted finish
- Speed Reduction System (SRS)
- Perimeter Suction
- 4-speed electronic controls
- LED lighting: 2 X 1,2W
- Charcoal filter included
- Metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional Carbon.Zeo filter kit (KACL.948#IF)


POLAR

MODEL	CODE	WIDTH	CFM
POLAR	FDPLR15W5SS-R	15"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 3 X 1,2W
- Top filter, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS


PRISMA

MODEL	CODE	WIDTH	CFM
PRISMA (black)	FDPRI36W5SB	36"	500
PRISMA (white)	FDPRI36W5SW	36"	500

FEATURES

- Tempered white or black glass
- ScotchBrite stainless steel AISI 304
- 4-speed touch controls + 24 h function
- Auto delay shut-off function
- Clean filter reminder
- Charcoal filter included
- LED lighting: 2 X 1,2W
- Ambient LED lighting: 2 X 1,2W (3200K)
- Perimeter suction
- Top filter, removable and washable
- Possible to duct wall mounted from rear
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)
- Optional Carbon.Zeo filter kit, for sloped hoods (KACL.941)
- Optional duct extension, Stainless Steel (KCQAN.00#I)


PYRAMID PRO

MODEL	CODE	WIDTH	CFM
PYRAMID PRO	FPDPR30W6SS-3	30"	600
PYRAMID PRO	FPDPR36W9SS-3	36"	1000
PYRAMID PRO	FPDPR48W9SS-3	48"	1000

FEATURES

- ScotchBrite stainless steel AISI 430
- 4-speed knob control
- LED lighting
- Professional baffle filters
- Removable liquid collector

Transition required to go from 2x6" round duct to 1x8" round duct is included with all dual motor units.


PYRAMID PRO NRS™

MODEL	CODE	WIDTH	CFM
PYRAMID PRO NRS™	FNPYR30W6SS	30"	600
PYRAMID PRO NRS™	FNPYR36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel AISI 304
- NRS™ technology for a quieter kitchen
- 4-speed touch controls + 24 h function
- LED strip lighting
- Professional baffle filters
- Auto delay shut-off function
- Clean filter reminder
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional Carbon.Zeo filter kit (KACL.948#IF)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS


VERSO NRS™


MODEL	CODE	WIDTH	CFM
VERSO NRST™ (black)	FDVER36W5BK	36"	500
VERSO NRST™ (white)	FDVER36W5WH	36"	500

FEATURES

- NRST™ technology for a quieter kitchen
- Tempered glass, black or white
- 4-speed touch controls + 24h function
- Auto delay shut-off function
- Clean filter reminder
- Chimney included
- Charcoal filter included
- Dynamic LED lights (2700K - 5600K)
- Double suction area (frontal & lower)
- Top filter, removable and washable


VULCANO

MODEL	CODE	WIDTH	CFM
VULCANO	FPVUL24W3SS	24"	280
VULCANO	FPVUL30W3SS	30"	280
VULCANO	FPVUL36W3SS	36"	280

FEATURES

- ScotchBrite Stainless Steel AISI 430
- 4-speed mechanical controls
- LED lighting
- Auto delay shut-off function
- Clean filter reminder
- Labyrinth metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional duct extension, H=70cm (KACL.510#3) / H=96cm (KACL.512#3)


VULCANO XL

MODEL	CODE	WIDTH	CFM
VULCANO XL	FPVUX30W6SS-R	30"	600
VULCANO XL	FPVUX36W6SS-R	36"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite Stainless Steel AISI 430
- 4-speed electronic controls
- LED lighting: 2 X 1,2W
- Auto delay shut-off function
- Clean filter reminder
- Labyrinth metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional duct extension, H=70cm (KACL.510#3) / H=96cm (KACL.512#3)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

WALL HOODS



ZEUS PRO

MODEL	CODE	WIDTH	CFM
ZEUS PRO	FP18P30W6SS-3	30"	600
ZEUS PRO	FP18P36W6SS-3	36"	600
ZEUS PRO	FP18P36W9SS-3	36"	1000
ZEUS PRO	FP18P48W9SS-3	48"	1000

FEATURES

- ScotchBrite stainless steel AISI 430
- 4-speed knob controls
- LED lighting
- Professional baffle filters
- Optional duct extension, H=72cm
(30" - KCPHN.004#3F / 36" - KCPHN.005#3F / 48" - KCPHN.006#3F)



ZEUS PRO NRS™

MODEL	CODE	WIDTH	CFM
ZEUS PRO NRS™	FNZEU30W6SS	30"	600
ZEUS PRO NRS™	FNZEU36W6SS	36"	600

FEATURES

- Scotch brite stainless steel AISI 304
- NRS™ technology for a quieter kitchen
- 4-speed touch control + 24 h function
- Auto delay shut-off function
- Clean filter reminder
- LED lights: 2 x 1,2 W (3200K)
- Professional Baffle Filters
- Removable liquid collector
- Optional Carbon.Zeo kit (KACL.948#IF)
- Optional duct extension, H=70cm (KACL.570#I) / H=96cm (KACL.571#I)

UNDERCABINET



EROS

MODEL	CODE	WIDTH	CFM
EROS	FPERO30U5SS-R	30"	500
EROS	FRERO36U5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 430
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 2 X 1,2W (3200K)
- Labyrinth filters
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

CEILING HOODS


ALBA

* THE COMPATIBLE BLOWER, MODEL FDNUNMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

MODEL	CODE	WIDTH	CFM
ALBA	FDALB48C6WH-R	48"	600*

FEATURES

- Speed Reduction System (SRS)
- Matte white painted panel (possibility of painting the panel)
- Glass perimeter frame
- Perimeter suction
- Perimeter LED lighting (4000K)
- 4 speed electronic controls
- Auto delay shut-off function
- Metallic filters, removable and washable
- Remote control included
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional Carbon.Zeo filter replacement (KACL.931)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).


NUBE

* THE COMPATIBLE BLOWER, MODEL FDNUNMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

MODEL	CODE	WIDTH	CFM
NUBE	FDNUB36C6SS-R	36"	600*

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Perimeter suction
- 4-speed electronic controls
- Auto delay shut-off function
- Metallic filters, removable and washable
- Remote control included
- Optional ceiling recirculation filter pack (KACL.939#BF)
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional side junction for ceiling (KACL.789)
- Remote control replacement (105080053)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).


NUVOLA 140

* THE COMPATIBLE BLOWER, MODEL FDNUNMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

MODEL	CODE	WIDTH	CFM
NUVOLA 140 (stainless)	FDNUV54C6SS-R1	54"	600*
NUVOLA 140 (white)	FDNUV54C6WH-R1	54"	600*

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304 or white painted steel finish
- Tempered extra light painted glass
- Perimeter suction
- 4 speed electronic controls
- Auto delay shut-off function
- Dynamic LED lighting (2700K-5600K)
- Metallic filters, removable and washable
- Remote control included
- Optional ceiling recirculation filter pack (KACL.939#BF)
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional side junction for ceiling (KACL.789)
- Remote control replacement (105080053)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

CEILING HOODS


NUVOLA 90

* THE COMPATIBLE BLOWER, MODEL FDNUNMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

MODEL	CODE	WIDTH	CFM
NUVOLA 90 (stainless)	FDNUV36C6SS-R1	36"	600*
NUVOLA 90 (white)	FDNUV36C6WH-R1	36"	600*

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304 or white painted steel finish
- Tempered extra light painted glass
- Perimeter suction
- 4 speed electronic controls
- Auto delay shut-off function
- LED lighting
- Metallic filters, removable and washable
- Remote control included
- Optional ceiling recirculation filter pack (KACL.939#BF)
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional side junction for ceiling (KACL.789)
- Remote control replacement (105080053)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).


STELLA

* THE COMPATIBLE BLOWER, MODEL FDNUNMTR600, IS NOT INCLUDED IN THE HOOD AND IS THEREFORE SOLD SEPARATELY.

MODEL	CODE	WIDTH	CFM
STELLA	FDSTE36C6SS-R	36"	600
STELLA	FDSTE48C6SS-R	48"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Perimeter suction
- 4-speed electronic controls
- Auto delay shut-off function
- Dynamic LED lighting (2700K-5600K)
- Metallic filters removable and washable
- Remote control included
- Optional ceiling recirculation filter pack (KACL.939#BF)
- Optional Carbon.Zeo filter kit, vertical outlet ceiling (KACL.953#BF)
- Optional side junction for ceiling (KACL.789)
- Remote control replacement (105080053)
- Maximum distance between ceiling hood and cooktop is 59 inches (150 cm).



ITEM	MODEL
REMOTE UNDER-ROOF MOTOR	FDNUVMTR600
<ul style="list-style-type: none"> • Under-roof extractor fan 600 CFM • Kit external motor 23 feet (7 m) wiring. • Suitable for hoods provided with 600 CFM motor only (if used as remote under-roof unit) 	

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS


DAMA

MODEL	CODE	WIDTH	CFM
DAMA	FCDAM24I4RC	24"	360

FEATURES

- Circle.Tech technology with Carbon.Zeo filters
- Copper finish
- 4-speed rotary controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 4 x 1,2W (4200K)
- LED ambient light: 14W (4200K)
- Perimeter suction with tempered glass panel
- Metallic grease filter, removable and washable
- Available only in filtering version
- Optional remote control (105080053)


ELLE

MODEL	CODE	WIDTH	CFM
ELLE	FDELL70I5SS	70"	500

FEATURES

- Speed Reduction System (SRS)
- Matte black painted steel
- 4-speed electronic controls
- Dynamic LED Lighting (2700K - 5600K)
- Dimmable LED lighting
- Auto delay shut-off function
- Clean filter reminder
- Perimeter suction
- Metallic grease filter, removable and washable
- Optional Carbon.Zeo Filter (KACL.961)
- Optional remote control (105080053)


LUMEN NRS™

MODEL	CODE	WIDTH	CFM
LUMEN NRS™	FNLUM36I5SS-R	36"	500

FEATURES

- NRSTM technology for a quieter kitchen
- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED strip lighting (4000K)
- LED ambient light
- Air Falmec filters, removable and washable
- Optional Carbon.Zeo Filter (KACL.961)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS


LUMEN

MODEL	CODE	WIDTH	CFM
LUMEN	FDLUM36I5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- 4-speed electronic controls
- Auto delay shut-off function
- LED lighting
- LED ambient light
- AirFalmec filter for balanced suction
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional Carbon.Zeo filter kit (KACL.949#IF)
- Optional duct extension, H=120cm (KACL.557#I)


LUMEN ISOLA 175

MODEL	CODE	WIDTH	CFM
LUMEN ISOLA RIGHT	FDLUM70I5SS-2R	70"	500
LUMEN ISOLA LEFT	FDLUM70I5SS-2L	70"	500

FEATURES

- Scotch brite stainless steel AISI 304
- Perimetric suction
- LED lighting strip
- LED ambient lighting on both sides
- 4-speed electronic control on one side only*
- 4-speed touch controls
- Auto delay shut-off function
- Clean filter reminder
- Metallic grease filter, removable and washable
- Optional Carbon.Zeo filter kit (KACL.949#IF)
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional duct extension, H=120cm (KACL.557#I)
- Optional rod extension, H=120cm (KACL.350)



*FDLUM70I5SS-2R



*FDLUM70I5SS-2L


LUMINA NRS™

MODEL	CODE	WIDTH	CFM
LUMINA NRS™	FNLNA36I5SS	36"	500

FEATURES

- Scotch brite stainless steel AISI 304 + Tempered glass with white finishing
- NRS™ technology for a quieter kitchen
- Perimeter suction
- 4-speed touch controls + 24 h function
- Auto delay shut-off function
- Clean filter reminder
- White fluorescent ambient light
- Fluorescent lighting
- Metallic grease filter, removable and washable
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension, H=120cm (KACL.572#I)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS


MERCURIO


MODEL	CODE	WIDTH	CFM
MERCURIO	FPMEX36I6SS-R	36"	600
MERCURIO	FPMEX42I6SS-R	42"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 430
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 4 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filters, Type 3 (FFCHASQC0BL)
- Optional island duct extension, H=120cm (KACL.557#3)


MIRA


MODEL	CODE	WIDTH	CFM
MIRA	FDMIR16I5SS-R	16"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Perimeter Suction
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 4 X 1,2W
- Metallic filters, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3COBL)


PLANE NRS™


MODEL	CODE	WIDTH	CFM
PLANE NRST™	FNPLS36I5SS-R	36"	500
PLANE NRST™	FNPLS48I5SS-R	48"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- NRST™ technology for quieter kitchen
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 4 X 1,2W
- AirFalmec filter for balanced suction
- Optional Carbon.Zeo filter (KACL.961)
- Optional duct extension, H=120cm (KACL.572#1)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS


PLANE TOP

MODEL	CODE	WIDTH	CFM
PLANE TOP	FFPLN36I5FS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite Fasteel no finger print
- Perimeter Suction
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 4 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)
- Optional Carbon.Zeo filter kit (KACL.948#IF)
- Optional duct extension, H=120cm (KACL.557#X)


POLAR

MODEL	CODE	WIDTH	CFM
POLAR (Stainless)	FDPLR15I5SS-R	15"	500
POLAR (Matte Black)	FDPLR15I5MB-R	15"	500
POLAR (Matte White)	FDPLR15I5MW-R	15"	500

FEATURES

- Speed Reduction System (SRS)
- Optional glass canopy (FDPGL36I0TG)
- ScotchBrite stainless steel AISI 304 or Matte black or matte white painted steel finish
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 3 X 1,2W
- Top filter, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)


PYRAMID PRO

MODEL	CODE	WIDTH	CFM
PYRAMID PRO	FPDPR36I9SS-3	36"	1000

FEATURES

- ScotchBrite stainless steel AISI 430
- 4-speed knob controls
- LED lighting
- Professional baffle filters
- Removable liquid collector

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

ISLAND HOODS


SPAZIO (BLACK)

SPAZIO (STAINLESS)

DOWN DRAFTS


DOWN DRAFT

MODEL	CODE	WIDTH	CFM
SPAZIO (black)	FCSPA70I4MB	70"	360
SPAZIO (stainless)	FCSPA70I4SS	70"	360

FEATURES

- Circle.Tech technology with Carbon.Zeo filters
- Stainless or black-painted steel chassis
- 4-speed electronic controls
- LED strip lighting (3000K)
- Includes smoked glass shelves
- Equipped with power outlets and USB ports
- Auto delay shut-off function
- Remote control included
- Metallic grease filter, removable and washable
- Available only in filtering version
- Optional accessories:
 - Herbs holder, stainless steel, 2 trays (KACL.744#IF)
 - Paper towel holder, black (KACL.746#HF)
 - Paper towel holder, stainless steel (KACL.746#IF)
 - Support rods, black, H=945mm (KACL.748#HF)
 - Support rods, stainless steel, H=945mm (KACL.748#IF)

MODEL	CODE	WIDTH	CFM
DOWNDRAFT (black)	FDDOW36T6SGB	36"	600*
DOWNDRAFT (stainless)	FDDOW36T6SS	36"	600*

FEATURES

- Scotch brite stainless steel AISI 304 + Tempered glass (black or stainless steel panel)
- Perimeter suction
- 4-speed touch controls + 24 h function
- Auto delay shut-off function
- Clean filter reminder
- LED strip lighting (4000K)
- Top filter, removable and washable
- Optional remote control (105080053)
- Optional underbase Carbon.Zeo filter kit (KACL.930)
- Optional Carbon.Zeo filter replacement (KACL.931)

***The compatible blower, model FDNUVMTR600, is not included with the hood and therefore sold separately.**

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS



DANILO

MODEL	CODE	WIDTH	CFM
DANILO	FIDAN28B6SS-3	28"	600
DANILO	FIDAN28B9SS-3	28"	1000

FEATURES

- ScotchBrite stainless steel AISI 430
- 4-speed knob controls
- LED lighting: 2 X 1,2W (3200K)
- Labyrinth filters, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)



GRUPPO INCASSO NRS™

MODEL	CODE	WIDTH	CFM
INCASSO NRS™	FNINS20B5SS-R	20"	500
INCASSO NRS™	FNINS28B5SS-R	28"	500

FEATURES

- Speed Reduction System (SRS)
- Scotch brite stainless steel AISI 304
- NRS™ technology for a quieter kitchen
- 4-speed electronic controls
- Auto delay shut-off function
- Remote control included
- Dynamic LED lighting
- Metallic grease filter, removable and washable
- Optional Carbon.Zeo filter (KACL.961)
- Replacement remote control (105080053)



MARA

MODEL	CODE	WIDTH	CFM
MARA	FIMAR22B6SS	22"	600
MARA	FIMAR28B6SS	28"	600

FEATURES

- ScotchBrite stainless steel AISI 430
- 3-speed slider controls
- LED lighting: 2 X 1,2W (3200K)
- Top filter, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS


MASSIMO PRO

MODEL	CODE	WIDTH	CFM
MASSIMO PRO	FIMAS34B6SS-3	34"	600
MASSIMO PRO	FIMAS34B9SS-3	34"	1000
MASSIMO PRO	FIMAS46B9SS-3	46"	1000
MASSIMO PRO 22"D	FIMAX34B6SS-3	34"	600
MASSIMO PRO 22"D	FIMAX34B9SS-3	34"	1000
MASSIMO PRO 22"D	FIMAX46B9SS-3	46"	1000

FEATURES

- ScotchBrite stainless steel AISI 430
- Knob controls
- LED lighting: 2 X 1,2W (600 CFM) / 4 x 1,2W (1000 CFM)
- Professional baffle filters
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL). Order qty 2 for 2-motor units.

Transition required to go from 2x6" round duct to 1x8" round duct is included with all dual motor units.


MASSIMO PRO NRS™

MODEL	CODE	WIDTH	CFM
MASSIMO PRO NRS™	FNMAS30W6SS	30"	600
MASSIMO PRO NRS™	FNMAS36W6SS	36"	600

FEATURES

- ScotchBrite stainless steel AISI 304
- NRS™ technology for a quieter kitchen
- 4-speed touch controls + 24h function
- Auto delay shut-off function
- Clean filter reminder
- LED lighting: 2 X 1,2W (30") / 4 x 1,2W (36")
- Professional baffle filters
- Optional Carbon.Zeo filter (KACL.961)
- Optional remote control (105080053)


MERCURIO BUILT-IN

MODEL	CODE	WIDTH	CFM
MERCURIO BUILT-IN	FPMEU24B3SS	24"	280
MERCURIO BUILT-IN	FPMEU30B3SS	30"	280
MERCURIO BUILT-IN	FPMEU36B3SS	36"	280

FEATURES

- ScotchBrite stainless steel AISI 430
- 3-speed mechanical push button controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional square charcoal filter, Type 3 (FFCHASQC0BL)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS


MOVE

MODEL	CODE	WIDTH	CFM
MOVE	FDMOV30W5SB	30"	500
MOVE	FDMOV36W5SB	36"	500

FEATURES

- Scotch brite stainless steel AISI 304 + black tempered glass
- Pull out panel with controls
- 4-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- Metallic grease filter, removable and washable
- Possible to duct wall mounted from rear
- Dynamic LED Lighting (2700K - 5600K)
- Optional telescopic duct cover, H=7.25" (KCVJN.00#3)
- Optional duct cover, H=4.75" (KCVJN.01#3)
- Optional glass shelf, 36" (KACL.107)
- Optional Carbon.Zeo filter (KACL.961)


SABINA

MODEL	CODE	WIDTH	CFM
SABINA	FISAB22B3SS-1	22"	280
SABINA	FISAB28B3SS-1	28"	280

FEATURES

- ScotchBrite stainless steel AISI 430
- 3-speed slider controls
- LED lighting: 2 X 1,2W
- Metallic filters, removable and washable
- Optional round charcoal filter, Type 2 (FFCHAR2C0BL)


VALENTINA

MODEL	CODE	WIDTH	CFM
VALENTINA	FIVAL28B5SS-R	28"	500
VALENTINA	FIVAL34B5SS-R	34"	500
VALENTINA (black)	FIBUR28B5BK-R	28"	500
VALENTINA (white)	FIBUR28B5WH-R	28"	500

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 430 / Tempered glass panel (for black & white)
- Perimeter suction
- 4-speed electronic controls
- Flush finish
- Quick fit installation
- Auto delay shut-off function
- LED lighting: 2 X 1,2W (28") / 4 X 1,2W (34")
- Metallic filters, removable and washable
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)
- Optional remote control (105080053)

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

BUILT-IN HOODS



VIRGOLA



VITTORIO PRO



MODEL	CODE	WIDTH	CFM
VIRGOLA	FDVRG24W5SS-R	24"	500
VIRGOLA	FDVRG36W5SS-R	36"	500

FEATURES

- Speed Reduction System (SRS)
- Scotch brite stainless steel AISI 430 + tempered turning glass with sloping front panel
- 3-speed electronic controls
- Auto delay shut-off function
- Clean filter reminder
- Dynamic LED lighting (2700K-5600K)
- Metallic filters, removable and washable
- Optional Carbon.Zeo filter (KACL.961)
- Possible to duct wall mounted from rear
- Optional telescopic duct cover, H=7.25" (KCVJN.00#3)
- Optional duct cover, H=4.75" (KCVJN.01#3)

MODEL	CODE	WIDTH	CFM
VITTORIO PRO	FIVIT34B6SS	34"	600

FEATURES

- Speed Reduction System (SRS)
- ScotchBrite stainless steel AISI 304
- Electronic controls
- Flush finish
- Quick fit installation
- Dynamic LED strip lighting (2700K-5600K)
- Professional baffle filters
- Removable liquid collector
- Remote control included
- Optional round charcoal filter, Type 6 (FFCHAR3C0BL)



ITEM	CODE
MAGIC WIPES	KACL.815

- Master Pack of Magic Wipes for stainless steel - 10 individual packages

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

OUTDOOR HOODS



LINE OUTDOOR

MODEL	CODE	WIDTH	CFM
LINE OUTDOOR	FOLIN36W120S	36"	1200
LINE OUTDOOR	FOLIN42W120S	42"	1200
LINE OUTDOOR	FOLIN48W120S	48"	1200

FEATURES

- Scotch brite stainless steel AISI 304
- Professional knob controls
- LED Strip lighting (3000 K)
- Professional baffle filters
- Removable liquid collector
- Optional duct cover extension, 30"+30"H (KCPHN.007#IF)



PYRAMID OUTDOOR

MODEL	CODE	WIDTH	CFM
PYRAMID OUTDOOR	FOPYR36W120S	36"	1200
PYRAMID OUTDOOR	FOPYR42W120S	42"	1200
PYRAMID OUTDOOR	FOPYR48W120S	48"	1200

FEATURES

- Scotch brite stainless steel AISI 304
- Professional knob controls
- LED Strip lighting (3000 K)
- Professional baffle filters
- Removable liquid collector
- Optional duct cover extension, 30"+30"H (KCPHN.007#IF)



ZEUS OUTDOOR

MODEL	CODE	WIDTH	CFM
ZEUS OUTDOOR	FOZEU36W120S	36"	1200
ZEUS OUTDOOR	FOZEU42W120S	42"	1200
ZEUS OUTDOOR	FOZEU48W120S	48"	1200

FEATURES

- Scotch brite stainless steel AISI 304
- Professional knob controls
- LED Strip lighting (3000 K)
- Professional baffle filters
- Removable liquid collector
- Optional duct cover extensions:
KCPHN.001#IF - 36"W Duct Cover extension
KCPHN.002#IF - 42"W Duct Cover extension
KCPHN.003#IF - 48"W Duct Cover extension
KCPHN.007#IF - 20"W x 60"H Duct Cover extension

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.


FILTRATION

Anti-grease Filters.




Metallic Filters.

These filters have an internal multi-layer aluminum structure of corrugated mesh to maximize the filtering surface.



Professional Baffle Filters.

Professional baffle filters come standard in all hoods in the Professional Collection. Their criss-cross structure effectively collects oils and vapors that can easily be removed and cleaned.



Top Filters.

Top grease filters maintain the high retention performance of the metal filters with the addition of a "chessboard" external frame in Scotch Brite steel with a smooth surface that facilitates cleaning and at the same time qualifies the aesthetic appearance..

Anti-odor filters.



Active Charcoal Filters.

Charcoal filters contain active carbons that absorb odors created by cooking. As the filters become less efficient with time, it is recommended to be replaced at least every 4 month.

Type 3 (rectangular)
code FFCHASQCOBL

Type 2 (round)
code FFCHAR2C0BL (pair)

Type 6 (round)
code FFCHAR3C0BL (pair)



Combined High Performance Filters (Silence - NRS™ Collection).

Wash in dishwasher with your usual detergent at a temperature not exceeding 149°F, if possible with no other contents. After washing, regenerate the filter in the oven at 176°F for 20 minutes.

Verso NRS™
code KACL.959



Carbon.Zeo Filters.

The Carbon.Zeo combined filter has a guaranteed minimum life of 3 years, but is expected to last 5 years under conditions of normal use. We recommend that it be regenerated every 18 months by placing it in an oven at 392°F for two hours.

Lumina NRS™
Gruppo Incasso NRS™
Plane NRS™
Line Pro NRS™
Massimo Pro NRS™
Move
code KACL.961

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

FILTERING INNOVATION

Accessories for better filtration.

Carbon.Zeo technology.

Carbon.Zeo filters use natural materials such as active carbon and zeolite, a mineral of volcanic origin with a microporous crystalline molecular structure that absorbs fumes and unpleasant odors.

On contact with the flow of vapors, zeolite releases heat, helping to reduce moisture caused by cooking.

The Carbon.Zeo combined filter has a guaranteed minimum life of 3 years, but is expected to last 5 years under conditions of normal use. The filter should be regenerated every 18 months by placing it in an oven at 392°F for two hours.



Ceiling.




Ceiling filter unit kit.

This kit enables Falmec ceiling hoods to be installed in recirculation mode. This is installed flush-mounted on the same false ceiling area as the hood. And thanks to the white painted steel frame and white satin glass inner panel, it integrates harmoniously with the kitchen environment.

This solution combines aesthetic elegance with outstanding filter performance with a Carbon.Zeo filter.

Carbon.Zeo

Filter unit
KACL.939#BF
Spare part
KACL.928



Cut-out size
15 9/16" x 15 9/16"


Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

Wall.



Filter unit for sloped hoods.


This kit is designed to enhance performance of sloped hoods in recirculation mode.



Carbon.Zeo®


This accessory can also be used with previously installed hoods to enhance performance. The unit is created in stainless steel AISI 304 for long-lasting use and to facilitate cleaning.

Filter unit
KACL.941
Filter replacement
KACL.943




Filter unit for t-shaped wall hoods.

This kit is designed to enhance extraction and recirculation for all Falmec wall hoods.



Carbon.Zeo®


Filter unit
KACL.948#IF



Island.


Filter unit for island hoods.

This kit is designed to enhance extraction and recirculation for all Falmec island hoods.



Carbon.Zeo®

Filter unit
KACL.949#IF
Filter replacement
KACL.934




Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

Built-in/Wall.




Filter unit for Built-in hoods.

This kit is designed to enhance extraction and recirculation for all Falmec built-in hoods.



Carbon.Zeo®

Filter unit
KACL.950
Filter replacement
KACL.934



Downdraft.




Downdraft filter unit.

This kit is equipped with Carbon.Zeo technology and are installed under the kitchen plinth.

Carbon.Zeo®

Under base filter unit
KACL.930
Filter replacement
KACL.931



Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

FILTER CHARTS

Hood	Carbon filter	Carbon.Zeo filtering kit	Carbon.Zeo filtering kit Spare part
Afrodite	FFCHAR3C0BL	-	-
Built-in Mercurio	FFCHASQC0BL	-	-
Danilo	FFCHAR3C0BL	-	-
Down Draft	-	KACL.930	KACL.931
Eros	FFCHAR3C0BL	-	-
Gruppo Incasso NRS™	-	KACL.961	KACL.961
Line Pro NRS™	-	KACL.961	KACL.961
Line Outdoor	-	-	-
Lumen Island	FFCHASQC0BL	KACL.949#IF	-
Lumen Wall	FFCHASQC0BL	KACL.948#IF	-
Lumen Island 175	FFCHASQC0BL	KACL.949#IF	-
Lumina NRS™	-	KACL.961	KACL.961
Mara	FFCHAR3C0BL	-	-
Massimo Pro	FFCHAR3C0BL	-	-
Massimo Pro XL	2 x FFCHAR3C0BL	-	-
Massimo Pro NRS™	-	KACL.961	KACL.961
Mercurio	FFCHASQC0BL	-	-
Mira Wall	FFCHASQC0BL	-	-
Mira Island	FFCHAR3C0BL	-	-
Move	-	KACL.961	KACL.961
Plane Top	FFCHASQC0BL	KACL.948#IF	-
Plane Black	FFCHASQC0BL	KACL.948#IF	-
Plane NRS™	-	KACL.961	KACL.961
Polar	FFCHAR3C0BL	-	-
Polar Black/White	2 x FFCHAR3C0BL	-	-
Prisma	FFCHAR3C0BL	KACL.941	-
Pyramid Outdoor	-	-	-
Pyramid Pro	-	-	-
Pyramid Pro NRS™	KACL.948#IF	-	-
Sabina	FFCHAR2C0BL	-	-
Valentina	FFCHAR3C0BL	-	-
Verso NRS™	KACL.959	-	-
Virgola		KACL.961	KACL.961
Vittorio Pro	FFCHAR3C0BL	-	-
Vulcano	FFCHASQC0BL	-	-
Zeus Pro	-	-	-
Zeus Pro NRS™	KACL.948#IF	-	-
Zeus Outdoor	-	-	-

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

FALMEC WARRANTY INFORMATION FOR RESIDENTIAL USE ONLY

ONE-YEAR PRODUCT & PARTS WARRANTY

For one year from the original date of purchase the Falmec product and parts, warranty covers all parts and labor to repair or replace the product, under normal residential use, any part of the product proving to be defective in material or workmanship.

Falmec warranty will repair or replace any parts at no cost to the consumer if material defects or workmanship caused the damage or failure of these components.

This warranty is valid on only the 50 continental states of the U.S.A. and the country of Canada.

This warranty applies to the original purchaser only and is non-transferable. All service provided by Falmec on the stated warranty must be performed by a Falmec authorized servicer, unless otherwise specified by Falmec. This service would be provided during the regular business hours of each specific region.

This warranty applies only to products installed for normal residential use and does not apply to commercial use. This warranty only covers service performed at the location of product installation and will not cover costs associated with repairing off-site unless expressly authorized by Falmec nor does it cover the travel costs associated with providing service to remote locations. Remote locations are defined as being outside the established territory of the assigned service company. This warranty does not cover any parts or labor to correct any defect caused by negligence, transport, delivery, installation, accident or improper use, maintenance, installation, service or repair.

The warranty will be valid and effective only upon presentation of the document stating the **purchase date of the appliance, and more specifically of the relevant invoice, proof of purchase, or equivalent document showing the name of the seller, the delivery date and the identification data of the appliance** (Such as Model Number, Serial Number). In the case of new product being included in the purchase of new residential construction: **this warranty applies to the original resident of the location** containing the Falmec product, and warranty coverage will begin on the date of occupancy of the residence (proof of occupancy required) to a maximum additional six months from the date of purchase of the product by the development company from the distributor or dealer.

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.

NOTES

Specifications and features may vary. Please refer to the manufacturer's website for the latest updates.



PRODUCT GUIDE 2025

falmec
Life inspired.

T 800 361 0799 F 450 682 7943

www.distinctive-online.com info@distinctive-online.com

HEAD OFFICE / WAREHOUSE / SHOWROOM
2025 Cunard, Laval (QC) H7S 2N1

SERVICE DEPARTMENT
service@distinctive-online.com
800-561-7265

ORDER DESK
orderdesk@distinctive-online.com