



**DISTINCTIVE**  
inspiring appliances • inspirer l'électroménager



# AVIVA

## PRODUCT GUIDE 2026


UPDATED JANUARY 2026

Aviva is a **Distinctive** brand

## TABLE OF CONTENTS

MODEL	PAGE	MODEL	PAGE
<b>VENTILATION</b>		<b>REFRIGERATION</b>	
<b>POWER PACK</b>	<b>3-4</b>	<b>BOTTOM MOUNT</b>	<b>11-12</b>
AVD-306PSB3		ARBM115SB	
AVM-278PS2 — AVM-368PS2		ARBM150SE2	
AVP278S — AVP368S		ARBM177SE	
AVPP276S — AVPP346S		ARBM188SE4	
AVP34108PS2 — AVP44108PS2		ARBM188WE4	
AVP222PSB			
AVP243SB — AVP283SB			
<b>UNDERCABINET</b>	<b>4-6</b>	<b>FRENCH DOOR</b>	<b>13-14</b>
AVA-306RS2 — AVA-366RS2		ARBM184FSE3	
AVB-306RS2		ARBM180FSE	
AVG-306CS2		ARBM265FDSE	
AVU305S			
AVU243RSB — AVU303RSB		<b>TOP MOUNT</b>	<b>15-16</b>
AVV-309S2 — AVV-369S2		ARTM116SB	
<b>SLIDE-OUT</b>	<b>6</b>	ARTM142SB	
AVS243SB — AVS303SB		ARTM180SE	
		ARTM180WE	
<b>CHIMNEY</b>	<b>6-7</b>	<b>WINE CELLARS + BEVERAGE CENTRES</b>	
AVH-308CS2 — AVH-368CS2		<b>COMBO</b>	<b>17</b>
AVN-308CS3 — AVN-368CS3		ABCU422SS	
AVO-308CS3 — AVO-368CS3		BSC42DB3	
AVT243CSB2 — AVT303CSB2		VWD42S2	
AVW-308CS2 — AVW-368CS2			
<b>ISLAND</b>	<b>8</b>	<b>WINE CELLARS</b>	<b>18-19</b>
AVI-366IS4		ABWC232SS	
AVI-369IS3		ABWC472SS	
<b>COOKING</b>		ABWC472PR	
<b>OTR MICROWAVE</b>	<b>9</b>	CWC46DS2	
AOTRM243SB		VPC46DS3	
AOTRM303SB		ABWC1622SS	
AOTRS304SB			
<b>RANGE</b>	<b>10</b>	<b>BEVERAGE CENTRE</b>	<b>20-21</b>
ACRE24CSB		ABBC120SS	
		ABBC120PR	
		CBC140SS3	
		<b>WARRANTY</b>	<b>21</b>

## VENTILATION

POWER PACK	MODEL	FINISH	SIZE (W x D)
	<b>AVD-306PSB3</b>	BLACK GLASS	29 1/2" x 11 1/16"
	<ul style="list-style-type: none"> <li>• Power: 600 CFM, 5-speeds</li> <li>• Lighting: 2 LED strips, 1.5W (included)</li> <li>• Controls: Electronic LED controls</li> <li>• Auto delay-off timer function</li> </ul>	<ul style="list-style-type: none"> <li>• Overall height: 12"</li> <li>• Aluminum mesh filter w/ perimetric black glass plate</li> <li>• Duct transition: 6" round top</li> <li>• Electrical requirements 120V / 60Hz / 3.7A</li> </ul>	
	<b>AVM-278PS2</b> <b>AVM-368PS2</b>	201-GRADE SS	27 3/4" x 11 3/8" 35 1/2" x 11 3/8"
	<ul style="list-style-type: none"> <li>• Power: 860 CFM, 3-speeds</li> <li>• Lighting: 2 bulbs, 3W LED (included)</li> <li>• Controls: Mechanical push buttons</li> <li>• Overall height: 16"</li> </ul>	<ul style="list-style-type: none"> <li>• 2 sets of filters: Aluminum micro hole &amp; stainless steel baffle (included)</li> <li>• Duct transition: 6" and 8" round top</li> <li>• Electrical requirements 120V / 60Hz / 2.7A</li> </ul>	
	<b>AVP278S</b> <b>AVP368S</b>	201-GRADE SS	27 3/4" x 11 3/8" 35 3/8" x 11 3/4"
	<ul style="list-style-type: none"> <li>• Power: 860 CFM, 4-speeds</li> <li>• Lighting: 2 LED strips, 3W - 3 colour levels (white, soft white, yellow)</li> <li>• Controls: Soft touch square electronic controls</li> <li>• Auto delay-off timer function</li> <li>• Flush-fit installation with no visible screws</li> </ul>	<ul style="list-style-type: none"> <li>• Overall height: 11 3/8"</li> <li>• 2 sets of filters: Aluminum micro hole &amp; stainless steel baffle (included)</li> <li>• Duct transition: 6"/8" round top and 3 1/4" x 10" top &amp; rear</li> <li>• Electrical requirements: 120V / 60Hz 3-prong plug included</li> </ul>	
	<b>AVPP276S</b> <b>AVPP346S</b>	430-GRADE SS	27 3/8" x 11 7/16" 33 1/2" x 11 7/16"
	<ul style="list-style-type: none"> <li>• Power: 600 CFM, 3-speeds</li> <li>• Lighting: 2 LED strips, 1.5W - 2 levels</li> <li>• Controls: Electronic push buttons</li> <li>• Flush-fit installation with no visible screws</li> </ul>	<ul style="list-style-type: none"> <li>• 1 aluminum mesh filter w/ stainless steel perimetric plate</li> <li>• Overall height: 10 7/8"</li> <li>• Duct transition: 6" round top</li> <li>• Electrical requirements: 120V / 60Hz / 3.7A 3-prong plug included</li> </ul>	

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## VENTILATION

**POWER PACK**
**MODEL**
**FINISH**
**SIZE (W x D)**

**AVP-34108PS2**  
**AVP-44108PS2**

430-GRADE SS

34  $\frac{1}{8}$ " x 18"  
44" x 18"

- Power: 1000 CFM, 4-speeds
- Lighting: 2 bulbs frosted LED 3500K (included)
- Controls: Electronic push buttons with LCD display
- Auto delay-off timer function
- Overall height: 14  $\frac{1}{8}$ "

- 2 sets of filters: Aluminum micro hole filters and stainless steel baffle filters
- Duct transition: 8" and 10" round top
- Electrical requirements 120V / 60Hz / 3A


**AVP222PSB**

201-GRADE SS

22" x 11  $\frac{1}{4}$ "

- Power: 200 CFM, 3-speeds
- Lighting: 2 bulbs, 2W LED (included)
- Controls: Mechanical push buttons
- Overall height: 6  $\frac{7}{8}$ "

- Single aluminum micro hole filter (included)
- Duct transition: 6" round top
- Electrical requirements 120V / 60Hz / 1.3A


**AVP243SB**  
**AVP283SB**

430-GRADE SS

23  $\frac{5}{8}$ " x 11  $\frac{3}{8}$ "  
27  $\frac{5}{8}$ " x 11  $\frac{3}{8}$ "

- Power: 290 CFM, 3-speeds
- Lighting: 2 bulbs, 2W LED (included)
- Controls: Mechanical push buttons
- Overall height: 10  $\frac{7}{8}$ "

- Single aluminum mesh filter (included)
- Duct transition: 6" round top
- Electrical requirements 120V / 60Hz / 2A


**UNDERCABINET**
**MODEL**
**FINISH**
**SIZE (W x D)**

**AVA-306RS2**  
**AVA-366RS2**

201-GRADE SS

29  $\frac{1}{2}$ " x 19  $\frac{3}{4}$ "  
35  $\frac{1}{2}$ " x 19  $\frac{3}{4}$ "

- Power: 600 CFM, 3-speeds
- Lighting: 2 x 3W LED - 3 levels
- Controls: Soft touch with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Dual motor

- 6" hood height
- 2 sets of filters: aluminum micro hole & stainless steel baffle (included)
- Duct transition: 6" round top and 3  $\frac{1}{4}$ " x 10" rear and top
- Electrical requirements 120V / 60Hz / 2.7A

*Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.*

## VENTILATION

UNDERCABINET	MODEL	FINISH	SIZE (W x D)
	<b>AVB-306RS2</b>	201-GRADE SS	29 1/2" x 19 3/4"
	<ul style="list-style-type: none"> <li>• Power: 600 CFM, 3-speeds</li> <li>• Lighting: 2 x 3W LED - 3 levels</li> <li>• Controls: Soft touch with LCD display</li> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• Dual motor</li> </ul>	<ul style="list-style-type: none"> <li>• 6" hood height</li> <li>• 2 sets of filters: aluminum micro hole &amp; stainless steel baffle (included)</li> <li>• Duct transition: 6" round top and 3 1/4" x 10" rear and top</li> <li>• Electrical requirements 120V / 60Hz / 2.7A</li> </ul>	
	<b>AVG-306CS2</b>	201-GRADE SS	29 1/2" x 22"
	<ul style="list-style-type: none"> <li>• Power: 600 CFM, 3-speeds</li> <li>• Lighting: 2 x 3W LED - 3 levels</li> <li>• Controls: Soft touch with LCD display</li> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• Dual motor</li> <li>• 6" hood height</li> </ul>	<ul style="list-style-type: none"> <li>• 2 sets of filters: aluminum micro hole &amp; stainless steel baffle (included)</li> <li>• Duct transition: 6" round top and 3 1/4" x 10" rear and top</li> <li>• Electrical requirements 120V / 60Hz / 0.5A</li> </ul>	
	<b>AVU305S</b>	430-GRADE SS	29 3/4" x 21"
	<ul style="list-style-type: none"> <li>• Power: 500 CFM, 3-speeds</li> <li>• Lighting: 2 x 2W LED - 3 levels</li> <li>• Controls: Electronic touch controls</li> <li>• 6" hood height</li> <li>• 2 sets of filters: Hybrid &amp; stainless steel baffle (included)</li> </ul>	<ul style="list-style-type: none"> <li>• Duct transition: 7" round top and 3 1/4" x 10" rear and top</li> <li>• Electrical requirements: 120V / 60 Hz / 2.5A</li> </ul>	
	<b>AVU243RSB</b> <b>AVU303RSB</b>	201-GRADE SS	23 3/4" x 18 7/8" 29 3/4" x 18 7/8"
	<ul style="list-style-type: none"> <li>• Power: 280 CFM, 2-speeds</li> <li>• Lighting: 2 bulbs, 3W LED (included)</li> <li>• Controls: Mechanical push buttons</li> <li>• 5" hood height</li> <li>• Aluminum mesh filters</li> </ul>	<ul style="list-style-type: none"> <li>• Duct transition: 3 1/4" x 10" rear and top</li> <li>• Electrical requirements 110V / 60Hz / 0.45A</li> </ul>	

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## VENTILATION

### UNDERCABINET

### MODEL

### FINISH

### SIZE (W x D)


**AVV-309S2**
**AVV-369S2**

201-GRADE SS

29 1/2" x 22"

35 7/16" x 22"

- Power: 900 CFM, 4-speeds
- Lighting: 2 x 3W LED - 3 levels
- Controls: Soft touch with LCD display
- Auto delay-off timer function
- Clean filter reminder
- Dual motor

- 9 13/16" hood height
- Stainless steel baffle filters (included)
- Duct transition: 8" round top
- Electrical requirements 120V / 60Hz / 2.7A

### SLIDE-OUT

### MODEL

### FINISH

### SIZE (W x D)


**AVS243SB**
**AVS303SB**

SS FRONT TRIM

23 5/8" x 11"

29 1/2" x 11"

- Power: 290 CFM, 3-speeds
- Lighting: 2 bulbs, 2W LED (included)
- Controls: Mechanical slider
- Depth when open: 17 3/4"
- Overall height: 10 3/4"

- White body with stainless front trim
- Stainless front trim may be replaced with custom material
- Aluminum mesh filter
- Duct transition: 6" round top
- Electrical requirements 120V / 60Hz / 2A

### CHIMNEY

### MODEL

### FINISH

### SIZE (W x D)


**AVH-308CS2**
**AVH-368CS2**

201-GRADE SS

29 1/2" x 19 3/4"

35 1/2" x 19 3/4"

- Power: 860 CFM, 6-speeds
- Lighting: 2 x 3W LED - 3 levels
- Controls: Soft touch with LCD display
- Auto delay-off timer function
- Clean filter reminder
- 2 sets of filters: aluminum micro hole & stainless steel baffle (included)

- 1 3/4" hood height
- Duct transition: 6" and 8" round top
- Chimney (ducted out) for ceiling heights up to 9'0"
- Optional accessory: Chimney extension AD-884S-22 (884mm high)
- Electrical requirements 120V / 60Hz / 2.7A

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## VENTILATION

CHIMNEY	MODEL	FINISH	SIZE (W x D)
	<b>AVN-308CS3</b> <b>AVN-368CS3</b>	201-GRADE SS	29 1/2" x 19 3/4" 35 1/2" x 19 3/4"
	<ul style="list-style-type: none"> <li>• Power: 860 CFM, 6-speeds</li> <li>• Lighting: 2 x 3W LED - 3 levels</li> <li>• Controls: Soft touch with LCD display</li> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• 2 stainless steel baffle filters (included)</li> <li>• 7" hood height</li> </ul> <ul style="list-style-type: none"> <li>• Duct transition: 6" &amp; 8" round top and 3" 1/4 x 10" rear and top</li> <li>• Chimney (ducted out) for ceiling heights up to 9'0"</li> <li>• Optional accessory: Chimney extension AD-884S-22 (884mm high)</li> <li>• Electrical requirements 120V / 60Hz / 2.7A</li> </ul>		
	<b>AVO-308CS3</b> <b>AVO-368CS3</b>	201-GRADE SS	29 1/2" x 19 3/4" 35 1/2" x 19 3/4"
	<ul style="list-style-type: none"> <li>• Power: 860 CFM, 6-speeds</li> <li>• Lighting: 2 x 3W LED - 3 levels</li> <li>• Controls: Soft touch with LCD display</li> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• 2 stainless steel baffle filters (included)</li> <li>• 10 3/8" hood height</li> </ul> <ul style="list-style-type: none"> <li>• Duct transition: 6" &amp; 8" round top and 3" 1/4 x 10" rear and top</li> <li>• Chimney (ducted out) for ceiling heights up to 9'0"</li> <li>• Optional accessory: Chimney extension AD-780S-22 (780mm high)</li> <li>• Electrical requirements 120V / 60Hz / 2.7A</li> </ul>		
	<b>AVT243CSB2</b> <b>AVT303CSB2</b>	430-GRADE SS	23 5/8" x 19 1/16" 29 1/2" x 19 1/16"
	<ul style="list-style-type: none"> <li>• Power: 290 CFM, 3-speeds</li> <li>• Lighting: 2 X 2W LED</li> <li>• Controls: Mechanical push buttons</li> <li>• 1 1/16" hood height</li> <li>• 2 aluminum micro-hole filters</li> <li>• Duct transition: 6" round top</li> </ul> <ul style="list-style-type: none"> <li>• Chimney (ducted out) for ceiling heights up to 9'0"</li> <li>• Ductless installation: AVTRECIRCKIT recirculating kit (purchase separately)</li> <li>• Electrical requirements: 120V / 60Hz / 1.15A</li> </ul>		
	<b>AVW-308CS2</b> <b>AVW-368CS2</b>	201-GRADE SS	29 1/2" x 19 3/4" 35 1/2" x 19 3/4"
	<ul style="list-style-type: none"> <li>• Power: 860 CFM, 6-speeds</li> <li>• Lighting: 2 x 3W LED - 3 levels</li> <li>• Controls: Soft touch with LCD display</li> <li>• Auto delay-off timer function</li> <li>• Clean filter reminder</li> <li>• 2 sets of filters: aluminum micro hole &amp; stainless steel baffle (included)</li> </ul> <ul style="list-style-type: none"> <li>• 2 3/4" hood height</li> <li>• Duct transition: 6" and 8" round top</li> <li>• Chimney (ducted out) for ceiling heights up to 9'0"</li> <li>• Optional accessory: Chimney extension AD-800S2 (800mm high)</li> <li>• Electrical requirements 120V / 60Hz / 2.7A</li> </ul>		

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## VENTILATION

ISLAND	MODEL	FINISH	SIZE (W x D)
	<b>AVI-366IS4</b>	430-grade SS + Black glass frame	35 1/4" x 23 5/8"
	<b>AVI-369IS3</b>	201-GRADE SS	35 1/2" x 23 5/8"

\*Both AVI-366IS4 and AVI-369IS3 Island Hoods can be operated from the front and back side of the hood.

## VENTILATION - MODEL NUMBER NOMENCLATURE

<b>A</b>	AVIVA
<b>V</b>	Ventilation
<b>LETTER</b>	Model name
<b>##</b>	Size
<b>#</b>	CFM ( 1 <sup>st</sup> digit )
<b>C / I / P</b>	Type of Hood: Chimney, Island, Power Pack
<b>B / S</b>	Color: Black / Stainless Steel
<b>#</b>	Generation

**VENTILATION WARRANTY:** 1-year parts and labor\*

\*AVP278S, AVP368S, AVPP276S, AVPP346S - 2-year parts and labor warranty.

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

# COOKING

OTR MICROWAVE	MODEL	FINISH	SIZE (W x D)
	<b>AOTRM243SB</b>	Black glass + SS trims	23 7/8" x 16 3/4"
	<ul style="list-style-type: none"> <li>• Capacity: 1.4 cu. ft.</li> <li>• Power: 1000 Watts, 10 levels.</li> <li>• Ventilation: 300 CFM, 2-speed</li> <li>• Duct transition: 3" 1/4 x 10" top and rear</li> <li>• 2 aluminum mesh filters (included)</li> <li>• Convertible to ductless venting with charcoal filters (included)</li> <li>• Controls: Soft touch electronic with LED display</li> <li>• Recessed handle, left-swing</li> <li>• Multiple cooking modes, including Sensor Cooking</li> <li>• Overall Height: 17 1/2"</li> <li>• Lighting: 2 interior lights</li> <li>• Electrical requirements: 120V / 20A / 60Hz-2450Mhz</li> </ul>		
	<b>AOTRM303SB</b>	Black glass + SS front	29 7/8" x 17 3/8"
	<ul style="list-style-type: none"> <li>• Capacity: 1.7 cu. ft.</li> <li>• Power: 1000 Watts, 10 levels.</li> <li>• Ventilation: 300 CFM, 2-speed</li> <li>• Duct transition: 3" 1/4 x 10" top and rear</li> <li>• 2 aluminum mesh filters (included)</li> <li>• Convertible to ductless venting with charcoal filters (included)</li> <li>• Controls: Soft touch electronic with LED display</li> <li>• Heavy duty aluminum handle, left-swing</li> <li>• Multiple cooking modes, including Sensor Cooking</li> <li>• Overall Height: 16 7/8"</li> <li>• Lighting: 2 interior lights</li> <li>• Electrical requirements: 120V / 20A / 60Hz-2450Mhz</li> </ul>		
	<b>AOTRS304SB</b>	Black glass + SS trims	29 7/8" x 18 13/16"
	<ul style="list-style-type: none"> <li>• Capacity: 1.2 cu. ft.</li> <li>• Power: 1000 Watts, 10 levels.</li> <li>• Ventilation: 400 CFM, 4-speed</li> <li>• Duct transition: 9 13/16" x 2 5/8" top and rear</li> <li>• 1 aluminum mesh filter (included)</li> <li>• Convertible to ductless venting with charcoal filter (included)</li> <li>• Controls: Soft touch electronic with LED display</li> <li>• Recessed handle, left-swing</li> <li>• Multiple cooking modes, including Sensor Cooking</li> <li>• Overall Height: 11 3/8"</li> <li>• Lighting: 2 interior lights</li> <li>• Electrical requirements: 120V / 20A / 60Hz-2450Mhz</li> </ul>		

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## COOKING

RANGE	MODEL	FINISH	SIZE (W x D)
	<b>ACRE24CSB</b>	Black glass + SS trims	23 1/2" x 23 1/2"

### OTR MICROWAVE MODEL NUMBER NOMENCLATURE

<b>A</b>	AVIVA
<b>OTR</b>	Over-The-Range
<b>M / S</b>	Microwave / Slim
<b>##</b>	Size
<b>#</b>	CFM (1st digit)
<b>S</b>	Color: Stainless
<b>B</b>	Builder-focused

*OTR MICROWAVE WARRANTY:  
1-year parts and labor*

### COOKING RANGE MODEL NUMBER NOMENCLATURE

<b>A</b>	AVIVA
<b>C</b>	Cooking
<b>R</b>	Range
<b>E</b>	Electric
<b>##</b>	Size
<b>C</b>	Convection
<b>S</b>	Color: Stainless
<b>B</b>	Builder-focused

*COOKING RANGE WARRANTY:  
2-years parts and labor*

## REFRIGERATION

BOTTOM MOUNT	MODEL	FINISH	SIZE (W x D x H)
 	<b>ARBM115SB</b>	STAINLESS STEEL	23 1/2" x 27" x 68"
	<ul style="list-style-type: none"> <li>• Freestanding, bottom-mount refrigerator-freezer</li> <li>• Capacity: 11.5 cu.ft. (Fridge 8.3 + Freezer 3.2)</li> <li>• Flat door design</li> <li>• Counter-depth</li> <li>• Recessed, pocket door handle</li> <li>• Reversible doors</li> <li>• Internal electronic soft touch controls</li> <li>• Interior LED lighting</li> <li>• Frost-free, multi-airflow cooling system</li> <li>• 3 glass shelves</li> <li>• 1 large + 2 small door bins</li> <li>• Large capacity crisper and 1 deli tray</li> <li>• Freezer includes 2 glass shelves and 1 drawer</li> <li>• Energy Star® rated</li> <li>• R600A Refrigerant gas</li> <li>• Inverter compressor</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		
 	<b>ARBM150SE2</b>	STAINLESS STEEL	27 5/8" x 26 1/2" x 67 3/4"
	<ul style="list-style-type: none"> <li>• Freestanding, bottom-mount refrigerator-freezer</li> <li>• Capacity: 14.8 cu.ft. (Fridge 10.6 + Freezer 4.2)</li> <li>• Slightly curved door design</li> <li>• Counter-depth</li> <li>• Recessed door handles</li> <li>• Reversible doors</li> <li>• Door open alarm</li> <li>• Internal electronic soft touch controls</li> <li>• Soft interior LED Lighting</li> <li>• Multi airflow, ambient cooling system</li> <li>• Precise temperature control</li> <li>• Super Cool and Super freeze function</li> <li>• 3 adjustable glass shelves</li> <li>• 3 large + 2 adjustable door bins</li> <li>• Large capacity crisper</li> <li>• Freezer includes manual ice-maker with ice bin, 2 large drawers + 1 small tray</li> <li>• Energy Star® rated</li> <li>• R600A Refrigerant gas</li> <li>• Inverter compressor</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## REFRIGERATION

BOTTOM MOUNT	MODEL	FINISH	SIZE (W x D x H)
 	<b>ARBM177SE</b>	STAINLESS STEEL	31 1/4" x 27 1/2" x 68"
	<ul style="list-style-type: none"> <li>• Freestanding, bottom-mount refrigerator-freezer</li> <li>• Capacity: 17.7 cu. ft. (Fridge 12.7 + Freezer 5)</li> <li>• Flat-door design</li> <li>• Metallic liner &amp; backsplash</li> <li>• Recessed door handles</li> <li>• Reversible doors</li> <li>• Door open alarm</li> <li>• Internal electronic soft touch controls</li> <li>• Soft interior LED lighting</li> <li>• Multi airflow, ambient cooling system</li> <li>• Precise temperature control</li> <li>• Super Cool and Super freeze function</li> <li>• 3 adjustable glass shelves</li> <li>• 1 large + 4 small height-adjustable door bins</li> <li>• 2 half-width crispers</li> <li>• Freezer includes 2 large drawers + 2 small trays</li> <li>• Energy Star® rated</li> <li>• R600A Refrigerant gas</li> <li>• Inverter compressor</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		
 	<b>ARBM188SE4</b> <b>ARBM188WE4</b>	STAINLESS STEEL WHITE	29 1/2" x 31 1/2" x 66 3/4"
	<ul style="list-style-type: none"> <li>• Freestanding, bottom-mount, single-door slide-out drawer freezer</li> <li>• Capacity: 18.7 cu. ft. (Fridge 13.1 + Freezer 5.6)</li> <li>• Flat-door design</li> <li>• Recessed door handles</li> <li>• Reversible fridge door</li> <li>• Door open alarm</li> <li>• Internal electronic touch controls</li> <li>• Interior Lighting LED lights</li> <li>• Dual temperature control system</li> <li>• 2 height-adjustable glass shelves</li> <li>• 1 large + 3 small height-adjustable door bins</li> <li>• 2 crispers with humidity control</li> <li>• Freezer includes 2 large slide-out bins (1 white + 1 clear)</li> <li>• Energy Star® rated</li> <li>• R600A Refrigerant gas</li> <li>• Inverter compressor</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		<b>ARBM188WE4</b>

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## REFRIGERATION

FRENCH DOOR	MODEL	FINISH	SIZE (W x D x H)
 	<b>ARBM184FSE3</b>	STAINLESS STEEL	29 1/2" x 31" x 66 3/4"
	<ul style="list-style-type: none"> <li>• Freestanding, bottom-mount, French-door, slide-out drawer freezer</li> <li>• Capacity: 18.4 cu. ft. (Fridge 12.8 + Freezer 5.6)</li> <li>• Flat-door design</li> <li>• Recessed door handles</li> <li>• Internal electronic touch controls</li> <li>• Door open alarm</li> <li>• Interior Lighting LED lights</li> <li>• Precise temperature control</li> <li>• 2 height-adjustable glass shelves</li> <li>• 6 large door bins (3 on each side)</li> <li>• 2 crispers with humidity control</li> <li>• Freezer includes 2 large storage bins (1 white + 1 clear)</li> <li>• Energy Star® rated</li> <li>• R600 Refrigerant gas</li> <li>• Inverter compressor</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		
 	<b>ARBM180FSE</b>	STAINLESS STEEL	32 1/4" x 27 3/8" x 70"
	<ul style="list-style-type: none"> <li>• Freestanding, bottom-mount, French-door, slide-out drawer freezer</li> <li>• Capacity: 18 cu. ft. (Fridge 12.5 + Freezer 5.4)</li> <li>• Flat-door design</li> <li>• Counter-depth</li> <li>• Recessed door handles</li> <li>• Internal electronic touch controls</li> <li>• Interior Lighting LED lights</li> <li>• 2 height-adjustable + 1 stationary glass shelves</li> <li>• 6 large + 2 regular door bins</li> <li>• 2 crispers with humidity control</li> <li>• 2 large freezer drawers on ball-bearing glides</li> <li>• Energy Star® rated</li> <li>• R600 Refrigerant gas</li> <li>• Inverter compressor</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## REFRIGERATION

FRENCH DOOR	MODEL	FINISH	SIZE (W x D x H)
-------------	-------	--------	------------------


**ARBM265FDSE** STAINLESS STEEL **35 13/16" x 29" x 69 7/8"**

- Freestanding, bottom-mount, French-door, slide-out drawer freezer
- Capacity: 26.5 cu. ft. (Fridge 18.5 + Freezer 8.3)
- Flat-door design
- Counter-depth
- Recessed door handles
- Internal electronic touch controls
- Interior lighting LED lights
- Internal water dispenser
- Automatic ice maker with ice bucket
- Water filter included
- Frost-free, multi-airflow cooling system
- Super cool and Super freeze function
- Sabbath mode
- Door alarm
- 2 full width glass shelves (1 fixed) + 2 half-width, height-adjustable shelves
- 6 large door bins
- 1 full-width deli drawer + 2 half-width humidity controlled drawers
- 2 large freezer drawers on ballbearing glides
- Energy Star® rated
- R600 Refrigerant gas
- Inverter compressor
- Electrical requirements 115V / 60Hz


*Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.*

## REFRIGERATION

TOP MOUNT	MODEL	FINISH	SIZE (W x D x H)
	<b>ARTM116SB</b>	STAINLESS STEEL	23 1/2" x 29" x 59 1/2"
	<ul style="list-style-type: none"> <li>• Freestanding, top mount refrigerator-freezer</li> <li>• Capacity: 11.6 cu. ft. (Fridge 8.4 + Freezer 3.2)</li> <li>• Flat door design</li> <li>• Recessed door handles</li> <li>• Reversible doors</li> <li>• Internal electronic soft touch controls</li> <li>• Interior LED lighting</li> <li>• Frost-free, multi-airflow cooling system</li> <li>• 3 glass shelves</li> <li>• 2 large + 4 small door bins + bottle/pop can holder bins</li> <li>• 2 crispers</li> <li>• Freezer includes 1 wire shelf and 2 large door bins</li> <li>• R600A Refrigerant gas</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		
	<b>ARTM142SB</b>	STAINLESS STEEL	27 1/2" x 29" x 60 1/2"
	<ul style="list-style-type: none"> <li>• Freestanding, top mount refrigerator-freezer</li> <li>• Capacity: 14.2 cu. ft. (Fridge 10.6 + Freezer 3.6)</li> <li>• Flat door design</li> <li>• Recessed door handles</li> <li>• Reversible doors</li> <li>• Internal electronic soft touch controls</li> <li>• Interior LED lighting</li> <li>• Frost-free, multi-airflow cooling system</li> <li>• 2 adjustable glass shelves</li> <li>• 2 large door bins</li> <li>• 1 large crisper</li> <li>• Freezer includes 1 glass shelf and 2 large door bins</li> <li>• Energy Star® rated</li> <li>• R600A Refrigerant gas</li> <li>• Electrical requirements 120V / 60Hz / 15A</li> </ul>		

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## REFRIGERATION

TOP MOUNT	MODEL	FINISH	SIZE (W x D x H)
 	<b>ARTM180SE</b> <b>ARTM180WE</b>	STAINLESS STEEL WHITE	29 3/4" x 30 3/4" x 66 1/2"

- Freestanding, top mount refrigerator-freezer
- Capacity 18 cu. ft. (Fridge 14 + Freezer 4)
- Flat-door design
- Recessed door handles
- Reversible doors
- Internal electronic touch controls
- Interior LED lighting
- Multi airflow cooling
- Dual temperature control system
- 2 height-adjustable
  - + 1 fixed glass shelves in fridge
- 2 large + 2 small fridge door bins
- 2 crispers with humidity control
- Freezer includes 1 height-adjustable glass shelf & 2 large door bins
- Energy Star® rated
- R600A Refrigerant gas
- Inverter compressor
- Electrical requirements 120V / 60Hz / 15A


**ARTM180WE**

## REFRIGERATION - MODEL NUMBER NOMENCLATURE

<b>A</b>	AVIVA
<b>R</b>	Refrigerator
<b>BM/TM</b>	Bottom-mount / Top-mount
<b>##</b>	Capacity
<b>F</b>	French Door
<b>S/W</b>	Stainless Steel / White
<b>E</b>	Energy Star
<b>#</b>	Generation

**WARRANTY:** 2-years labor and replacement parts. Additional 3-year warranty, for a total of 5 years on the sealed system (components only).

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## WINE CELLARS & BEVERAGE CENTRES

COMBO	MODEL	FINISH	SIZE (W x D* x H)
	<b>ABCU422SS</b>	SS + GLASS	23 7/16" x 22 7/16" x 34 1/4"
	<ul style="list-style-type: none"> <li>Dual-zone temp. range per zone: 35° - 68°F / 2 - 20°C</li> <li>French door configuration</li> <li>Each side convertible to wine or beverage cooler</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 42 bottles or 21 bottles + 60 cans</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Multi-sensor precision temp control</li> <li>Fan-assisted cooling</li> <li>Electronic touch controls with Blue LED display</li> </ul>	<ul style="list-style-type: none"> <li>Seamless, 304-grade stainless steel door frame</li> <li>Triple-paned glass with Low-E argon gas</li> <li>SS tubular pro handle</li> <li>Zero clearance door hinge</li> <li>4-level Blue LED lighting</li> <li>Stainless steel kick plate</li> <li>12 wooden shelves with stainless front trim</li> <li>Includes 3 glass shelves for beverage configuration</li> <li>Sabbath mode</li> <li>Carbon filter included (2 pcs)</li> <li>Embraco compressor</li> <li>R600a Refrigerant gas</li> </ul>	
	<b>BSC42DB3</b>	BLACK + GLASS	23 3/4" x 23 1/4" x 34 1/2"
	<ul style="list-style-type: none"> <li>Dual-zone, temperature range per zone: 39°- 64°F / 4-18°C</li> <li>Side by side configuration</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 21 bottles + 64 cans</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Soft-touch electronic controls</li> </ul>	<ul style="list-style-type: none"> <li>Made of vitrified black glass + tinted and UV treated glass with Low-E argon gas</li> <li>SS Tubular Pro handle</li> <li>Interior lighting White LED</li> <li>Stainless steel kick plate</li> <li>6 full-extension, ball-bearing metal racks with black wooden frontage + 3 glass shelves</li> <li>R600a Refrigerant gas</li> </ul>	
	<b>VWD42S2</b>	SS + GLASS	23 7/8" x 23 3/4" x 34 1/2"
	<ul style="list-style-type: none"> <li>Dual-zone temp. range per zone: 39° - 64°F / 4 - 18°C</li> <li>Side by side configuration</li> <li>Each side convertible to wine or beverage cooler</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Total Capacity: 42 bottles or 21 bottles + 64 cans</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Soft-touch electronic controls</li> </ul>	<ul style="list-style-type: none"> <li>Seamless, stainless steel doors</li> <li>Tinted glass with Low-E Argon gas</li> <li>SS tubular pro handle</li> <li>LED lighting color options: White, Blue, Yellow</li> <li>Stainless steel kick plate</li> <li>12 wooden shelves with stainless steel front trim</li> <li>Includes 3 glass shelves for beverage configuration</li> <li>Sabbath mode</li> <li>R600a Refrigerant gas</li> </ul>	

\*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## WINE CELLARS & BEVERAGE CENTRES

WINE CELLAR	MODEL	FINISH	SIZE (W x D* x H)
	<b>ABWC232SS</b>	SS + GLASS	15" x 22 1/16" x 34 1/4"
	<ul style="list-style-type: none"> <li>Dual-zone temperature range: Upper zone: 41° - 54°F / 5 - 12°C Lower zone: 54° - 65°F / 12 - 18°C</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 23 bottles</li> <li>Seamless, stainless steel door - field reversible</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Soft-touch electronic controls</li> <li>UV treated glass door</li> <li>SS Tubular Pro handle</li> <li>Blue LED lighting</li> <li>Stainless steel kick plate</li> <li>5 full-extension wooden shelves with stainless steel front trim</li> <li>Sabbath mode</li> <li>R600a Refrigerant gas</li> </ul>		
	<b>ABWC472SS</b>	SS + GLASS	23 7/16" x 23 1/4" x 34 1/4"
	<ul style="list-style-type: none"> <li>Dual-zone temperature range: Upper zone: 41°-50°F / 5-10°C Lower zone: 54° - 65°F / 12 - 18°C</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 46 bottles</li> <li>High-temperature alarm</li> <li>Multi-sensor precision temp. control</li> <li>Fan-assisted cooling</li> <li>Electronic touch controls with Blue LED display</li> <li>4-level Blue LED lighting</li> <li>Seamless, 304-grade stainless steel door frame</li> <li>Triple-paned glass with Low-E argon gas</li> <li>SS tubular pro handle</li> <li>Field-reversible door with articulated hinge</li> <li>Stainless steel kick plate</li> <li>5 full-extension, ball-bearing wooden shelves with stainless steel front trim</li> <li>Door open alarm</li> <li>Sabbath mode</li> <li>Carbon filter included</li> <li>Embraco compressor</li> <li>R600a Refrigerant gas</li> </ul>		
	<b>ABWC472PR</b>	PR + GLASS	23 7/16" x 23 1/8" x 34 1/4"
	<ul style="list-style-type: none"> <li>Dual-zone temperature range: Upper zone: 41°-50°F / 5-10°C Lower zone: 54° - 65°F / 12 - 18°C</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 46 bottles</li> <li>High-temperature alarm</li> <li>Multi-sensor precision temp. control</li> <li>Fan-assisted cooling</li> <li>Electronic touch controls with Blue LED display</li> <li>4-level Blue LED lighting</li> <li>Panel-ready door frame</li> <li>Triple-paned glass with Low-E argon gas</li> <li>SS tubular pro handle (included in package)</li> <li>Field-reversible door with articulated hinge</li> <li>Black metal kick plate</li> <li>5 full-extension, ball-bearing wooden shelves with stainless steel front trim</li> <li>Door open alarm</li> <li>Sabbath mode</li> <li>Carbon filter included</li> <li>Embraco compressor</li> <li>R600a Refrigerant gas</li> </ul>		

\*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## WINE CELLARS & BEVERAGE CENTRES

WINE CELLAR	MODEL	FINISH	SIZE (W x D* x H)
	<b>CWC46DS2</b>	SS + GLASS	23 1/2" x 23 3/4" x 34"
	<b>VPC46DS3</b>	SS + GLASS	23 3/4" x 23 1/2" x 34 1/8"
WINE CELLAR - FULL SIZE	MODEL	FINISH	SIZE (W x D* x H)
	<b>ABWC1622SS</b>	SS + GLASS	23 1/2" x 26 9/16" x 69 5/16"

\*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## WINE CELLARS & BEVERAGE CENTRES

BEVERAGE CENTER	MODEL	FINISH	SIZE (W x D* x H)
	<b>ABBC120SS</b>	SS + GLASS	23 7/16" x 23 1/4" x 34 1/4"
	<ul style="list-style-type: none"> <li>Single-zone temp. range: 34° - 64°F / 1 - 18°C</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 120 cans + 7 bottles</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Multi-sensor precision temp. control</li> <li>Fan-assisted cooling</li> <li>Electronic touch controls with Blue LED display</li> <li>4-level Blue LED lighting</li> <li>Seamless, 304-grade stainless steel door frame</li> <li>Triple-paned glass with Low-E argon gas</li> <li>SS tubular pro handle</li> <li>Field-reversible door with articulated hinge</li> <li>Stainless steel kick plate</li> <li>1 full-extension, soft-close wood rack with stainless trim + 2 glass shelves with airflow openings</li> <li>Sabbath mode</li> <li>Carbon filter included</li> <li>Embraco compressor</li> <li>R600a Refrigerant gas</li> </ul>		
	<b>ABBC120PR</b>	PR + GLASS	23 7/16" x 23 1/8" x 34 1/4"
	<ul style="list-style-type: none"> <li>Single-zone temp. range per zone: 34° - 64°F / 1 - 18°C</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 120 cans + 7 bottles</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Multi-sensor precision temp. control</li> <li>Fan-assisted cooling</li> <li>Electronic touch controls with Blue LED display</li> <li>4-level Blue LED lighting</li> <li>Panel-ready door frame</li> <li>Triple-paned glass with Low-E argon gas</li> <li>SS tubular pro handle (included in package)</li> <li>Field-reversible door with articulated hinge</li> <li>Black metal kick plate</li> <li>1 full-extension, soft-close wood rack with stainless trim + 2 glass shelves with airflow openings</li> <li>Sabbath mode</li> <li>Carbon filter included</li> <li>Embraco compressor</li> <li>R600a Refrigerant gas</li> </ul>		
	<b>CBC140SS3</b>	SS + GLASS	23 1/2" x 23 1/2" x 34"
	<ul style="list-style-type: none"> <li>Single-zone, temperature range: 34° - 50°F / 1 - 10°C</li> <li>Built in or freestanding</li> <li>Flush fit installation</li> <li>Capacity: 140 cans</li> <li>Seamless, stainless steel door - field reversible</li> <li>Door open alarm</li> <li>High-temperature alarm</li> <li>Electronic touch controls</li> <li>UV tinted glass with Low-E Argon gas</li> <li>SS Tubular Pro handle</li> <li>Interior lighting White LED</li> <li>Black kick plate</li> <li>3 height-adjustable glass shelves</li> <li>R600a Refrigerant gas</li> </ul>		

\*Depth does not include handle.

Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.

## WINE CELLARS & BEVERAGE CENTRES - MODEL NUMBER NOMENCLATURE

<b>VP / BS / C</b>	(Series) Vinopazzo / Black (Noire) / C Series
<b>C / B / WC</b>	Cellar / Beverage / Wine Cellar
<b>NUMBER</b>	Capacity
<b>S / D</b>	Single or Dual Zone
<b>S / B</b>	Stainless Steel or Black
<b>#</b>	Generation

*WARRANTY: 2-year parts and labor, 5 years on sealed system (parts only).*

## WARRANTY

### VENTILATION AND OTR MICROWAVE

We warrant our hoods and OTR's against defects in materials and workmanship under ordinary residential use for one (1) full year\* from the date of original retail purchase. This limited warranty applies to any repair and /or replacement parts. This limited warranty is not subject to improper installation, accident, misuse, neglect, fire or other external causes, alterations, repair or commercial use.

\*Two (2) full years for AVP278S, AVP368S, AVPP276S and AVPP346S.

### COOKING RANGE

We warrant our cooking ranges against defects in materials and workmanship under ordinary residential use for two (2) full years from the date of original retail purchase. This limited warranty applies to any repair and /or replacement parts. This limited warranty is not subject to improper installation, accident, misuse, neglect, fire or other external causes, alterations, repair or commercial use.

### REFRIGERATION AND WINE & BEVERAGE CENTRES

Aviva refrigerators, wine cellars and beverage centres carry a two (2) year limited warranty on both parts and labor. Aviva warrants for two (2) years, to the purchaser of every new unit, the cabinet and all parts thereof, to be free from defects in material or workmanship, under normal and proper use and maintenance service as specified by Aviva and upon proper installation and start-up in accordance with the instruction manual supplied with the Aviva unit. Any parts covered under this warranty that are determined by Aviva to have been defective, within the above said period, are limited to the repair or replacement, including labor charges, of defective parts or assemblies.

In addition to the 2 year warranty period stated above, Aviva warrants its hermetically sealed compressor to be free from defects in both material and workmanship, under normal and proper use and maintenance, for a period of an additional 36 months (a total of 5 years on hermetically sealed compressor). The above said extended compressor warranty applies only to hermetically sealed parts of the compressor and DOES NOT apply to any other parts or components, including, but not limited to, cabinet, paint finish, temperature control, refrigerant, metering device, motor starting equipment, fan assembly, or any other electrical component, etc.

## NOTES

*Models & specifications are subject to change without notice. Please refer to Aviva website for latest updates.*

# PRODUCT GUIDE 2026

# AVIVA

T 800 361 0799

F 450 682 7943

[www.distinctive-online.com](http://www.distinctive-online.com)

[info@distinctive-online.com](mailto:info@distinctive-online.com)

## **HEAD OFFICE & WAREHOUSE**

2025 Cunard Street  
Laval QC H7S 2N1

## **WESTERN CANADA WAREHOUSE**

NFI 1020 Derwent Way  
Delta, BC V3M 5R1

## **SERVICE DEPARTMENT**

[service@distinctive-online.com](mailto:service@distinctive-online.com)  
800 561 7265

## **ORDER DESK**

[orderdesk@distinctive-online.com](mailto:orderdesk@distinctive-online.com)